
# North Carolina REPORTED PREGNANCIES 1996



Department of Health and Human Services

**Division of Epidemiology** 

State Center for Health Statistics



Digitized by the Internet Archive in 2010 with funding from State Library of North Carolina

# North Carolina REPORTED PREGNANCIES 1996

N.C. Department of Health and Human Services
Division of Epidemiology
State Center for Health Statistics
Raleigh, North Carolina

#### STATE OF NORTH CAROLINA

James B. Hunt Jr., Governor

#### DEPARTMENT OF HEALTH AND HUMAN SERVICES

H. David Bruton, M.D., Secretary

#### DIVISION OF EPIDEMIOLOGY

#### STATE CENTER FOR HEALTH STATISTICS

#### **Contributing Editors:**

Fatma Simsek Evangela Hager

#### **Other Contributors:**

Jean Stafford David Liles Dianne Enright Paul Buescher

December 1997

800 copies of this public document were printed at a cost of \$1,898.24 or \$2.37 per copy.

Printed on recycled paper



#### TABLE OF CONTENTS

<u>Page</u>
Introduction
Trends and Patterns in Pregnancy, Live Birth, Abortion, and Fetal Death Rates by Race, 1986-1996 2-1 Rate Tables by Age and Race 2-5
Summary of Characteristics of Induced Abortions 3-1 Place of Occurrence 3-1 Place of Residence 3-1 Facility of Occurrence 3-1 Number of Reported Abortions (Occurrence and Residence) by County and Regions 3-3 Summary of Characteristics, Percent Distribution, 1986-1996 3-4
Selected Characteristics of Resident Live Births and Fetal Deaths Live Births Race 4-1 Maternal Age 4-1 Selected Live Birth Trends Unmarried Mothers Birthweight No Prenatal Care Fetal Deaths Race Fetal Deaths Race 4-3 Maternal Age 4-3
Summary
Definitions 6-1
Tables State Perinatal Care Regions Counties
Appendixes
A. N.C. Induced Abortion Case Report B. N.C. Certificate of Live Birth C. N.C. Report of Fetal Death

COVER: The pen and ink drawing entitled, "Grandfather Mountain (Linville)" is used by permission of the artist, Jerry Miller of Cary.



#### INTRODUCTION

This volume is the eighth pregnancy report for North Carolina. The data of this report include reported induced abortions, live births, and fetal deaths. Only fetal deaths of 20 or more weeks gestation are reportable. The sum of these events represents total reported pregnancies.

The following section uses tables, graphs, maps, and narrative to examine statewide trends and patterns in pregnancy, live birth, abortion, and fetal death. Subsequent sections of this report examine selected characteristics of abortions, live births, and fetal deaths with emphasis on abortions since they are not reported in other publications of the State Center for Health Statistics. Finally, for the state, regions, and 100 counties, one-page tables summarize resident abortions, live births, fetal deaths and total pregnancies by race and age for total and unmarried women. **Note that marital status was not reported for 21 percent of the abortions**. Therefore the number of abortions to unmarried women is understated in the tables of this report.

Throughout this report, data year 1986 is used as the base to reflect changes during the past decade. Beginning in 1978, abortion providers voluntarily reported detailed characteristics on nearly all of their procedures. Corresponding data for earlier years were obtained from a sample and may not be representative.

Hospitals and clinics in North Carolina reported detailed information on an estimated 99 percent of all abortions performed in 1996. For those facilities not reporting 100 percent, the characteristics data have been expanded in a random manner to produce data for each facility's total number of abortions. These adjustments should not seriously bias the results. For live births and fetal deaths, reporting of the events is believed to be virtually 100 percent, although the variables include a few unknown or not stated values.

For the maps of this report, a procedure from the Statistical Analysis System (SAS) was used to group counties that are "most like each other" with respect to the statistic being examined. This procedure may result in very large or very small groups, depending on how the counties differ.

It is hoped that this report will serve many of the data needs of those individuals and agencies delivering and/or planning health services for the childbearing population of the state. Your comments are always welcomed. You may contact this office at (919) 733-4728, or address correspondence to:

State Center for Health Statistics Department of Health and Human Services P.O. Box 29538 Raleigh, North Carolina 27626-0538

# TRENDS AND PATTERNS IN PREGNANCY, LIVE BIRTH, ABORTION, AND FETAL DEATH

Total and race-specific measures for each year 1986-1996 are listed in the table below. North Carolina's total *pregnancy rate* (pregnancies per 1,000 females ages 15-44) has increased for the first time after five consecutive years of decline. The increase includes both whites and nonwhites. Live births are the greatest contributor to total pregnancies, so it is not surprising that the state's *fertility rate* (live births per 1,000 females ages 15-44) has followed the same general course as the pregnancy rate. There was a 2.1 percent increase in the total fertility rate from 1995 to 1996.

The state's *abortion rate* (abortions per 1,000 females ages 15-44) continues to decline for whites with a decrease of 2.3 percent from 1995 to 1996. The nonwhite abortion rate increased 5.3 percent from 1995 to 1996. The *abortion fraction* (abortions per 1,000 pregnancies) decreased among whites by 4.1 percent from 1995 to 1996 and increased among non-whites by 3 percent. The final component of total reported pregnancies is the relatively small number of fetal deaths. In 1996 the overall *fetal death rate* (fetal deaths per 1,000 deliveries) increased by 12.5 percent from 1995 to 1996.


#### Pregnancy Rates, Fertility Rates, Abortion Rates, Abortion Fractions and Fetal Death Rates: North Carolina Residents, 1986-1996\*

	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Pregnancy Rate											
Total	80.8	82.9	85.9	87.1	87.9	85.9	85.4	82.9	81.9	80.1	81.7
White	72.0	73.8	75.4	76.0	77.9	75.7	75.4	73.2	73.2	72.5	73.8
Nonwhite	104.3	107.6	114.5	116.4	113.5	112.5	111.4	108.1	104.8	99.6	101.8
Fertility Rate											
Total	58.8	60.3	62.3	64.5	65.6	63.8	64.5	62.4	62.0	61,5	62.8
White	54.2	55.6	56.9	58.6	60.6	58.8	59.8	57.9	58.6	59.0	60.5
Nonwhite	72.1	73.6	77.5	81.0	79.6	78.0	77.5	74.5	71.0	68.2	68.8
Abortion Rate											
Total	21.4	22.1	23.0	22.0	21.7	21.4	20.3	20.0	19.5	18.1	18.4
White	17.4	17.8	18.1	17.1	16.9	16.5	15.3	14.9	14.2	13.1	12.8
Nonwhite	31.3	33.2	36.0	34.3	32.9	33.5	32.8	32.6	32.9	30.4	32.0
Abortion Fraction											
Total	265.2	267.0	268.2	253.1	247.0	249.8	237.9	241.3	237.7	226.3	225.0
White	241.7	241.2	240.2	224.7	216.7	218.2	202.5	203.2	193.7	181.2	173.8
Nonwhite	299.9	308.3	314.6	294.7	289.4	297.7	294.6	301.7	313.7	305.5	314.7
Fetal Death Rate											
Total	8.8	8.6	8.9	8.7	8.6	8.6	9.0	8.4	7.9	8.0	9.0
White	7.1	7.4	6.7	6.6	6.5	6.7	6.6	6.1	5.6	5.8	7.0
Nonwhite	12.5	11.3	13.4	13.0	13.3	12.5	14.1	13.3	13.0	13.2	14.0


<sup>\*</sup>Pregnancy, fertility, and abortion rates for 1986-1989 are not the same as published in some previous reports due to revised population estimates. In almost all cases, the updated total and white rates are slightly lower and nonwhite rates are slightly higher than rates previously published.

On pages 2-3 through 2-20, maps and tables show county-specific pregnancy, fertility, and abortion rates, as well as abortion fractions for 1996. Fetal death rates are not given due to the instability of the county rates for a single year. Users are referred to the five-year fetal death rates published in *North Carolina Vital Statistics*, *Volume 1*.


# **Pregnancy Rates**




# Fertility Rates



## **Abortion Rates**



## **Abortion Fractions**



HEERA H

0.000	ACTIONS NONWHITE 2015.0 2016.6 2016.0 2016.0 2016.0 2016.0 2016.0 2016.0 2016.0 2016.0 2017.0 201
N HOLD I	TION HITE WHITE WHITE STATE ST
OL MUTICIA	ABGR 2074APL 20789-4 2099-8 20
1996 1996	NATES NO NATES NO NATES NO NATES NO NATES NO NATES NO NATES
COUNTIES,	RATION NAME OF THE PROPERTY OF
S AND	TO TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TOTAL TO THE TOTAL TOTA
A, REGION	RATES NONWHITE 103.44 100.8 100.8 100.8 100.4 100.9 100.4 100.9 100.6 100.0 10
CAROLIN	THING THE PROOF OF
NORTH	100 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1 ENT TET 111	RATES NON WHITE 126.98 127.22 128.33 128.34 128.35 138.35
CONTROL	GNANCY MHITE RHITE RHITE RAIL RESTORT
- 110	PRE TOTAL 895.8 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 887.2 885.2 885.2 885.2 885.2 887.2 887.2 887.2 887.2 887.2 887.2 1005.3 100
YANCEY	NORTH CAROLINA DEHNR I ASHEVILLE DEHNR II CHARLOTTE DEHNR III CHARLOTTE DEHNR III WILL DEHNR III WILL DEHNR V FAYETTEVILLE DEHNR VI GREENVILLE DEHNR VI MILMINGTON PCR II NORTHWESTERN PCR II SOUTHEASTERN PCR II SOUTHEASTERN ANSON CATAMBA CHECHANY BEAUFORT BERITE BURKE CASWELL CATAMBA CHEROKEE CASWELL CATAMBA CHEROKEE CASWELL CATAWBA CHEROKEE CHOWAN CLAY BURKE DOAUBUS CCALUMBUS CCALUMBUS CCIUMBUS COLUMBUS COLUMBUS COLUMBUS CRAVEN DAVIE DURLAM GASTON GASTON GASTON GASTON GARANVILLE GREENE
YAN	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD

195.1 10000.0 166.7 166.7 166.7 166.7 166.7 166.7 1000.0 1	
25637.3 1627.	53.
2234 2245 2245 2245 2245 2245 2245 2245	20.
22 88 27 1 2 8 27 1 2 8 2 2 8 2 2 8 2 2 8 2 2 2 8 2 2 2 8 2 2 2 2 8 2 2 2 2 8 2	
11	
12100000000000000000000000000000000000	
1007 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
100557774701351187701168009448377505411856488501136577777777777777777777777777777777777	
88453.2 8875.2 8876.2 8776.	
1120 120 120 120 120 120 120 120	
1002.11 1002.12 1002.13 1002.13 1002.13 1003.13 100	
NUED)  113.0  114.5  126.0  127.0  126.0  127.0  127.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0  128.0	0
CONTINUED	
CAGES 15-19 CHALIFAX HARINETT HARWETT HARWOOD HENDERSON HERTFORD HOKE LIREDELL JACKSON JONES LEE LENDIR LENDIR LINCOLN MACON NON MACON MACON STANLY MACON	LAINOLI

						3.1							_														_					_	_												_			1.0	
2	296.3	-1-	200	12.	0	. 00		200	200	12	91	00	-	00	. 70		10	77.	63	52.	53.	85.	. 99	75	530	000	50.	23.		370	65.	60.	94.	. 91	03.	30.	28.	-1	20.	0	17.	39.	72.	00	00	.06	. 8 8		-
	201.6	19.	000	. 99	0	61.	000	20		63	79.	22.	69	00	30.		. u	36	75.	45	0	73.	59	3.5	30.	0	70.	40.	000	870	. 96	27.	13.	56.	000	62.	45	23.	22.	0	39.	59.	23.	20	00	55.	90		55
	230.3	. 61	12	97.	0	75.		. 8	76.	20.	33	29.	. 69	30.	. 95	000	. 22	. ~	04.	58	25.	04.	. 59	. 99	92.	05.	63.	73.	20	150	76.	71.	. 83	. 99	83.	88	77.	50.	25.	0	33.	44	. 50		23.	75.	. 17	03.	S
	54.2	000	11	4	0			-0	. 0		00	55.	0	3	6	20	. 4			0	5	9	2	00	M	9	5	9		· ·		7	50	. 0	-	50.				0	7	6	5		0	2			
	22.8			3	0	0	- 0			10	6	5	6	4	6	٠.	. 7	20	2	5	0	5	000	0 -	im	0	0	6	00	· M		. 9	91	n «	m	1	7	00	;;	0	. 9	7	. 0		0	0	-10		3
	29.6	. 0		4	0	5			. 4	. 5	0	9		7	6	9-	- 1		. 9	6	7.	2	50		. 9	9		m 0		. 0	. 4	4		· ·		7	· ·					+	·	. 0	-				;
47	122.0	00	60.	28.	05.	. 50	000	15.	. 80	89	00	22.	0	0	200	.17		69	68.	45.	39.	. 99	. 97	500	. 98	36.	05.	. 200	.00	74.	73.	34.	. 60	76.	87.	. 69	000	720	51.	05.	31.	81.	.1.	000	0	35.	47		9
u	800.7	00	26.	5	27.	04.		. 4	25	61.	87.	0	22.	55.	5	÷-			7	37.	85.	1	6.0		· ·	00	10.	25.	10	38	111	4	85.	52	77.	. 60	01.	37	76.	00	-	00			13.	12.	 	ma	0
72	96.2	23	04.	39.	54.	21.	. 20	27.	17	32	98	14.	20.	54.	11.	.7/	. 70	000	03.	57.	22.	. 99	12.		080	44.	08.	56.	20.	52.	57.	6	91.	62	25.	20.	. 50	17.	73.	. 99	91.	33.	. 0	28.	12.	. 77		24.	-
0	183.1	0.1	07.	163.2	05.	31.	(2)		. 89	40	28	77.	0	333.3	11	5 C	. 90	15	31	0	9	MI		. 61	20.	63.	40.	0.2		. 90	10.	-		. 20	. 60	20.	50.	74.	. 69	05.	72.	47	28	200.0	40.	. 69	. 68		
-	112.9	30	5	00	27.	5	000	٠ ١	26	96	. 90	5	31.	2	2	200	0.20		96	2	85.	5		000	000	00	-	55.	11/2	51.	38	2	. 60	000	11.	31.	18.	62	98.	38.		. 90		48.	4.	. H		m 0	5
(	127.8		0		4				162.3	176.0	128.9	1		74.	51.	200		. 85	50	07.	40	11	57.	17.	37.	61.	7	.06	01	73.	93.	5	50.	95	53.	47.	. 28	30.	96	. 99	2	81.	9 10	133.7	5.			155.7	D.C.
CONTINUED																																																	
5 18-19	RNETT	000	FORD			DELL	2	2 0		-	COLN	OWELL	NO	ISON		KLENBURG	TOMEDY	RF	H	HANOVER	THAMPTON	MOT	NGE	LICO	DER	QUIMANS	SON	- 3	HO IOU	HMOND	ESON	KINGHAM	HEDEODD	PSON	TLAND	NLY	IKES	N	NSYLVANIA	RELL	NO	CE	PFN	ASHINGTON	AUGA	KE	SON	DKIN	)

2 - 13

																												l
29.	1269.0	580.	93.	69.	.09	200	-1.	87.	78.	43.	18.	800	69.	54.	71.	12	54.	. 99	26.	91.	me	35.	32.	39.	00	50.	.0.	4
482	141.4 87.0 114.0	866.	79.	85.	51.	42.	19.	80.	62.	65.	140	05.	69.	43.	27.	01.	30.	689	29.	10.	61.	67.	91.	233	06.	81.	22.	J
733	136.4	20.	17.	35.	44.	46.	19.	18.	18.	39.	06.	. 96	75.	54.	46.	50.	56	67.	32.	24.	53.	15.	79.	03.	17.	89	31.	1
410	26.9 26.9 27.1	500	-60	 ∞ ⊢ ∞	0.0	900	30	5.1	mini	m 00 M	000	000	000	9 9		60	in	4.	9.	73	60		· ·	9.		. 6	, m	4
ru w n	38.4	0 ~ 6	47.	200	261	200	100	6.	1.	÷m,	+	000	× 1	500	H.	25	100	ומי	2.	50	40	-	. 0	90	00 4	000		-3
66	25.6 20.8 29.7	900	400		-i 00	26.9	125	9.	90	ini	, -i o	. 6	9:	9 41	0.	3.5	ייטו	000	20.	0.00	Ma		00	4.9	6 4	mo		1
61.	151.1	63.	82.		94.	54.	03.	58.	62.	45.	71.	05.	30.	35.	77.	45.	57.	74.	97.	78.	15.	26.	. 58	11	57.	. 22	25.	
34.	133.4 87.9 264.4	18.	12.	33.	23.	41.	93.	0.1	וממ	15.	90.	· m	41.	ii.	50.	26.	30.	12.	01.	30.	24.	. 90	m.	73.	27.	40.	0 00 4	1
29.	128.8	40. 27. 68.	23.	35.	27.	100.	93.	30.	50	18.	80.	90.	67.		. 69	31.	34.	41.	01.	32.	30.	10.	54.	94.	26.	37.	SW	******
92.	138.5	24.	43.	90.	30.	000.	47.	28.	37.	17.	92.	15.	82.	81.	18.	28.	10.	000	19.	52.	35.	92.	84.	35.	2-	-	10	*****
26.	155.4 155.4 298.4	67.	37.	64.	46.	84.	05.	47.	-15	28.		93.	78.	900	70.	58.	52.	385	18.	85.	49.	29.	74.	9.	9 8	100	100	1030100
69.	154.3	883.	59.	78.	50.	50.	05.	67.	33.	42.	010		10.	56.	88	76.	61.	72.	18.	98.	55.	45.	. 90	00 00	4.5		166.2	-
S 20-24 FAX ETT	ENDERSON ERTFORD	KEDELL REDELL ACKSON	100	IO	NO	ADISON ARTIN FCKI FNBURG	CHELL	RE H	TE	L OW NGE	SOL	200	T X	Z N	DBESON	CK1	THER	COTLAND	OKE	AKK	Q Q	OI	2	25	$\stackrel{\sim}{\sim}$		ADKIN	١

NH	7000000
ACTION NON MACHINE STATE	3750375
Emurues/servuerdessulsocranslocouressocwers-runde	
RT NAME OF THE PROPERTY OF THE	100 110 110 110 110 110 110 110 110 110
00000000000000000000000000000000000000	345.03.03.03.03.03.03.03.03.03.03.03.03.03.
m	2000 000
AATE NOTE NOTE NOTE 100 100 100 100 100 100 100 10	871087201
NAME OF THE PROOF	912053388
102	797076180
ш	
RATES NONWHIT NONWHIT 10299 992.99 992.99 992.99 102.30 102.30 102.30 103.77 103.77 103.77 103.77 103.77 103.77 103.77 103.77 103.77 103.77 103.77	18400887
8.8.7.2.6.9.9.5.7.9.9.8.8.8.8.8.8.9.9.6.6.9.9.8.8.9.9.9.9	900000000000000000000000000000000000000
1001 1002 1002 1003 1003 1003 1003 1003	MEDERMING
<b>#</b>	
AN THE STATE OF TH	282061258
>	00077500
GNANG MAHANG 1123 1123 1123 1134 1136 1100 110	223 223 223 223 233 233 233 233 233 233
1128 122 123 123 123 123 123 123 123 123 123	228. 228. 10. 32. 36.
NORTH CAROLINA DEHNR I ASHEVILLE DEHNR II CHARLOTTE DEHNR II WIN. SALEM DEHNR IV RALEIGH DEHNR VI GREENVILLE DEN VOOUTHEASTERN ALSTERN ALSTERN ALSTERN ALSTERN ALEGHANY ALSTERN BLADEN CANDEN CANDEN CANDEN CANDEN CATAWBA CHATHAM CHEROKEE CHOWAN CCLEVELAND COLUMBUS CCLEVELAND COLUMBUS CCLEVELAND COLUMBUS CUMBERLAND DAVID	EDGECOMBE FORSYTH FRANKLIN GASTON GATES GRAHAM GRANVILLE GREENE GUILFORD

NORTH CAROLINA, REGIONS AND COUNTIES, 1996

												*
GES 25-29 CONTINUED							•	1		1	-	
IFA	. 50	. 60	7	. 9/	. 16	. 99	9		2	. 95	. 95	54.
RNETT	65.	61.	-	36.	44	15.	. 9	. 9	2	62.	00	
MOOD	2	-	161.3	1	95.	-	2	5	0	25.	5	0
NDERSON	23.	19.	00	05.	05.	20.	1	4	6	38	18.	63.
TENR	00	20		79	07	69	0	M	4	70	20	9 5
	5	78		29	23	_	L	7	M	30	00	2
THE COLUMN	2	00		90	00	1	-	_			0	
מעו		000		00	12					. 09	14	7
7077			7 (		10							
CROOK		. 01				. 77						
2		000	-		. 74		0	:	:	000		
NES	. 96	01.		. 18	. 76		5	3		. 96	45	. 77
	. 59	73.	35.	34.	. 95	03.	6	. 9	2	77.	66	40.
NOIR	35	57.	6	60	33.	81.	2	'n	7	87.	. 95	50.
5	200	29	13	11	15	L	4	M	1	3.1	0.5	21
11000												
0		11	010	.00	. 00		+ (	i.				200
8	17.	20.		02.	05.		7	-	. 00	. 50	95.	00
H	37.	39.		14.	16.	0	2	2	0	. 59	. 59	-1.
-	86	60	9	89	04	5	7	2	2	73.	21.	42
- 2		. 20	. 27		. 00	. 00	. 4		N	0 0	. 90	. 78
ADGN I				27						000		
5		207	0.00		. 17			:		14.	000	000
9		12.	85.	12.	28		+	3		. 96	95.	5
	6	39.	0	16.	. 92	2	2	3	3	61.	93.	81.
SH	0	26.	34.	01.	11.	1	7	2	M	13.	00	93.
HANNYE		20	10	0.1	00	1	0	0	0	N C	27	16
TOWALL			. 71			. ,	ju				71	
2			. 01	. 70	.01		0			.00	.17	
SLOW	0	2/	. 57	. 67	40				9	. 77	03.	85.
ANGE	5	4	25.	59.	57.	. 9	2	9	∞	00	22.	. 99
MLICO	1	1	2	88	91.	00	2	0	M	33	0	42
SOUTANK				000	0 8				000	200	. 00	17:
000	. 0											
DER						i.				01	. 61	000
KULMANS	9	9	.17	30	01.		0	÷.		25.	51	0
RSON	. 9	-	35.	5	25.	1	1	. 9	1	13.	73.	77.
TT	4		5	98.	98.	6	5	6	4	00	61.	53.
LK	_	. 9	57.	. 66	02.	57.	6	1	0	63.	69	0
NDOLPH	0	0	27.	05.	. 90	3	4	M	_	17.	12	. 99
CHMOND	. 9	-	31	M 00	18	02				. «	0 1	0 0
BESON		62	12	20	26		-				, a	57
∠ د		200	1 2	100	. 00					17.		
LAN	o u	000		0.0							000	
T -		. 60				. 000				. 000		47
INEKFUKU	,	00	. 17	00	00				-	. /8	11.	. 9/
FSON	6	10.	16.	. 12	52.	. /8	1	1	1	41.	00	36.
OTLAND	-	. 90	16.	87.	. 88	. 9	2		1	05.	71.	39.
ANLY	4	14.	12.	03.	03.	. 66	0	0	m.	92.	87.	21.
핃	-	. 90	20.	98	97.	32.	2	6	. 00	12.	85.	00
RRY	6	19.	27.	10.	10.	07.	00	00	6	71.	67.	53.
AIN	1	36.	22.	14.	14.	13.	7	2	00	30	19	99
ANSYLVANIA		18.	29.	04.	05.	92.	4	M	7	22.	0.60	2
RELL	2	4	2	22.	34.	2			0	0		
TON	4	54	0.1	50	45	62	7				. 63	200
NO.	. ,	48	26	00	16						. 70	
T		. «	. 24			- 14						
10		37	200	00				. ,				. 22
_	- 00	. ~	62	200	. 80	100				000	70.	200
TALIGA			77		. 070			, L		. 76	200	
4		25.		. L	100		0 0		0 4			000
7 1				000	000		+ 4		0 0		10.	.17
1001	÷ .	17	107		000		. יו			20.	,	0
) H	o N	26.		. 4	. 20.	i.	:		:	10		37
DAIN	1000	105.0	0.100	115.4	100	2.19	0.0	9.	5.07	55.5	6.74	250.0
NCET	0				04		1	180	2			2 2

NORTH CAROLINA, REGIONS AND COUNTIES, 1996

-36 CONTINIED	71.5 79. 78.7 84. 74.9 74.	N 80.0 79.7 49.4 65.5 76.8 88.8	5.5 69.	7.8 66.	8.7 59.	5.9 103	3.2 72.	7 9 76.	4.3 74.	6.4 92.	50.0 48.	6.6 83.	82.7 87.	4.3 99.	8.3 84.6	91.6 81.	4	8.5	0.4 93.	9 8 9	7.0	8 6.9	72.9	6.5 10	7.8 9	3.1	3.3 7	7.6	7.2 4	3.1 8	2.4 11	6.4	2 8	20.31	71.4 69.2 1	
	5.7 61 5.0 65 5.0 62	40.9 40.9 40.6 55.2	8.2 65.	3.0 59.	8.4 49.	8.6 69.	6.6	2.3	0.0	6.5 58.	1.0 48.	2.5 65.	1.5 68.	5.2 58.	5.5 75.	0.0 83.	00	2.0 52.	4.0 78.	1.3 58.	6.0 59.	7.9 57.	3.9 62.	5.2 60.	7.4 64.	3.5 49.	1.7 65.	5.7 56.	0.8	4.0 67.	7.4 103.	8.1 57.	3.6 68.	2.0 55.	in	6.7 60.
	7 55. 4 41. 0 41.	0.1	9.3 105. 2.5 33.	7.0 73.	0.7 48.	1.4 63.	6.8	6.9 46.	7.8	7.5 75.	46.2	5.7 29.	7.6 54.	5.0 38.	5.4 74.	3.8 110.	9.5 62.	1.6 54.	4.7 66.	1.5 25.	0.7 57.	7.9 4.8	5.2	6.5 19.	0.0 44.	0.3	4.7 87.	9.1 17.	44.1 50.	1.3 63.	08.9 86.	0.0 55.	4.4 27.	5.5	1.1 100.	8.9 166.
	8.2 12.0 11.6	10.8 8.9 21.5	9.0	13.2	5.9	10.0		0.0	6.9	16.2	1.6	10.6	13.3	5.8	12.7	8.1	12.8		12.0	6.1	7.0	10.0	10.0	12.9	12.7	7.0	7.5	10.0	0.0	14.3	18.3	6.9	8.8	5.6	8.5	3.6
	.9 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	513	.3 15.	.7 00.	.6	.2 25.	.1 28.	.0 46.	.0	.1 30.	.9	.7 21.	.9 16.	.3 19.	.5 21.	.4 10.	.0.	.7 .7.	.8 25.	.4 25.	.0 7.	.8.	.1 14.	.4 14.	.0 11.	.3	.2 34.	.5 17.	.0	.4 17.	.9 39.	.0 12.	.1 00.	.6	.0 10.	.7 0.
	14.1 52.9 54.5	134.3 179.5 280.5	28.6	20.7	000	25.	12.	7 02	93.0	01.	38	38.	2.09	90.9	43.7	88.2	90.9	0.0	33.0	90.	04.	04.		. 69	63.	76.	02.		0	65.	66	07.	05.	49.	200	57.
	01.4 12 05.8 30 41.7 66	115.2 50 55.6 28 205.1 33	0.0	45.8	6.9	2.6 28	3.3	4.9 50	93.0	5.9 28	0.0	2.2 40	02.7 23	2.4 25 1.7 15	00.6 22	90.9	76.9 11	3.3	93.8 19	4.5 50	02.9 10	71.4 12	1.3 22	88.0 8 12.1 40	47.5 19	78.7	7.0 28	5.6 50	0.0	60.5 11 16.7 20	0.6 31	0.0 18	8.9	45.1 12	6.3 14	58.8
		3.7	0.00							0 4		0 0																								

NORTH CAROLINA, REGIONS AND COUNTIES, 1996

2-19

HAI TEAX	18.6	7	4	M	1	-				53.		95.
RNET	16.3	5		2	2	1				63.	20.	0
AYMOOD	14.4	14.7	0.0	12.0	12.2	0.0	2.5	2.5	0.0	169.8	169.8	-1.0
FNUTK	-10				. 0	. ~				21.		
K T T UK	17.0	200				. M		0 4		35.	. 1.8	95.
$\sim$	0	2	0	9	0	0				50.	50.	1
REDEL	0	0	6	5	. 9	0				37.	94.	00
JACKSON	M	m		-	0					53.	73.	0
HNST	200			2		-: 0						40.
7	VV	0 0	00	00		,,				. 80	200	. P. P.
LEC	0 0		J 00	110	2	im				000	000	
NCA	. 6	· ~	-							27	13	200
3	1		. 9		00	9				12.	18	0
ACON	5	5		4	3					. 99	71.	0
ADIS		00	0	7	7	0				41.	41.	-
ARTI	0	6		00		0			-:	25	00	90.
ECKL		•			00					·	. 4	
MILCHELL		0		-	, u	5 ×				. 00	0 0	10
200				- 15						100	55	200
V	-			1		15				73.	900	09.
HANOVE		. 9	7	. /	0	00				65.	23.	47
ORTHAMPT	6	2	1	. 9	-	00				61.	22.	36.
NSLOW	2	-	80	7	7	· ·			6	40.	81.	50.
ORANGE	4.	4	7	7	00	2	9			19.	76.	79.
AML ICO	6	7	1	5	5	7			2	44	00	33
PASQUOTANK	. 9	5	1	m'	m.	5			2	77.	53.	. 99
ENDER		+1	-	0	٠,	× 00				6,6	000	11.
PERQUIMANS	20	2			-	J 0				11	200	900
PERSON		0-	00	· «	· 00	· «				300	200	6.8
POLK										200	. 99	0
RANDOLPH	5	4	6	-	-	2				67.	52.	33.
RICHMOND	0	6	-	00	. 9	-				00	33.	0
z	9	6	5	1	4	0				72.	45	80
ROCKINGHAM	5	mi	9	-:	-:	-				92.	55.	9.
700	9 6	0		ic	1	2 4				100	10.	26
	24	+ 4	00	ic		00				70.	74.	
NOC THE AND		٥ ١٥		in						70.	32	
		1 4			. 5	10				9	40	
STOKES			2	7	7	2				42	61.	0
SURRY	4	3		-	-	9				71.	4	
	9	v.	3	4	6	m.			0	33.	45.	o.
TRANSYLVANIA	6	6	18.9	9	9.	00				85	90.	o,
ITKKELL	0	-		01		٥,					· ;	-
NOTION	- 0		00							000	9 ×	
MAKE			,,	, 4	2 0	, 0					200	
MADDEN	. 4				o a				ir	200		
MASHINGTON	16.9	13.5			m					55.	0	90
AS	2	-	6	00	7	6				72.	81	0
MAYNE	9	4	6	1	0	5				86.	97.	78.
WILKES	6	6	5	7	7	7				44	22.	00
WILSON	18.3	18.0				-			40	_;	~	
YADKIN	16.5	15.4	30.1	vi.	oi.					50.	79.	50.
	л		0 10			3			1	ı	1	ı

#### SUMMARY OF CHARACTERISTICS OF INDUCED ABORTIONS

During 1996, the licensed facilities of North Carolina reported 33,554 abortions to the State Center for Health Statistics, an increase of 0.4 percent from the number reported in 1995. As in previous years, women obtaining these abortions were most often white, between the ages of 15 and 24, and not married. Most had never had a previous abortion and had no living children. Tables and graphs on the following two pages show the number of resident and occurrence abortions by county for 1996.

#### Place of Occurrence

The table on page 3-3 details 1996 North Carolina occurrences according to region and county of occurrence. Of the 33,554 abortions reported in North Carolina, 99.8 percent occurred in 10 counties. Twenty-three percent of the state total occurred in Mecklenburg, 23 percent occurred in Wake, and 14.5 percent occurred in Orange.

In 1996, a total of 659 or 2.2 percent of North Carolina resident abortees received abortions in other states. Of these, 53 percent occurred in Virginia, 20 percent occurred in South Carolina and 19 percent occurred in Georgia. The remaining eight percent occurred in Kansas, Kentucky, Missouri, Mississippi, New Mexico, Vermont, Washington, and Tennessee.

#### Place of Residence


During 1996, abortions to residents of North Carolina totaled 30,593, an increase of two percent from 1995. The distribution by county of residence varied widely during 1996 with all 100 counties represented. The most populous counties accounted for the greatest frequencies, as shown on the graph on the following page.

Among abortions performed in 1996, a total of 3,633 (10.6%) were to residents of other states. Of these, 54 percent were residents of South Carolina and 34 percent were residents of Virginia. Tennessee accounted for 5 percent of North Carolina's nonresident abortions; Georgia, 2 percent; and Maryland, 0.5 percent.


#### **Facility of Occurrence**

In 1996, 29 hospitals performed only three percent of abortions occurring in North Carolina. The remaining 97 percent occurred in 25 non-hospital facilities. Almost half of the hospital abortions occurred in one hospital.

# Reported Induced Abortions by County of Occurrence



# Reported Induced Abortions by County of Residence



# Reported Induced Abortions By Perinatal Care Region and County Occurrence Data and Resident Data North Carolina, 1996

Occ	urrence	Resident		Occurrence	Resident		Occurrence	Resident
Total	33,554	30,593	COUNTY			COUNTY		
			Dare	_	61	Nash	10	401
PC REGION			Davidson	_	367	New Hanover		841
I Western	2,268	1,543	Davie	_	66	Northampton	_	46
II Northwestern	5,122	6,701	Duplin	_	153	Onslow	1,267	608
III Southwestern	7,737	5,316	Durham	695	1,533	Orange	4,851	638
IV Northwestern	13,356	7,792	Edgecombe	_	222	Pamlico	_	18
V Southwestern	3,783	4,916	Forsyth	1,949	1,360	Pasquotank	_	84
VI Eastern	1,288	4,325	Franklin	-	175	Pender	_	96
			Gaston	_	499	Perquimans	_	12
COUNTY			Gates	940	15	Person		146
Alamance	_	553	Graham	_	4	Pitt	2	636
Alexander	_	62	Granville	112	229	Polk	_	25
Alleghany	_	13	Greene	161	49	Randolph		229
Anson	_	82	Guilford	3,138	2,204	Richmond	_	121
Ashe	_	35	Halifax	-	216	Robeson	1	378
Avery	-	25	Harnett	112	334	Rockingham	_	305
Beaufort	E 1/4	118	Haywood	VII	104	Rowan	-	372
Bertie	_	48	Henderson	( I _ I _	176	Rutherford	_	113
Bladen	-	102	Hertford	_	60	Sampson	1	147
Brunswick	_	188	Hoke	_	101	Scotland	_	126
Buncombe	2,267	717	Hyde	_	4	Stanly		134
Burke	2	227	Iredell	17	325	Stokes		90
Cabarrus	_	345	Jackson	1	77	Surry		126
Caldwell	_	123	Johnston	_	401	Swain		20
Camden	_	9	Jones	_	30	Transylvania		57
Carteret	_	120	Lee	1	193	Tyrrell	_	1
Caswell	_	55	Lenoir	_	246	Union	2	290
Catawba	16	385	Lincoln	_	133	Vance	_	214
Chatham	_	145	McDowell	_	76	Wake	7,809	3,444
Cherokee	_	52	Macon	_	33	Warren	7,009	66
Chowan	2.5	26	Madison	_	41	Washington		31
Clay	_	10	Martin		59	Watauga	_	170
Cleveland	1	226	Mecklenburg	7,734	3,607	Wayne		430
Columbus	_	160	Mitchell	7,754	25	Wilkes		79
Craven	7	286	Montgomery	_	79	Wilson	2	302
Cumberland	2,838	2,047	Moore	3	196	Yadkin	2	68
Currituck	2,030	34	WIOOIC	3	150	Yancey	_	13
Curriuck		34	1-1			Tancey	_	13

The remainder of the data appearing in this publication will be resident data. The base year appearing in the trend graphs and tables is 1986 to reflect changes during the past decade.

#### Summary of Characteristics of Women Receiving Abortions North Carolina Resident Data, 1986-1996 Percent Distribution1

	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Total Number	32,849	34,344	36,066	34,907	34,565	34,369	32,730	32,498	31,875	29,938	30,593
State of Occurrence			,	.,	,-	,	,	J_, 13 G	21,010	20,000	50,555
North Carolina	96.3	96.3	96.3	96.8	96.8	97.1	98.0	96.9	98.1	98.7	97.9
Out of State	3.7	3.7	3.7	3.2	3.2	2.9	2.0	3.1	1.9	1.3	2.2
Age	2.7	5.7	2.1	J	54	2.5	2.0	5.1	1.7	1.0	4.4
14 and under	1.6	1.3	1.3	1.2	1.1	1.0	1.1	0.9	1.0	1.0	0.8
15-19	28.8	28.4	28.2	27.0	25.5	23.4	21.9	21.7	21.5	21.2	19.6
20-24	33.4	33.1	33.1	33.5	34.3	35.6	36.2	36.0	35.4	34.5	33.7
25-29	19.3	19.6	19.5	19.8	19.8	20.1	20.1	20.3	19.6	20.8	22.8
30-34	10.2	10.2	10.6	11.2	10.8	11.2	11.7	11.8	12.4	11.9	12.3
35 and over	5.8	6.0	6.1	6.1	6.9	7.3	7.5	7.9	8.2	8.7	9.0
Mean	23.3	23.4	23.5	23.7	23.8	24.0	24.2	24.3	24.4	24.5	24.8
Race	43.3	23.4	23,2	23.1	23.0	24.0	24.2	24.3	24.4	24.3	24.0
White	60.3	59.6	58.2	57.2	57.3	56.6	55.2	54.5	52.2	53.1	51.1
Nonwhite	37.6	38.9	40.8	40.8	39.8	41.3	43.0		53.3		
	37.0	30.9	40.0	40.0	39.0	41.5	43.0	43.6	45.3	45.0	46.7
Marital Status <sup>2</sup>	22.5	242	22.0	22.5	22.2	22.2	22.1	20.2	100	170	10.4
Married	23.5	24.3	23.8	23.5	23.3	23.2	22.1	20.3	18.8	17.8	18.4
Unmarried	74.0	73.6	74.5	74.5	73.6	74.3	71.9	69.3	66.5	60.7	60.5
Education	1.0	1.7	1.0	1.0	1.7	1.0	1.5				
8 and under	1.9	1.7	1.9	1.8	1.7	1.6	1.5	1.2	1.5	1.5	1.3
9-11	15.8	15.2	15.1	12.8	11.5	12.7	12.8	11.8	12.1	11.1	10.0
12	36.7	39.2	40.6	40.8	40.9	37.6	33.0	30.1	27.7	26.6	28.3
13 and over	32.1	32.5	33.0	30.3	30.0	32.2	31.9	31.3	30.5	28.1	29.5
Mean	12.6	12.6	12.6	12.6	12.7	12.6	12.6	12.7	12.7	12.7	12.7
Number of Living Chi											
None	58.6	56.7	55.1	53.3	52.1	50.1	50.0	51.7	50.6	50.1	47.1
1	23.2	24.0	24.7	26.1	26.9	27.6	27.7	26.9	27.3	27.3	29.1
2	12.9	13.5	14.3	14.6	15.0	16.1	15.8	15.2	15.5	15.7	16.5
3 or more	5.4	5.8	5.9	6.1	6.1	6.3	6.5	6.2	6.7	6.8	7.3
Number of Previous A	bortions	5									
None	68.6	67.2	66.1	64.4	63.9	63.0	63.3	61.8	61.0	60.9	61.7
1	22.7	23.4	24.4	25.4	25.9	26.5	26.0	26.9	27.1	27.0	26.3
2	6.4	6.8	6.8	7.2	7.4	7.4	7.7	8.4	8.4	8.6	8.2
3 or more	2.3	2.6	2.7	3.0	2.9	3.0	3.1	2.9	3.5	3.5	3.7
Weeks of Gestation <sup>3</sup>											
8 and under	44.0	43.2	45.3	45.8	48.7	48.5	49.4	50.2	51.0	48.4	46.6
9-12	40.6	41.3	39.0	38.9	37.5	38.1	36.8	36.4	33.5	30.1	28.8
13-15	8.3	8.0	7.9	7.5	6.9	6.7	6.7	6.8	6.3	5.9	5.3
16-20	3.4	3.3	3.5	3.3	2.7	2.5	2.4	2.3	2.6	2.9	2.3
21 and over	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.4
Mean	9.3	9.4	9.2	9.2	9.0	9.0	8.9	8.9	8.8	8.8	8.7
Type of Procedure											
Suction Curettage	96.9	96.9	96.4	96.5	97.5	97.6	97.9	98.1	97.5	96.4	89.5
Sharp Curettage	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.1	0.2
Intra-Uterine Instillat		0,0	0.0	0.0	0.0	0.0	SUF BANK	0.0	V.D	0.2	
Prostaglandin/Saline		2.4	2.2	2.2	1.6	1.6	1.0	0.8	1.0	0.7	0.4
Hysterectomy/	4.7	2,1	des char	2.2	1.0	1.0	1.0	0.0	1.0	0.7	0.,
Hysterotomy.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	on <sup>4</sup> –	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	9.1

<sup>&</sup>lt;sup>1</sup>Percentages may not add to 100 percent due to not stated cases.
<sup>2</sup>Married includes separated but not legally divorced.
<sup>3</sup>Gestation computed from last menstrual period.

<sup>&</sup>lt;sup>4</sup>Data not collected from 1986 to 1993.


Tables on the following two pages show trends for North Carolina resident abortions by race, age, weeks of gestation and education of abortee from 1986-1996.

Resident Induced Abortions By Race of Abortee North Carolina, 1986-1996


Year	Total	White	Nonwhite
1986	32,849	19,816	12,353
1987	34,344	20,457	13,346
1988	36,066	20,988	14,711
1989	34,907	19,966	14,242
1990	34,565	19,792	13,764
1991	34,369	19,453	14,199
1992	32,730	18,064	14,082
1993	32,498	17,699	14,177
1994	31,875	16,973	14,430
1995	29,938	15,881	13,474
1996	30,593	15,620	14,287

NOTE: Race-specific counts do not add to the total due to cases of unknown race.

PERCENT INDUCED ABORTIONS BY RACE OF ABORTEE NORTH CAROLINA, 1986-1996



#### PERCENT INDUCED ABORTIONS BY AGE OF ABORTEE NORTH CAROLINA, 1986-1996




# ABORTION RATES AND ABORTION FRACTIONS BY AGE NORTH CAROLINA, 1986-1996


Rates Fractions	<b>Age</b> 15-19	1986 38.2 400.6	1987 39.6 402.2	1988 41.4 399.5	1989 38.5 365.1	1990 36.5 346.4	1991 33.4 330.5	30.7 312.0	1993 30.5 316.5	1994 29.4 308.2	1995 27.0 294.9	1996 25.1 279.4
Rates	20-24	37.8	40.1	43.0	43.0	44.8	45.8	43.3	41.6	40.4	37.8	38.8
Fractions		268.7	274.0	283.1	274.6	272.8	283.1	271.5	279.6	277.7	264.8	264.8
Rates	25-29	22.6	23.9	24.2	24.4	24.2	24.6	23.9	24.4	23.3	22.9	25.0
Fractions		190.1	194.3	196.9	186.8	182.6	193.2	184.2	193.4	187.0	186.1	194.9
Rates	30-34	12.5	12.9	13.7	13.8	13.0	13.4	13.1	13.1	13.5	12.1	12.9
Fractions		182.9	179.1	185.3	179.0	164.6	167.0	160.9	158.2	159.9	143.4	145.9
Rates Fractions	35-44	4.2 284.6	4.4 279.1		4.3 246.9	4.6 255.1		4.5 239.3	4.6 232.0	4.6 224.9	4.5 213.1	4.6 213.7
Rates	All Ages	21.4	22.1	23.0	22.0	21.7	21.4	20.3	20.0	19.5	18.1	18.4
Fractions		265.2	267.0	268.2	253.1	247.0	249.8	237.9	241.3	237.7	226.3	225.0

Note: Abortion rates are abortions per 1,000 females of the age group and abortion fractions are abortions per 1,000 pregnancies.

#### PERCENT INDUCED ABORTIONS BY WEEKS OF GESTATION NORTH CAROLINA, 1986-1996



#### PERCENT INDUCED ABORTIONS BY EDUCATION OF ABORTEE NORTH CAROLINA, 1986-1996



# SELECTED CHARACTERISTICS OF RESIDENT LIVE BIRTHS AND FETAL DEATHS

#### LIVE BIRTHS

There was a slight increase in the absolute number of live births from 1995 to 1996, but an overall increase of 16 percent since 1986 to 104,428 resident live births in 1996. Here we examine several live birth trends that cause particular public health concern because of possible economic, emotional, and health consequences to the mother/child. Several other publications available from this office offer more detail about live births and their maternal and medical characteristics. Region, county, and some city data are also available.

#### Resident Live Births by Race of Child North Carolina, 1986-1996


YEAR	TOTAL	WHITE	NONWHITE
1986	90,228	61,746	28,482
1987	93,481	63,876	29,605
1988	97,560	65,937	31,623
1989	102,091	68,455	33,636
1990	104,439	71,095	33,344
1991	102,309	69,233	33,076
1992	103,925	70,687	33,238
1993	101,333	68,960	32,373
1994	101,396	70,241	31,155
1995	101,555	71,330	30,225
1996	104,428	73,745	30,683

#### Fertility Rates by Age and Race North Carolina, 1986-1996


AGE	and RACE	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
15-19	White	42.8	43.4	45.1	47.3	52.3	50.3	50.4	48.9	50.4	50.3	50.8
	Nonwhite	87.1	89.2	93.8	101.8	104.2	105.3	104.7	103.2	100.0	95.3	94.2
20-24	White	92.0	94.2	93.7	96.9	103.7	100.0	101.7	93.7	94.1	94.5	97.5
	Nonwhite	129.9	133.5	143.1	149.4	157.0	154.7	150.1	138.0	129.8	128.3	131.0
25-29	White	98.2	100.0	102.7	105.6	107.0	102.0	104.6	100.5	102.0	102.8	106.1
	Nonwhite	90.3	97.0	104.4	110.5	109.5	102.2	106.8	102.0	96.5	90.4	92.4
30-34	White	58.0	62.6	63.0	66.1	68.9	68.7	70.7	72.4	74.2	76.0	79.5
	Nonwhite	49.8	50.9	54.2	56.0	55.9	58.4	59.7	60.3	60.7	60.4	62.2
35-44	White	10.1	10.9	11.5	12.8	13.3	14.0	14.6	15.3	16.1	17.0	17.4
	Nonwhite	11.9	12.3	12.8	13.9	13.0	12.9	13.4	14.5	14.4	14.2	14.9

Note: Fertility rates are live births per 1,000 females of the age group.

#### WHITE FERTILITY RATES BY AGE NORTH CAROLINA, 1986-1996



#### NONWHITE FERTILITY RATES BY AGE NORTH CAROLINA, 1986-1996



Selected Live Birth Trends North Carolina, 1986-1996 Percentages

	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
<b>Unmarried Mothers</b>											
Total	23.6	24.9	26.3	27.7	29.4	31.6	31.3	32.1	31.9	31.4	32.0
White	9.7	10.6	11.7	12.5	14.2	16.0	16.1	17.0	17.6	18.0	19.0
Nonwhite	53.8	55.6	56.7	58.7	61.9	64.2	63.7	64.5	63.9	63.0	63.1
Low Birthweight											
Total	7.9	7.9	8.0	8.1	8.0	8.4	8.4	8.7	8.7	8.7	8.7
White	6.1	6.0	6.1	6.0	5.9	6.4	6.4	6.6	6.7	6.8	6.8
Nonwhite	11.8	12.0	12.1	12.5	12.4	12.7	12.8	13.0	13.0	13.2	13.4
Very Low Birthweig	ht										
Total	1.5	1.6	1.6	1.7	1.7	1.7	1.7	1.8	1.8	1.8	1.8
White	1.1	1.0	1.0	1.1	1.1	1.1	1.0	1.2	1.2	1.3	1.2
Nonwhite	2.4	2.8	2.7	2.9	2.9	2.9	3.0	3.1	3.1	3.2	3.2
No Prenatal Care											
Total	1.3	1.5	1.6	1.8	1.8	1.6	1.3	1.3	1.2	1.0	1.1
White	0.7	0.9	0.9	0.9	1.0	0.8	0.6	0.6	0.6	0.6	0.6
Nonwhite	2.6	2.8	3.1	3.6	3.4	3.3	2.8	2.6	2.5	2.2	2.3

### **FETAL DEATHS**

This section examines trends in white and nonwhite fetal death by race and maternal age. Race-specific fetal death rates for regions, counties, and cities are available in *North Carolina Vital Statistics*, *Volume 1*. Counties are urged to use 5-year fetal death rates, rather than the less stable single-year rates.

### Race

Following are the numbers of resident reported fetal deaths by race from 1986 to 1996.

### Resident Fetal Deaths by Race North Carolina, 1986-1996

YEAR	TOTAL	WHITE	<b>NONWHITE</b>
1986	800	440	360
1987	814	477	337
1988	872	443	429
1989	899	455	444
1990	911	463	448
1991	884	465	419
1992	948	471	477
1993	861	424	437
1994	808	397	411
1995	823	418	405
1996	952	517	435

### Maternal Age

Because of the instability of the fetal death rates by race and age, they are not graphed here. However, the table below points to the higher rates among mothers age 35 and older as well as among nonwhites.

### Fetal Death Rates by Age and Race North Carolina, 1986-1996

AGE	and RACE	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
15-19	White	7.2	8.1	7.5	8.5	9.0	8.0	8.8	7.4	7.5	7.0	9.3
	Nonwhite	12.8	10.4	14.9	12.5	12.3	11.8	14.1	13.2	12.8	11.7	13.3
20-24	White	7.2	6.2	6.6	5.9	6.2	5.0	7.0	6.1	5.0	5.9	6.5
	Nonwhite	10.8	9.3	12.2	12.7	12.5	10.5	12.5	13.1	12.5	12.7	12.4
25-29	White	6.3	7.4	5.9	6.3	5.5	6.5	5.3	4.8	5.0	5.3	6.6
	Nonwhite	12.5	11.8	11.9	12.0	12.2	13.3	12.9	12.0	9.6	12.5	13.6
30-34	White	7.5	7.2	6.3	5.8	6.1	7.4	6.4	6.1	5.2	4.4	4.9
	Nonwhite	13.3	13.8	10.2	13.9	14.4	13.1	16.5	14.5	16.1	15.7	15.4
35-44	White	8.8	11.7	8.0	8.1	7.8	8.6	6.6	8.5	7.7	8.9	10.8
	Nonwhite	18.2	18.1	18.5	16.7	21.3	21.3	21.2	14.2	15.3	17.4	17.6

.

### SUMMARY OF REPORTED PREGNANCIES

- In 1996, 30,593 induced abortions were performed to residents of North Carolina, an increase of two percent from 1995.
- A total of 3,633 (10.6%) of abortions performed in North Carolina were to residents of other states.
- The average age of North Carolina residents having abortions during 1996 was 24.8. The percentage of abortions at younger ages has continued to decrease since 1986.
- The highest abortion rate occurred to women ages 20-24. The abortion fraction was highest among women ages 15-19.
- Of the resident abortions reported in 1996, 51.1 percent were white and 46.7 percent were reported as nonwhite.
- Only 18.4 percent of North Carolina residents receiving abortions during 1996 were reported as being legally married. However, 21 percent of abortion records in 1996 had marital status not reported.
- The average education level of residents receiving abortions during 1996 was 12.7 years. Fifty-eight percent had at least 12 years of education, compared to 69 percent during 1986.
- ► Thirty-eight percent of North Carolina women having abortions during 1996 reported at least one previous abortion.
- In 1996, the percentage of women obtaining abortions beyond the 20th week of gestation was 0.4. The average gestational weeks of pregnancy was 8.7 in 1996.
- Suction curettage accounted for 89.5 percent of all resident abortion procedures reported for 1996, a decrease from 96.4 percent in 1995. The decrease was particularly due to the addition of dilation and evacuation as a reportable procedure.
- There were 104,428 live births reported to residents of North Carolina in 1996, an increase of 16 percent from 1986.
- The percent of newborns at low birthweights has not declined. The percentage weighing less than 2500 grams remained at 8.7 in 1996. The percentage of very low-weight births (less than 1500 grams) remained at 1.8.
- ▶ Births to mothers with no prenatal care accounted for one percent of all live births.
- ➤ The fetal death rates for whites and nonwhites age 35 and older increased 21 and 1.1 percent respectively from 1995 to 1996.

### **DEFINITIONS**

Abortee A woman who has received an abortion.

Abortion Fraction The number of induced abortions per 1,000 reported pregnancies (live births + fetal

deaths of 20 or more weeks gestation + induced abortions).

Abortion Rate The number of induced abortions per 1,000 females of specified age.

Age at last birthday.

Clinic A freestanding facility, neither physically attached to nor operated by a licensed

hospital, for the performance of abortions.

Dilation and

Evacuation (D & E) This procedure, used most frequently in the second trimester, involves opening the

cervix (dilation) and using primarily sharp instrument techniques, but also suction and

other instrumentation such as forceps for evacuation.

**Education** The number of years of schooling completed.

Fertility Rate The number of live births per 1,000 females of specified age.

Fetal Death Death prior to the complete expulsion or extraction from its mother of a product of

human conception, irrespective of the duration of pregnancy, as indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles (definition adopted by World Health Organization in 1950). Consistent with required reporting, this report includes only fetal deaths resulting from

pregnancies of 20 or more weeks gestation.

Fetal Death Rate The number of fetal deaths per 1,000 live births plus fetal deaths.

Gestation Weeks of pregnancy as computed from date of last menstrual period.

Gestational Age The age of the fetus in weeks.

Hysterotomy/
Hysterectomy Hysterotomy involves surgical entry into the uterus, as in a cesarean section, that

removes a fetus that is too small to survive even with extraordinary life support measures. It is usually performed only if other abortion procedures fail. Hysterectomy is a procedure in which the uterus is removed either with the fetus inside or after the fetus has been removed. It is usually performed only when a pathological condition of the uterus, such as fibroid tumor, warrants its removal or when a woman desires steriliza-

tion.

Induced Abortion The purposeful interruption of pregnancy with the intention other than to produce a live

born infant or to remove a dead fetus and which does not result in a live birth.

Intra-uterine
Instillation

This procedure involves either withdrawing a portion of amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin — a substance with hormonelike activity — into the uterine cavity through a needle inserted through the abdominal wall (known as intra-uterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the usually dead fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

Live Birth

The complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which, after separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached (definition adopted by World Health Organization in 1950).

Living Children

The number of children still living at the time of this event.

Low Birthweight

Liveborn infants who weigh under 2,500 grams (5 pounds, 8 ounces or less) at birth, regardless of the period of gestation.

Maternal

Of or pertaining to the mother.

Married

Includes women living with a husband and those who are separated but not legally divorced. In the case of live births and fetal deaths, the term also includes mothers who have been legally divorced 280 or fewer days.

Medical (Nonsurgical)

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g., methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g., prostaglandin suppositories, injectable prostaglandins, etc.) may also be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intra-vaginally.

Not Married

Includes women who are widowed or divorced and those who have never married. In the case of live births and fetal deaths, widowed or divorced includes only mothers who have been widowed or legally divorced for more than 280 days.

Occurrence

The facility, county, region, or state in which the event occurred.

Perinatal

Occurring at about the time of birth.

Pregnancy Rate

The number of pregnancies per 1,000 females of specified age.

Prenatal

Occurring, existing, or taking place before birth.

**Previous Abortions** 

The number of previous induced abortions the abortee has had. The current procedure is not included.

Race Two broad categories, "white" and "nonwhite," are used. "Nonwhite" is predominantly

Black (>90%) in North Carolina.

**Residence** The usual county, region, or state of residence of the pregnant woman.

**Retained Products** Fetal tissue that may remain in the uterus after an abortion.

Sharp Curettage A procedure that involves the dilation of the cervix as in suction, although usually to a

larger diameter. The fetal and placental tissues are then scraped out with a curette, which

resembles a small spoon.

Suction Curettage In this procedure the cervical canal is dilated by the successive insertion of instruments


of increasing diameter. When the opening is large enough, a flexible tube is inserted into the uterine cavity and the fetal and placental tissues are then suctioned out by an electric

vacuum pump.

Very Low Birthweight Liveborn infants who weigh under 1,500 grams (3 pounds, 4 ounces or less) at birth,

regardless of the period of gestation.

### STATE TABLE



### TOTAL RESIDENT PREGNANCIES NORTH CAROLINA, 1996

		E	NONWHITE	45,405	437 9,496 15,002 10,429 6,407 2,768 595	0 0 18 18 333 1,309 1,871 2,472 3,022	28,729	408 8,463 10,701 5,299 2,427 1,070 194
TOTAL	IOIAL	RAC	WHITE	89,882	11,854 23,748 25,274 19,185 7,943 1,379	1,381 2,296 3,337 4,279	23,428	164 7,637 8,161 4,187 1,986 208
			TOTAL	135,973	639 21,456 38,951 35,839 25,683 10,783	1,390 1,390 1,390 2,701 4,195 5,833	52,378	16,148 18,930 9,529 4,442 2,020 2,020
			NONWHITE		123 123 96 72 72 72 11	252 252 253	316	105 105 57 33 17 10
	ETAL DEATH	RA	ш	517	2 2 2 2 3 2 3 3 4 5 3 4 5 1 4 5 1 4 5 1 4 1 4 1 4 1 4 1 4 1 4	222 222 222	148	492 477 121 120
	1		TOTAL	952	1715 244 156 156 25	10 0 13 13 255 477	1995	1385 1528 866 246
COME		Е		30,683	275 6,834 9,775 6,952 6,952 1,881 1,881	2,131	19,354	6,443 7,154 3,247 1,513 100
GNANCY OUTC	IVE BIRT	V	WHITE	73,745	8,456 18,618 21,661 17,179 6,686	18 18 340 1,673 3,152	14,042	5,018 4,971 2,314 1,115 78
PREGN	i		TOTAL	104,428	387 15,290 28,393 28,613 21,780 8,567 1,352	0 0 1 1 311 1,888 1,105 4,101 5,283	33,396	370 11,461 12,125 5,561 2,628 1,067 178
1	10	ш		14,287	2,570 5,104 3,381 1,734 1,734 232	11 11 11 114 240 341 704	9,059	1,931 1,995 1,995 1,995 881 861
1	ED ABOR		WHITE	15,620	3,319 5,009 3,468 1,922 1,187 1,187	0 0 13 67 217 67 67 607 1,102	9,238	2,570 3,143 1,844 1,844 129
1			TOTAL	30,593	247 10,314 6,985 3,747 2,117 612	12 12 184 464 788 1,053 1,685	18,518	199 4,549 6,653 3,882 1,769 219 219
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	10 - 14 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP


NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.



### **Perinatal Care Regions**

**REGION TABLES** 

# North Carolina Perinatal Care Regions



1 1				PREGN	EGNANCY OUTC	OUTCOME						
1	UDNI	1 0	LION	7	IVE BIRTH	-	1	ATI	-	9	TOTAL	
-		RA	1		RA	CE		RA			RAC	CE
	TOTAL	WHITE	NONWHITE	TOTAL	,	NONWHITE	TOTAL	WHITE	NONHITE	TOTAL	WHITE	NONMHITE
TOTAL	1,543	1,271	255	7,163	6,497	999	54	45	6	8,760	7,813	930
AGE 10 - 14 15 - 24 25 - 29	335	268 427 271	8 4 8 6 8 6 3 6 3 6 3 6 3 6 3 6 3 6 3 6 3 6	NOMM	19 944 1,891 1,795	151 245 140	121	12 10 10	3220	MN98	NNNN	20 33
5 - 3 0 - 3 0 - 4 5 AND	203	169 81 31	14	500	เก็เก	89 29 7			0000	201	201	
9-10-2-2	0000	0000	0000	0000	0000	0000	0000	0000		0000		
13	111111111111111111111111111111111111111	12 12 38 39	10	22 42 120 224	17   37   101   183	1922	00000	2000		33 60 166 276	23 23 51 141 225	255
18-	122		18	330	338		10	7	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		20	
NOT MARRIED   TOTAL  AGE	1,170	896	201	1,962	1,509	453	20	12	80	3,152	2,489	662
1 1 1	296	255 350	41	689	560	139	060	0 7 1	1 2	1,004 1,119	822 851 851	1182
- 34 - 39	121	200	22	NES	<b>TNT</b>	30	777	121	0 5 3		200	12
AND	12				11	m 0	00	00		2		

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

				PRE	NCY OUT	COME					TOTAL	
	NI	18	NOI	7			FE	TAL DEAT	I		IOIAL	
		1	E		RAC			RA	ш		RA	CE
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NON	TOTAL	WHITE	
TOTAL	9	3,838	2,789	24,829	19,594	5,235	210	141	69	31,740	23,573	8,093
AGE 110 - 14 15 - 24 25 - 29 30 - 34 40 - 44 45 AND UP	1,377 2,261 1,448 1,448 1,448 1,480	23 853 1,216 797 488 307 94	27 1,023 1,633 321 164	3,656 6,819 7,042 7,043 1,920 1,920	2,540 5,169 5,781 6,260 1,600	1,116 1,650 1,261 1,261 320 58	402 56 17 17	23 38 38 36 27 11 13	177 188 129 120 100	124 5,073 9,136 8,541 5,898 2,417 405	53,416 6,423 6,614 6,614 4,775 1,920 10	1,648 2,691 1,909 1,116 1,116 99
100	0 0 1 1 1 89 182 237 416 453	20 10 10 10 10 26 26 26 26 26 26	0 0 1 1 19 32 32 71 69 154	0 0 0 13 193 452 721 1,004	25 25 27 297 297 293 293	0 0 1 1 34 1 96 1 159 2217 351	0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1	100000000000000000000000000000000000000	00000000000	0 0 1 2 2 8 8 2 8 5 8 6 4 0 6 1,435	0 0 0 0 153 444 405 405 670 670 983	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
NOT MARRIED TOTAL	4,858	2,654	2,178	7,452	4,154	3,298	6	0 9	54	12,404	6,848	5,530
AGE 10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 40 - 44 45 AND UP	1,266 1,738 1,738 976 450 236 236	21 787 876 876 500 256 139 139	26 473 473 853 471 191 191 18	2,571 2,723 1,299 1,299 216 32	1,541 1,491 1,491 1,680 275 124	1,030 1,233 1,232 619 270 92 13	321 321 113 133 13	001193	18 18 8 8 8 8 1	113 3,868 4,493 4,493 1,008 1,008 455 455	2,347 2,3812 2,381 1,183 1,183 5,464	1,520 2,103 2,1098 1,098 189 189 32

				PRE	ANCY OUT	_						
	INDUC	ED ABOR	LON	1 1 1	IVE BIRT		FE	i F			TOTAL	
		RA			RA			RAC			RA	CE
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL		NONWHITE	TOTAL	1	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	5,316	2,686	2,555	18,320	13,175	5,145	161	06	7.1	23,797	15,951	1,771
10 - 14 15 - 19 20 - 24 25 - 29	29 960 1,807 1,320	535 841 661	414 944 641	2,433 4,183 5,082	1,273	1,160	20 38 41	111 202 22	188		2198	V 60 4
0 - 3 5 - 3 0 - 4 5 AND	571	6 N W	225	25	,41 19		22	18 16 2	17			404
9-1	000	000	000	000	000	000	000	000	000	000		
2445				199	122	40	000-	000-	0000	100		199
16	129 189 246 314	66 116 133 181	62 70 110 130	340 565 618 745	157 289 347 421	183 276 271 324	พดกพ	0440	MH 0 M	472 759 759 870 1,064	22,3 409 484 604	248 347 383 457
NOT MARRIED TOTAL	4,002	1,944	2,026	5,605	2,318	3,287	74	26	48	,68	00	9
10 - 14 15 - 19 20 - 24	27 890 1,507	500	384	1,955	839	1,116	15	0 9	0 6 9	2,860	1,345	
- 29	383	182		91	364	26			12	886	35	,03
- 44	0 4	271		20	8	7	200	N00	5 S S	~ 000	MM	00
				-		-	5	>		7	-	-


					5	COME					TOTAL	
	INDUC	ED ABOR	ION	7	IVE BIRT		H H	TAL DEAT	T		101AL	
		IX			RAC			RA	CE			ш
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHIT	TOTAL	WHITE	MNON
TOTAL	7	3,45	4,07	19	13,187	6,082	167	77	06	27,228	16,718	10,249
AGE 110 - 14	1,439 2,534 1,833 1,833 1,833 1,833 1,833 167	1,039 1,039 1,039 440 282 86	43 699 1,422 988 511 258 74	2,090 3,898 3,898 5,178 2,123 123	1,009 2,249 3,991 3,968 1,668	34 1,649 1,572 1,210 1,210 455 77	22 31 27 27 23	28 28 8 8 7 7	15 15 19 19 1	114 3,553 6,463 7,443 6,193 2,717 529	3,297 3,297 4,817 4,416 1,966 1,966	1,795 3,093 2,579 1,740 152 152
100111111111111111111111111111111111111	100 100 100 1007 1007 1007 4007	10 0 0 11 14 16 124 124 220	0 0 0 1 7 59 78 124 124 203	10 12 12 122 122 122 122 122 685 685	10 0 0 16 12 12 120 220 341	0 0 1 1 1 1 1 1 8 0 1 6 5 1 6 5 2 2 8 0 1 1 1 1 1 1 8 1 1 6 5 2 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	000011111111111111111111111111111111111	MAMHOOOOOO	00001188748	0 0 1 23 84 232 469 711 711	221 830 221 888 5688 5688	10 10 19 142 142 142 143 143 143 143 143 143 143 143 143 143
NOT MARRIED	3,703	1,577	2,062	5,548	2,008	3,540	8	21	59	9,336	3,606	5,666
AGE 10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP	36 858 1,284 815 363 198 198	443.7 523.1 1356.1 866.2 54	29 416 743 747 219 106	1,695 1,941 1,065 1,065 208 38	17 657 674 368 198 18	1,038 1,267 1,267 697 352 132 0	21 241 18 10 10	00000000	15 19 12 8 8	2,574 2,574 3,249 1,898 1,898 412 412 88	1,094 1,202 1,202 335 164 42	1,469 2,029 1,186 1,579 242 45

	ANCY 0			TOTAL	-
ORTION	LIVE BIRTH	FETAL D	ЕАТН		
RACE	RACE		RACE		ACE
- :	-!	OTAL	E NONWHITE	TOTAL	TE NONWHITE
2,399 16,80	01 10,301 6,500	183	85 98	21,900 1	2,763 8,99
4   431   2,8 4   832   5,5 5   587   4,4 7   140   1,0 3   4	68 1,344 1,515 29 3,165 2,364 29 3,038 1,391 12 1,930 782 42 708 334 58 97 61	223 133 133 133 133 133 133 133 133 133	13 25 27 27 22 27 13 27 10 8 8 5	3,869 7,243 7,243 7,243 1,359 1,359 1,359	31 83 868 1,971 976 3,223 605 2,005 220 1,109 873 479 152 96
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 19 730 1,033	16 233 377 671
1,538 6,08	4 2,039 4,045	93	31 62	9,002	297 5,645
28   6 71   347   2,16 51   570   2,34 2   342   90 9   147   39 9   81   17 0   2	5 14 51 66 744 1,612 594 166 512 554 166 518 88 88 20	32 31 19 19	10 12 12 3 4 15 15 15 15 15 15 15 15 15 15 15 15 15	2,922 3,389 1,509 1,509 315	25 786 1181 2,191 548 2,191 257 465 257 188 125 188 27 32

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				8	DUT	OME					TOTAL	
		ED ABOR	ION	1	VE BIRT		FE	TAL DEAT	H		IDIAL	
		RA	E		1			V			RA	
	TOTAL	WHITE	NONWHITE	TOTAL	1 1		TOTAL	WHITE	NONWHITE	TOTAL		HMNO
		1,994	2,212	18,046	10,991	7,055	177	79	86	22,548	13,064	9,365
AGE 110 - 14 120 - 24 25 - 29 30 - 34 35 - 39 40 - 44	1,538 1,538 1,538 467 293 71	450 702 396 218 138 36	36 463 797 797 230 140	3,157 5,828 4,562 3,046 1,136	1,346 3,445 3,159 2,146 127	1,81 2,383 1,403 1,403 386 87	23.3 19 19	111 177 272 111 112 100	24 36 13 12 7	144 4,121 7,419 5,487 3,536 1,448	1,807 4,164 4,164 3,582 2,375 2,375 164	2,298 3,216 1,885 1,142 1,142 1,153
1001 11101 11221 1146 1166 1166 1166 1166 1166 11	10 0 0 1 1 1 1 1 1 1 1 1 1 2 2 4 6 9 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 2 3 6 3 1 1 2 8 5 5 5 1 1 2 8 1 1 2 8 1 1 1 1 1 1 1 1 1 1 1 1	0 0 1 1 1 1 1 8 5 1 1 1 1 1 1 1 1	18 18 18 215 363 363 1,165	12 12 12 12 12 12 12 12 12 12 12 12 12 1	16 0 0 16 64 166 2241 3559 777	159	000000000000000000000000000000000000000	94622001000	1, 088	18 18 178 178 178 178 178	227 88 88 225 319 450 717
NOT MARRIED	1,960	898	1,054	6,745	2,014	4,731	98	18	80	8,803	2,900	5,865
AGE 10 - 14 15 - 19 20 - 24 30 - 39 35 - 39 40 - 44 45 AND UP	36 684 684 346 115 115	240 307 146 178 58	270 270 367 192 103 13	2,373 2,426 1,049 2538 218	11 670 717 344 344 199 199	1,703 1,703 1,705 339 161 30	330 330 156 156 157	0040000	324 324 337 337 337	132 2,920 3,146 3,1410 1,410 730 340	18 916 1,028 498 277 277 113	11,997 2,108 2,108 447 223 467 1

### **COUNTY TABLES**

# North Carolina Counties



	TOTAL WHITE NONWHITE TOTAL	RACE   RACE   LOTAL   WHITE   NONWHITE   T
!!		H
	<u> </u>	
TCOME	IMIZI	IMIZ
1001		ITE
PREG	TOTAL	TOTAL
NOIL	NONWHITE	XE NOWHITE
AB		WHITE
INDUCED	TOTAL	TOTAL

				RE	GNANCY DUT	OUTCOME	,				TOTAL	
	INDI	INDUCED ABORTION	TION		IVE BIRTH			ETAL DEATH	±		IDIAL	
		RA	Ш		RACI	CE		æ	ш			RACE
	TOTAL	ITE	NONHIT	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	DNWHIT
TOTAL	62	65	13	391	361	30	м	m	0	456	413	43
20		14	50	9		12	001		00			
25 - 29	12	14	mmc	108	111	6 9 2	000			125	123	
200	200	-4-	- 22	32		000	940					
dn 0	0	0	10	7.7	7.0	0	0			) <del></del>		
61		00	00	00	00	00	00			00		
1-2			-		00	000	00					
D WI		000		007	00	000				0		
5-		20	00	73	215	1 2 2	00			200		,
17		401		13	12	10	00			18	16	250
-6		<u>-</u>	0			3	0					
NOT MARRIED TOTAL	33	27	9	88	72	16	0	0	0	121	66	22
10 - 14	001				000	0	00					
1 1	11	6	200	32	25		000			44.0	7000	.01
1		- 0.			7	700	000					
1 0		100		700	100		000			000	,,,,,	
_				5			•			-		

1

		-	NONWHITE	2	0000000	0000000	000 -	0000000									
A		RACE	TE	105	238 238 200 500 100		400 0										
TOTAL			¥.	107	223		976	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2									
			TOTAL														
		1 1	NONWHITE		0000000	0000000	000										
	DEA		WHITE	2	000000		000	0000000									
	3		TOTAL	2	000000	0000000	000 0										
OME			DINHIT	1	000000	0000000	000 -	0000000									
151	2		WHITE	91	115 334 16 16	0000000	13 65										
PREGN	ш		TOTAL	92	15 35 16 16 0	0000000	14 65										
	ION		NONWHITE	-	00-0000		000 0										
1 1	- 1	- 1	- 1	ABORTI	_!	1	- 1	1	1	1	RAC	WHITE	12	00181840	0000001	9 WO	001750030
	INDO		TOTAL	13	001777	000000	- MO	00175									
				TAL	10 14 15 19 20 24 25 29 30 34 35 39 40 44	11000	17	AGE 10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP									

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

- 49 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

LIVE BIRTH	
RAC	
	ш !
4 338 126	
M & L	
0 3 3 5 6	
000000	
183 23	
8900	

	TOTAL	DEATH	ACE	NONWHITE   TOTAL   WHITE   NONWH	1 0 298 297 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 22 22 22 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000	0 0 0 3 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 76 75 1	0 0 27 27 27 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 2	- 1	LIVE BIRTH	RACE		262 261 1	38 38 00 76 75 75 11	26.0	00000	2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	53 52 1	20	5226
		INDUCED ABORTION	RACE	TOTAL WHITE NONWHITE TO	35 35 0	13 13 0 8 8 0	0112	00000		- 23 23 0	10 10 6	
COUNTY: ASHE					TOTAL	AGE 10 - 14 15 - 19 20 - 24 25 - 29	0000	9 10 11 13	14 15 16 17 18	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29	30 - 34 35 - 39 40 - 44

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			PREGN	EGNANCY OUT	OUTCOME					TOTAL	
INDUC	ED ABOR	TION		LIVE BIRTH	-	L.	ETAL DEATH	I		IOIAL	
	RA	ш		RACE				Ш			RACE
TOTAL			TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE	TOTAL	WHIT	MNO
2			155	153	2	м	m		183	179	
0	0 9	00	18			0 [			25		
0 00 -	8 7 -		442	4624					252	503	
101	101		2			000			122		
0	0	0	0	0		0			0	. 0	
00	00	00	00	00	00	00	00	00	00	00	00
00	00	00	00	00		000					
00	00	00	00	00		00					
7	2	00	00	00		00			2	2	
0 0	50	00	73	73		00					
П		0	×0	×0		ı			10	10	
20	19		23	22	1	2	2	0	45	43	7
0	0	00	01	10		0,					
001		5	9	9	50				16	15	
0.0	500	00	4 10	200		00			6 20	90 M	
0	00	00	2	2		000			. 2		
			10								

- 1 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			NONWHITE	282	25 105 51 25 11 11	0 0 0 0 0 0 1 1 1 1 1 2 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	197	8 3 7 4 7 4 7 4 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	TOTAL	RACE	WHITE	383	1051 1051 124 66 34	200 15	103	322 330 111 111 00
			TOTAL	1299	137 2210 176 91 96 46	10000 1131 1331 3391 3391	301	117 1104 104 211 211 0
			NONWHITE	80	00000	00071000000	7	00000000
	1 -	2		2	000000	000000		0-00000
	FE		TOTAL	10	04848000	00000000000		0400000
OME			NONWHITE	216	74 74 74 37 19	10000000000000000000000000000000000000	157	7 4 18 18 19 10 0 0 0 0
NCY OUT	BIRT	i	WHITE	323	34 90 109 61 27 27	000000000000000000000000000000000000000	73	21 24 17 17 00 00
1 02	7		TOTAL	539	108 164 146 35 35	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	230	99 4 135 135 00 0
	ION		NONWHITE	58	28 14 14 0	00000000000	33	168
	CED ABORTION	RAC	WHITE	58	16   15   15   16   17   17   18   18   18   18   18   18	\$\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	29	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	INDUCED		TOTAL	118	25 43 29 11	00000mm46v	63	111111111111111111111111111111111111111
COUNTY: BEAUFORT			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	10 - 14	100 111 122 133 143 143 143 143 143 143 143 143 143	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP

 		E		244	18887 1888 000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	192	688 688 173 77 0
14707		RAC	T	100	22 23 23 88	0000000049	19	100%2580
! ! ! ! ! !			TOTAL	347	1086 105 62 20 20 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211	202 205 205 205 104
			NONWHITE	4	0000000	000000000	4	0000000
		~	T	2	0000	000000000	H	000000
	FE		TOTAL	9	000000	000000000		000000
OME		Ш	NONWHITE	212	62 73 30 28 11	100 100 100 100 100	168	662 60 20 113 6
EGNANCY OUTCOME	BIRT	RA	1	81	10 14 22 22 7	0000000mm4	111	-00000m
PREGN			TOTAL	293	757 872 56 18	222 222 222	179	67 63 15 15 10 11 10 11
	0		NONWHITE	. 58	011648890	0000071071	20	070000000
	CED ABORTI	RA		17	00000000	0000000	7	000111520
		 	TOTAL	48	0471	0000007.470	27	0 1 1 1 5 4 7 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	10 14 10 24 25 29 30 34 35 39 40 44	1001 1001 1001 1001 1001 1001 1001 100	NOT MARRIED	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP

				PREGN	NCY	OUTCOME					TOTAL	
	INDI	INDUCED ABORTION	NOIL		IVE BIRT	<b>T</b>	F	FETAL DEATH	Ŧ		0	
		2	CE			111						RACE
	TOTAL	풀		TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE	TOTAL	MHITE	: :
TOTAL	102	50	52	420	219	201	9	9	0	528	27	5
10 - 14 15 - 19 20 - 24	20 45	29	111	00 4		7.	040	040	000	109		-1-1-
25 - 29 30 - 34 35 - 39	17	L 9 5	10	105 56 25	26	30	000	000	000	200		14140
4 <del>U</del>	21	100	mo	40	M 0		00	00	00	7		
6012	0000	00000	0000	0000,	0000	0000,	0000	0000	0000	0000,		0000
16	00144	00000	70100		01050		0000	0000		12441		
000	4	231	13-61	36	17		101	101		30	22	
NOT MARRIED TOTAL	63	27	36	213	59	149	4	4	0	280	6	5
10 - 14 15 - 19 20 - 24	100	0 5 17	19	67	26 19	41	0 % -	3	000	80	ww	コサト
25 - 29 30 - 34 35 - 39	111	-m	010	12		21	000	000	000	7		
	100	100	0.00	0 0	000	0 - 0	000	000	000			

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

1/4				R	GNANCY DUT	OUTCOME						
	10	ED ABOR	TION		LIVE BIRTH			ETAL DEATH			TOTAL	
		RA				E		RACE				1
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	188	144	39	729	592	137	**	9	2	925	742	178
20 14 15 19 20 24 25 29 30 34 35 39 45 AN UP	333 566 57 30 10 10	248840	1374	148 216 189 112 57	115 172 153 153 97 50	w4w=	0427000	0010100	0000000	185 185 274 237 142 166 17	141 212 197 121 121 14	100 100 100 100
10 11	11161400000	10222		5 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3327 3327 3327 3327 3327 3327	16366	000000000000000000000000000000000000000		000000000	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4452111000000000000000000000000000000000	
NOT MARRIED	108	77	92	254	160	96	4	2	2	366	239	122
10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP	288 258 160 160 0	220 220 111 111 110 0	100000000000000000000000000000000000000	101 92 36 10 15 0	688 199 100	333 333 173 100 0	0400000	000000	0000000	133 127 127 56 26 26 18		213 213 00 00 00

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		H.	NONMHITE	416	96 96 150 80 80 56 24 24	0 0 0 0 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2	325	925 132 533 253 155 0
	INIAL	RACI	WHITE	2,661	13 394 752 673 673 505 257 61	0 0 0 3 3 10 7 56 70 111	936	12 284 333 159 89 41 13
			TOTAL	3,093	18 492 903 754 754 281 65	14 14 16 1339 166	1,262	17 376 465 2183 114 15
		ш	NONWHITE	5	000000	000000000	4	00000110
	ETAL DEATH	RACI	WHITE	14	011222	0000000700	2	000700
	F		TOTAL	19	04724110	000000000000000000000000000000000000000	6	04104000
COME		Е		270	2 4 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1222 183 183	201	2887 2887 0
ANCY OUT	IVE BIRTH	RAC	ITE	2,087	281 564 555 212 451	0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	565	178 173 771 42 42 17
PR	7	Fr -	TOTAL	2,357	10 354 663 601 457 224 48	22 22 44 77 102	695	249 258 998 22 22
	NOI	щ		141	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00001110040	120	202 460 151 10
1	CED ABORTION	RAC	포	260	110 1183 116 80 80 44	4 3 3 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	437	103 1603 88 458 245
	INDUCED		TOTAL	717	134 233 151 100 56	22 22 34 54 54	558	123 206 206 114 60 8
				TOTAL	10 - 14	101 112 13 14 16 11 16 11 11 11 11	NOT MARRIED TOTAL	10 14 15 20 24 25 29 30 34 35 39 40 44

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

				PREGN	ANCY	OUTCOME					TOTAL	
	INDUCE	DA	BORTION		IVE BI	Ŧ	ш.	ETAL DEATH	Ŧ		INIAL	
		RAG	CE		N.	lu I		RA	CE			
1	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE		TOTAL	WHITE	NONHITE
	227	161	63	1,130	988	142	6	7	2	1,366	1,156	207
10 - 14 10 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	252 1252 14	444 588 333 15	18 18 18 0	210 2371 292 185 64	170 170 328 328 263 163 57	224 229 27 17	0021123110	00211210	00000	264 455 455 346 207 80 1	215 3888 3888 179 179 671	488 678 678 727 133
111111111111111111111111111111111111111	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000	7 2 8 1 7 8 7 8 7	00000 1110000 248328 248328	11768000000	00000000000		0000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	75,866	113999116
MARRIED TAL	151	112	38	332	566	99	4	2	2	487	380	106
10 14 15 20 24 25 29 30 34 35 39 40 44	46 555 29 11 7	388 377 20 8 8 7	18 18 9 9	1138 1138 37 24 12	109 96 96 31 31 10 10	005000	000017310	01100000	000000	186 175 67 19 19	148 134 17 17 17	20 16 16 10 10 10

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		RACE		338	111 33 88 11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	248	7 0 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
101	IDIAL	RA	1	1,541	206 379 433 142 182	6 5 5 4 5 8 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6	414	155 144 144 69 23 14
			TOTAL	1,886	10 283 496 496 521 393 161 20	100 116 163 163 163 164 164 164 164 164 164 164 164 164 164	599	10 225 240 240 119 39 23
		ш	HMNON	-5-	000000		m	0001700
	ETAL DEATH		HITE	9	0000000		2	00011000
			TOTAL	11	0011400	000000000	2	000000
OME		Ш	NONWHITE	235	754 79 120 120	100000	160	3651 30 30 15
EGNANCY OUTCOME	R	RAC	-	1,295	143 303 388 388 117	444 610000	250	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
PREGN			TOTAL	1,530	197 382 448 355 129	00 00 17 27 29 29	410	145 157 71 20 20
		Ш	TIMMON	98	222 335 10 10 00	10	85	19 31 10 10
	ABOR	RACE	WHITE	240	63 73 74 27 27 26	000000000000000000000000000000000000000	162	61 69 27 10
	н		TOTAL	345	86 109 69 37 31	30 11 10 10 10 10 10	249	88 80 19 19
				TOTAL	15 - 14	1001 1101 1101 1101 1101 1101 1101 110	NOT MARRIED   TOTAL	10 - 14

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				RE	ANCY							
	INDO	INDUCED ABORTION	TION		IVE BIRT		1	ETAL DEATH			IDIAL	
		RACE			RACI	CE		RA			2	CE
	TOTAL			TOTAL	WHITE		TOTAL	WHITE	HMNON	TOTAL		
TOTAL	123	106	13	958	874	\$ 80	12	12	0	1,093	992	76
10 - 14 15 - 19 20 - 24 25 - 29 30 - 34	29 31 28 17	28 27 27 21 14	3	199 289 282 129	2 171 254 265 127	28 35 17	04800	04800	00000	232 323 323 312 148	202 284 288 143	238 238 4
5 - 3 0 - 4 5 AND		12 3			10011		010	010	000	58 15		
10	0000	0000		0000	0000	0000	0000	0000	0000	0000		
	00047	0004	00000	12 12 12 18 18 18 18 18 18 18 18 18 18 18 18 18	10 210 339	00000	00000		00000	2200	100	00000
18	12	11 6		56		~ 10	20	22	00	71		
NOT MARRIED TOTAL	87	92	10	310	240	70	7	7	0	404	323	80
10 - 14	22 22 22 22	288	0 1 8 9	140	112	288	0880	0828	0000	172	143	29 29
30 - 34	107	1 7 8 7 1	700		111		000	0000	000	11 24	101	
45 AND UP	0	0	0	0	0	0	0	0	0	0	0	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

	-			ITE	11	044-1	1000	0000	0000	112	00	044	000	00
				NONWHITE										
		,	RACE		55	19	010	0000	1000	321	23	06/	010	00
	TOTAL			WHITE										
				1	99	13 23 17	010	0000	1000	225	31	13	0 10	00
				TOTAL										
				HITE	-	0010	0000	0000	0000	000		001	000	00
			ш	NONMHITE										
		DEATH	RACE		-	000-0	0000	0000	0000	000		000	-00	00
		ETAL		Zi										
		FE		AL	2	0077	0000	0000	0000	000	2	007	-00	00
				TOTAL										
				HITE	9	01210	0000	0000	0000	001	m	210	000	00
	OME		щ	MNON										
	OUTCOME	SIRT		ші	65	13	10-0	0000	0000	707	17	0 / /	M00	00
	EGNANCY	LIVE		= :										
	PREG			AL	55	218	0120	0000	0000	321	20	0 8 6	MO0	00
				TOTAL										
				HITE	4	0 100	0000	0000	0000		4	130	000	00
		TION	E C	NONWHITE										
i		02	RA	i	5	0000	1000	0000	0000	100	5	070	010	00
		INDUCED		WHITE										
		IND		AL	6	0510	1000	0000	0001	777	6	120	010	00
EN				TOTAL										
CAMDEN				1				9 10 11	15	17 18 19	ED	1111	!!!	UP
TY:				1		19 29 29 29	39- 44- 10 U				MARR TAL	10 - 14- 15 - 19- 20 - 24-	111	AND
COUNTY:	1			1	TOTA	10 10 20 15 15 15 15 15 15 15 15 15 15 15 15 15	35 40 45 A				NOT TO	100	3000	7 4

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

120 120 120 100 100 100 110 112 123 134 144 154 164 164 174 186 186 186 186 186 186 186 186 186 186			588 588 148 148 114 159 114 114 13 13 13 13 17	EGNANCY OUTCO LIVE BIRTH MHITE   1 14   110   524   524   524   132   132   132   132   132   132   132   132   132   133   133   133   133   133   133   133   133   133   133   133   133   134   13	0 M E		RACIO E LA THE L	CE   CE   CE   CE   CE   CE   CE   CE	TOTAL 713 713 181 183 183 163 17 17 17 17 17 17 17 17 17 17 17 17 17	TOTAL RAH TE NHITE 159 127 127 127 127 127 127 127 127 127 127	CE   NONWHITE   S3   S3   S4   S4   S4   S4   S4   S4
20 25 17 13 0	16 20 15 10 10 00	0401000	66 66 56 13 13 0	51 48 48 19 10 10 6	128	000000	0000000	000000	886 887 887 126 120 0	67 68 84 34 10 10 10	1648200

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			Æ	NONWHITE	118	119 246 118 118	00	0000		727	81	17	16	00
	TOTAL		RACE	WHITE	174	222 443 460 151	m 0	0000	00000	12.9	41	17	147	00
				TOTAL	294	944 722 588 222	m 0	0000	- WN W P	13	123	35		00
		-	Æ	NONWHITE	0	00000	00	0000	00000	000	0	000	000	00
		ETAL DEATH	RACE	WHITE	2	00000	00	0000		001	1	010	000	00
		Ξ		TOTAL	2	010100	00	-	00000	001	1	010	000	00
	OME		ls I	IHMNON	88	11 14 16 16	00	0000	10191	203	09	31	289	00
	REGNANCY OUTCOME	RT	RACI	WHITE	149	18 34 37 12	0 0	0000	01818	200	28	13	0 0 0	00
	PREGN	_		TOTAL	237	32 71 60 51		0000	11474	86	80	27		00
		NOI	ш	DIMMIT	30	HR084H	00	0000	01707	0 10 10	21	730	2 0	00
		CED ABORTION	RAC	ITE	23	парымы	00	0000		0 11	12	089	<del></del>	00
11		INDUCE		TOTAL	55	101111111111111111111111111111111111111	00	0000	7777	200	34	13	× ~ ~	00
COUNTY: CASWELL			-		TOTAL	20 - 24 20 - 24 25 - 29 30 - 34	0 - 4 5 AND	10	13	18	NOT MARRIED TOTAL		25 - 29 30 - 34 35 - 39	40 - 44

1 101					5	COME						
101	INDUCED	ED ABORT		7	IVE BIRT		FE	ETAL DEATH	H		TOTAL	
101					RA			RA	CE		RA	CE
1	AL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE	TOTAL	WHITE	i — —
	385	287	93	1,654	1,411	243	10	6	1	2,049	1,707	337
560	76	89	333			68	1750	0111	0 7 0	332 603		10 84
30 - 34	25	181	- M - K	311	287   287   105	24	7775	N			1248	
n o		0	0			0	0	00				70
10	000	000	000	000	000	000	000	000		000		
3-2	000	00,	00	0 71	00,	0-1	000					
1 1			010				010	000				
17 18 19 1	13 20 26	13	27.5	80 77	56	14 24 15	010	010	000	72 101 103	56   70   83	16 31 20
NOT MARRIED	273	204	68	455	317	138	4	м	-	732	524	207
10 - 14 15 - 19	70	58	3	164			0	0		M	~	9
20 - 24	94	964	29	164	114	50	7-		00	259	179	79
30 - 34	26	25	- 7	25	14		000	100		500	MO	
40 - 44	40	40	00	000	.00	000	000	000		3 5 6		
_	-		5	5		5	5	0				

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		RACE		583 150	24821	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	141 91	45 24 46 27 19 17 18 10
TOTAL			HI	38		2238 2633 2633 2633	32	0 7 3 3 1 1 1 1 1 1 1
			TOTAL	7			2	001100
	<b>T</b>	Æ	NONWHITE	κ				
	ETAL DEATH	RACI		2	0000000	0000000	1	0.0000
	FE		TOTAL	<u>.</u>	00111100		M	0
OME		Ш	NONWHITE	92	18 255 21 19 19	7%521000000	52	177
EGNANCY OUTCOME	BIR	1		965	119 119 1155 1146 12	14-11-11-11-11-11-11-11-11-11-11-11-11-1	98	0 4 W 4 W W
PREGN	1		TOTAL	588	0 144 176 133 153 151	00 00 00 19 19 19	150	24 8
	1	1	NONWHITE	55	119	00000000000	37	111
	ABOR	RACE	WHITE	85	16   17   17   17   17   17   17   17	000000111111111111111111111111111111111	42	100
	INDUCED	-	TOTAL	145	26 26 26 26 14 14	00000000040	79	17 17 24 11 11
		-		TOTAL	AGE 110 - 14 115 - 14 220 - 24 30 - 34 35 - 39 45 AND UP	101 112 113 114 115 115 116 117 118 119	NOT MARRIED	AGE 10 - 14 15 - 19 20 - 24 35 - 39 35 - 39

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	EGNANCY DUT	OME						
	INDO	INDUCED ABORTION	TION		IVE BIRT		4	1 -			TOTAL	
		RA	CE		RACE			RA	1			
1	TOTAL	WHITE	<b>⊢</b> 1	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
	52	47	5	240	235	5	2	2	0	562	284	
0 - 14 5 - 19 0 - 24	13	0 12 19 11	22	69 82	40 67 81	1210	0100	0100	0000	55 90 95	986 92	
DEMW	- MOO	00%1	0000	31 14	30 14 1	1000	000	0000	0000	32 18 1	18112	
9 10 11	0000	0000		0000	0000		0000	0000	0000	0000		
131	00770	00440	00000	12100	10100	00000	00070	00010	0000	17200	0007	
18	200	204		13	15		000	000	000	21	21	
ARRIED AL	39	35	4	53	53	0	1	1	0	93	89	4
10 - 14 15 - 19 20 - 24	12 17	111	0 (	23	23	000	000	000	000	35	34	0
- 34	21	210	700			000	004	001	000		17	
- 44  AND UP	00	00		00	00		00	00	00	00		

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	EGNANCY DUTO	OUTCOME	-				TOTAL	
	INDUCED	CED ABORTION	NOI	1 1	IVE BIRTH	-	H .	ETAL DEATH	<b>.</b>	1	1 1 1	
		RAC	Ä		i	CE		RACE			RACE	S.E.
	TOTAL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	¥!	NONWHITE	TOTAL	WHITE	NONMHITE
AL	52	11	15	208	106	102	m	0	M	237	117	120
19	12/2/21	01113550	000249	244 20 20 60 60	28 27 27 31 11 11	11123 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00000			655 647 77 0	30 30 30 30 30 30 30 30 30 30 30 30 30 3	1133 159 0
100	00000000	0000000110	1200010000	12/95/4100000	0000000000	000001406000	00000000		00000000	000000000000000000000000000000000000000	7610000000	114954700000
MARRIED TAL	20	7	13	06	13	77	8	0	м	113	20	93
10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	10000000	000100	0000%	34 31 11 7 7	001100	28 26 11 14 14	000000		000000	7 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00011000	1333

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				04	ANCY	OUTCOME						
	IND	UCED ABOR	TION		IVE BIRT			ETAL DEAT			TOTAL	
	1	RA				Ш		RA				CE
1	TOTAL	ITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE
.0TAL	10	10	0	53	53	0	0	0	0	63	63	0
40	20		000	06	06		000		00	111		
5 - 29	3 M C	# M C	000	16	16	000	000	000	000	19	21	000
201	00			40	.40		000			-4-		
dn (	0		0	0	0		0		0	0		
10	00		00	00	00		00		00	00		
11	00			00	00		00			00		
13	00			00	00		00			00		
15	10		00	0	0 -		00		00	000		
171	100	100	00	311	I M M		000		000	<b>7</b>	<b>1</b> -1-3	
19	0		0	4	4		0		0	4	9	
NOT MARRIED TOTAL	7	7	0	12	12	0	0	0	0	19	16	0
AGE 10 - 14	C				-							
15 - 19	.20			9	9.0		000	000	000	000	> 60 1	00
25 - 29	20		00	7	7		00	00	00	9 10	9 10	
35 - 34	00						00	00	00	-		
1	0		0	0	0		0	0	0	10	-	
45 AND UP	0		_	0	0		0	0	-	_		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

1				NONWHITE	484	1129 1160 1106 20 20 20 0	11 12 12 32 33 34 31	344	125 119 53 28 28 0
	TOTAL	IOIAL	RACI	WHITE	1,044	181 329 299 166 52 8	16 16 16 16 16 16 16 16 16 16 16 16 16 1	287	120 99 42 16 16
				TOTAL	1,532	221 221 221 721 12	0 0 1 1 1 2 8 4 5 8 8 3	633	245 213 219 44 14
1				NONWHITE	9	001500150	000000000	4	00100100
		TAL DEAT	RACE	WHITE	6	0012120	0000000000	4	000000
		1		TOTAL	15	04846000	000000	80	0000000
	OME		E		387	114 123 186 86 86 15	10 0 0 0 1 1 1 1 1 1 1 2 7	269	110 87 42 20 20 5
	GNANCY OUTCOME	BIRT		1	904	12886 150 150 451 33	4 3 3 7 7 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	196	10 10 10 00
	PREGN			TOTAL	1,291	26 9 403 357 192 60	0 0 0 1 1 1 2 3 3 3 6 8 6 8	465	200 151 69 30 30
	1	ION	Ш	NONWHITE	91	11 20 11 11 02 0		71	131 111 111 00
	1	CED ABORTION	RAC	WHITE	131	33 47 27 13 13 0	7868410000	87	2.9 3.3 1.4 1.0
LAND	1	IND		TOTAL	226	847 885 10 10	0 0 1 1 1 1 1 1 1	160	425 65 26 14 0
COUNTY: CLEVELAND					TOTAL	10 - 14	100	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

1 1				PRE	GNANCY DUTC	OUTCOME						
	INDUCED	IA	TION	7	IVE BIRT		4	EA	H		TOTAL	
		RA	CE		RA				CE		RACI	CE
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	WHITE		TOTAL	WHITE	NONHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	160	78	78	719	441	278	5	2	м	884	521	359
0 - 14 5 - 19 0 - 24	43	200	28,				000	004,		204		
25 - 29 35 - 39 40 - 44 45 AND UP	21  2  2  0  0  0  0  0  0  0  0  0  0  0	0 2 6 81		108	125 76 21 3	102	-0000	-0000	0000	207 131 38 12	147 84 27 27 0	11460
10-	-00	000		000	000		000	000		000	000	
4 3 2 -	500-	00-		000	0000	000	0000	0000		000	000	
15  16  17	785	1000	454	17 22 37	13	13	000	000		30	16 27	127
9 - 6	15	4.00				21	00	00		. 57	26	200
NOT MARRIED TOTAL	112	48	62	308	103	205	м	1	2	423	152	569
10 - 14	37	17	20	114	44	70	200	00-			613	90
11	21   10			40.		27	010	100		Me	300	MM
1 -	000	7-10			00	000	000	000	000	13	910	<b>~00</b>

				PREGN	ANCY	OUTCOME						
	INDC	INDUCED ABORTION	TION	i	IVE BIRT	Ŧ		ETAL DEAT			TOTAL	
		RA	S E		RACE			RA			RACI	
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	286	158	121	1,488	1,023	465		4	м	1,781	1,185	589
10 - 14 20 - 24 25 - 29	67 101 47	20 20 20 20 20	27 45	257 493 362	143 335 262 262	114	0744	0	0800	328 595 410	182 390 283	144 203 126
50 O O O O O O O O O O O O O O O O O O O	2280	144		987	209	200			0000	000	233 76 13	
10-1	0000	0000	0000	0000	0000	0000	0000		0000	0000		0000
116-1	1000	0405	0787	25272	. — พ เก ซ	17741	00000		0000	32,92	13741	12 17 19
18	23	, 8 16	10	74	65	333	0		010	93	31 49 82	44
NOT MARRIED TOTAL	146	74	89	429	166	263	4	1	М	579	241	334
10 - 14 15 - 19 20 - 24	50 643	27 17	22 22 24	175	7 7 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	105	130		0 10 0			130
25 - 29 30 - 34 35 - 39	881	12	694	62  34  11	19	15	000		000	52	31	21
40 - 44 45 AND UP	MO	0 0	10	0	00	0	00		00			00%

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					CY OUT	COME						
	INDUCED	ABOR	1	]	IVE BIRT		FE	TAL DEAT	I		TOTAL	
		RAC			RAC	E		RA			RA	1
TOTAL	AL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	1		TOTAL	1	
TOTAL 2	2,047	788	1,200	5,623	3,464	2,159	55	25	30	7,725	4,277	3,389
10 - 14 15 - 19	てけ	5	-100	14	T)	00	04	20		,10	-	TI
20 - 24	699	196	403	1,912	1,189	723	18	10	101	2,629	1,471	1,136
5 - 3	00 N	95	00 M	ME	00	22	<u> </u>	2 2		,22	50	IN
0 - 4 5 AND	M	151		67	2	2	14	0 10		82	M	4
	-		-	c	-	-	-				C	
0-0	000	000	000	000	000	000	000	000		000	000	
121	0.1	00		5-1		00	00	00		5		
5 -	10	2	∞	111	0 %	80	00	00			7	16
5-1	32			37			00	00		90		50
17	52	24	23	135	200	080	m		200	190	200	105
9	133			00			7	7		かの		00
NOT MARRIED		762	807	2		6	9			,	-	1
7	, 0,			, ,	7	1,040	13	D	CT		0/0	1,739
10 - 14	101		8 1	12		6	0 2	0,	000	22		17
- 24	391	133	249	569	172	397	101	460			308	653
- 29	M		5	9		~	4	-		0	9	M
11	AR			-14			00	00		50		10
- 44-	101			101			200	,		20		13
45 AND UP	2	0	2	0	0	0	0	0	_		0	2

TOTAL MHI	ABORT RAC ITE 31 31 12 12 12 12 10 10 10 10 10 10 10 10 10 10 10 10 10		186 196 196 198 198 188	1VE BIRTH RACE WHITE   N 167   13   13   142   158   58   58   150	1   L   T   T   T   T   T   T   T   T   T		ETAL DEATH	I		IOIAL	
AL	31 12 1 10 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MHIII	TIMMUIT						
AL 34	31 12 10 10 00 00	M 0H00HH00	13641		NONWHITE 19		RA	RACE		RACE	CE
AL		m 0-100-1-00	1305H 8	167 0 113 42 58 36		TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONHITE
14		0-0000		13 28 38 36 36 36 36 36 36 36 36 36 36 36 36 36	0	0	0	0	220	198	22
AND UP		57700		36	041	0000	000		32	220	0/41
AND UP	<del>-</del>	0	17	16	0000	5000	0000	5000	2112	388 188 2	1mm0
		-	0 0	0 0	0 0	0 0	0 0		0	0 0	0 0
1	000	000	000	000	000				000	000	
4	500	000	000	000	500	500	000		500	000	
15  1  16  2  17  6	9		000	0 - 0	0	000	000		H 4 6	- 2 %	-120
9	77	00	113	0.00	M.	00	000		13	1040	i m
NOT MARRIED TOTAL 24	22	2	52	41	11	0	0	0	92	63	13
	120	010	15		0	00	00			21	7
1 1 1	79-	50-	111	101	m m r	000	000		171	16 16	<b>м</b> п (
11	-10	-00	- 70	720	100	000	000		o m c	9 10 -	700
JP	0	0	0	0	0	0	0		10	0	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			NONMHITE	17	0007000		15	0047000
TOTAL	IOIAL		WHITE	326	32 32 113 71 41 111	1394446133	98	220 320 111
			TOTAL	343	35 61 120 73 41 111	111	113	259 254 37 13
		E .	NONWHITE	0	0000000		0	000000
	TAL DEAT	RA	WHITE	0	0000000		0	000000
	FE		TOTAL	0	0000000		0	000000
OME		E	NONWHITE	15	00000000	0000000	13	001000
GNANCY DUTCOME	IVE BIRT	RA	WHITE	267	25 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 0000000790	55	06011
PREGN		RAC	TOTAL	282	27 27 49 67 83	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	89	21 21 21 37
	NOI	Ш		2	000,100		2	0001100
	CED ABORTION	RA	TE	59	23.3 23.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.	- 000000000	43	08001
	INDUCED		TOTAL	61	128 24 24 24 24	- 0000000nn	45	10 10 10 10 10 10 10 10 10 10 10 10 10 1
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL	20 - 24	0876550109	NOT MARRIED TOTAL	10 14 15 - 19 20 - 24 25 - 29 35 - 39 40 AN 18

NAME	DAVI DSUN			PREGN	EGNANCY OUT	OUTCOME						
Column   C	12	1 1	TION		BIRT		FE	1 -	H.		TOTAL	
MHITE   NONWHITE   TOTAL   MHITE   TOTAL   M					RA			2			RA	CE
257         106         1,847         1,619         228         11         11         0         2,225         1,887           3         60         21         285         226         59         0         0         0         368         286	_ i	ш	NONWHITE	TOTAL	WHITE	NONWHIT	OTAL	ш	TIHMNO	OTA	1 = 1	NONMHITE
4         6         6         10         0	367		106	1,84	1,61	22	1			2,22	1,88	334
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8085H	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0000	1000 to	90970		0017%500	0011375200		1394681	2222	80884 80584
8         177         89         554         386         168         2         2         0         824         56           4         4         4         4         0         6         3         3         3         0         0         0         0         10         0         10         0         275         19         19         10         10         10         0         0         0         275         19         19         10         275         19         19         19         10         10         0							00000000	000000000				7 1 1 1 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
4         4         0         6         3         3         3         0         0         0         0         275         19           7         21         195         140         55         0         0         0         0         275         19           3         29         24         112         68         44         0         0         0         0         165         9           1         21         10         40         30         10         1         165         9           2         4         13         7         6         0         0         0         0         0         224         1           2         0         0         0         0         0         0         0         0         0         3         3           2         0 <t< td=""><td>268</td><td>17</td><td></td><td>2</td><td></td><td></td><td>2</td><td>2</td><td></td><td>2</td><td>9</td><td>257</td></t<>	268	17		2			2	2		2	9	257
	33,57	www	22 25 10 10 0	08041	ANON		000000	0000000		276671	20001	2 2 2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

				PREGN	ANCY	OUTCOME						
	I	ED ABOR	TION	7	IVE BIRT			ETAL DE			TOTAL	
		RA			RA	CE		RACE			RACI	CE
	TOTAL	WHITE		TOTAL	1 1		TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	99	52	14	337	304	33		1	0	404	357	25
10 - 14 15 - 19 20 - 24	20	1380	0 7 9	53	944	0 611	000	000	000	73	952	
1 1 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3	12		223	99	93		010		000	111174	102	
0 - 44- 5 AND UI	000	000	000		7,40				000		9 9 0	
	00	0 0	00	00	00		00		00	00		
12-	000	000	000	000	000				000	000		
54	00-	00	000		00-				500	000		
	184		00	14		0 0 0			000	184	15	MOM
18	99	N W		24	21			delena deplica es	00	30	26	
NOT MARRIED TOTAL	55	45	13	65	45	20	0	0	0	120	87	33
10 - 14			0	0 .	0000	00	00		00	0		
1 1	71	11	194	22	141	× × ×		-		39	25	14
30 - 34		. 23	200	220	-2-	10,			000	150	-	
	0	0	0	1	10				50	9 11		
45 AND UP	0	0	0	0	0	0	0		0	0	0	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			SE	HMNC	321	81 117 64 64 333 16	00 00 66 119 31	217	73 80 80 33 18 18
1	TOTAL	10 AL	RACE	WHITE	546	844 160 169 169 93 29 7	00 00 00 11 11 32 32 32 32 32	171	145841 173841 0 3 5 7 7 1
		-		TOTAL	873	165 165 279 234 128 46	00000000000000000000000000000000000000	391	116 138 77 77 36 12
	1		Ш	NONWHITE	2	0000000	000000000	1	0000000
		FETAL DEATH	RAC	E	9	0000000	000000000	2	00000
		F.		TOTAL	∞	00000000	000000000	м	00011000
	OME		E	NONMHIT	230	35851 3503 108 108	2112 213 213 213 213 213 213 213 213 213	153	253 16 16 0
	EGNANCY OUTCOME	1 04	RAC	WHITE	482	139 139 154 154 25	37,365,100000	142	00 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	PREGN	7		TOTAL	712	128 222 204 117 33	53 4 4 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	295	110 110 58 32 32 0
		RTI		NONWHITE	8	255 34 13 13 13 13	00000	63	22 22 10 2 3
		1	RACI	WHITE	58	1120	1 N N N N N N N N N N N N N N N N N N N	27	0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2		INDUCED		TOTAL	153	37 555 27 9 13	11066	93	31 27 18 18 6
COUNTY: DUPLIN					TOTAL	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44	10 11 12 13 14 15 16 11 18 11	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

		CE	NONWHITE	2,595	446 446 801 671 671 190 29	115 115 119 119	1,511	16 370 3357 3357 141 161	
TOTAL	1018	RA	WHITE	1,944	11672 5350 5572 5550 536 536	912000000000000000000000000000000000000	454	123 149 149 119 119	
			TOTAL	4,583	24 1,146 1,252 1,252 431 431	0 0 1 1 2 6 6 1 126 173	1,979	18 495 709 430 430 195 86 20	
1			NONWHITE	20	10064500	000000000	12	0040000	
	ETAL DEATH	2		101	0400000	0000000000	2	0001100	
	F		TOTAL	30	02000420	000000000	14	00488000	
OME		IVE BIRIM	ONMHI	1,505	2558 410 4399 299 118	86 % % S	902	248 329 193 83 34	
	BIRT		WHITE	1,515	83 221 467 467 209 39	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	221	862 837 101	
PREGNA		RACE	TOTAL	3,020	10 338 631 866 790 327 54	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,123	310 310 412 230 108 44	
	0		NONWHITE	1,070	11 189 386 269 111 70 14	0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	597	120 120 224 140 56 29	
	A		A	A	BORTI	WHITE	419	83 115 103 57 57 25 16	0 0 0 0 1 1 2 2 8 2 8 2 8
	NONI		TOTAL	1,533	14 280 510 381 175 100 33	0 0 1 1 12 16 16 29 81	842	183 197 197 84 11	
				TOTAL	10 - 14 10 - 19 20 - 24 25 - 29 30 - 34 40 - 44 45 AND UP	9 110 112 115 115 116 116 118	NOT MARRIED TOTAL	10 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 45 AND HE	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

	T C L		RACE	ONWHITE TOTAL WHITE	5 8 1,084 351 723	2   250   11   250   11   250   11   250   11   250   11   250   11   250   11   250   234   250	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 4 618 102 512	0 0 14 0 14 0 14 163 163 163 176 176 176 176 176 176 176 176 176 176
		FETAL		TOTAL WHI	13	01400010		9	0100000
	OME			NWHITE	561	10 152 182 115 73 27	0 0 0 1 1 2 2 2 2 3 8 4 7	433	10 146 155 70 38 13
	REGNANCY OUTCOME	0	RAC	WHITE	288	58 87 76 76 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80	32 24 134 00 00
	PREGN			TOTAL	849	210 269 191 123 41	00 00 11 13 14 19 69 69	513	10 178 179 833 46 16
		NOI		NONWHITE	154	27 28 28 15 15 0	0000MN40004	75	16 20 12 12 12 12 0
		CED ABORTION		WHITE	58	233 233 7	0000000	20	00000000
OMBE		INDOC		TOTAL	222	38 77 71 30 21	000000000000000000000000000000000000000	66	221 330 114 139
COUNTY: EDGECOMBE					TOTAL	AGE 110 14 110 20 24 25 29 30 34 35 39 40 44	100	NOT MARRIED TOTAL	10 - 14 10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP

				RE	GNANCY OUTCOM	OME						
	INDC	NDUCED ABOR	NO	1	IVE BIRTH	I	FE	ETAL DEATH			TOTAL	
		RA			V			RA				CE
	TOTAL	WHITE	NONWHITE	TOTAL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	
TOTAL	1,360	628	719	3,999	2,757	1,242	36	11	25	5,395	3,396	1,986
AGE 10 - 14 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	237 450 333 178 100 27	118 170 150 97 97 19	1119 275 275 178 80 40 40	20 497 1,136 1,136 3855 455	261 551 8831 761 313 22	16 236 395 305 204 72 12	11 2 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1	0014400	0 1 1 7 6 3 5 0	26 739 1,402 1,478 1,154 787 73	37.98 9862 37.33 52.33	20 360 673 673 689 291 113
100	100 100 115 115 115 115 115 115 115 115	0 0 0 0 0 1 1 1 1 8 8 8 8 2 2 2 2 2 3 6 3 6 3 6 3 6 3 6 3 6 3 6 3	3322 3322 3452	14 14 15 138 172	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 M O O O O O O O O	000000000		0 0 0 1 1 1 3 3 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 3 2 1 3 1 3	1338	0 0 0 13 5 22 5 8 7 3 7 3
NOT MARRIED	1,054	055	610	1,402	596	806	19	2	17	2,475	1,038	1,433
AGE 10 - 14 15 - 29 25 - 29 30 - 34 35 - 39 45 AND UP	222 382 382 112 112 11	111 1130 1101 101 101 233	111 251 1451 56 27 27	2832 2832 992 10	188 222 222 114 39 27 27 0	16 226 310 310 168 19 19	0044000	00000	0404040	25 641 918 918 216 96 0	2999 216 216 216 950	20 342 364 316 1121 111

- 35 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			<u></u>	II.	300	10 88 88 88 88 13 13 13 0	00 10 10 10 10 10 10 10 10 10 10 10 10 1	177	132528	
	TOTAL		RACE	HI	417	100 100 141 79 45	00000187691	96	26 26 34 19 8 8 8 0 0	
				TOTAL	724	11 126 188 208 116 65	337 337 337	274	88 88 89 17 13 13	
			щ	NONWHITE		0007000	000000000	0	0000000	
	1	ETAL DEATH	RAC	MHITE NONWHITE		1	00000000	000000000	1	00000100
		E		TOTAL	2	0001100	000000000	1	0000000	
OME	UME		щ		201	550 577 277 15	111761400100	140	11 11 11 00	
TWO CTILD YORK	1	IVE BI		WHITE	346	1 32 77 72 126 68 68 38	000000000000000000000000000000000000000	63	21 22 13 14 6 0	
YONGRAND	LANGE	ABORTION		TOTAL	547	134 173 173 173 53	000000000000000000000000000000000000000	203	66 66 152 00 00	
				ONWHIT	98	30 31 119 119 0	000000000000000000000000000000000000000	37	111111111111111111111111111111111111111	
	-		RACE	ITE	7.0	12 12 11 11 11 0	000000nmn04	32	122	
CL IN		INDUCED		TOTAL	175	111 111 111	113	7.0	19 12 12 7 7	
COUNTY: FRANKLIN	,				TOTAL	AGE 110 - 14 115 - 19 20 - 24 30 - 34 35 - 39 40 - 44	11001 11001	NOT MARRIED TOTAL	10 14 10 24 20 24 25 29 30 34 40 44 45 AND UP	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			RE	5	COME					10101	
INDUC	ED ABOR	NO	7	BIRT		FE	ETAL DEATH			IDIAL	
-	RA						RA			RA	CE
	WHITE	NONHITE	TOTAL		NONMHITE	TOTAL	1	NONWHITE	TOTAL	WHITE	NONWHITE
1665	348	143	2,534	2,052	482	34	23	11	3,067	2,423	929
97 175 112 68 29 111	6 9 1 1 2 3 1 4 1 1 2 2 2 2 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 4 7 6 8 9 0 0 4 7 6 8 9 0 0 4 7 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	454 765 765 166 166	320 607 607 558 395 149 22	134 158 158 97 17	00000000	000074400	01035410	12 556 948 776 776 531 201 39	29 734 7346 177 177	163 211 127 92 92 24 10
0 0 0 1 1 2 2 2 2 2 3	0 0 0 1 2 7 7 7 7 13 16 16	11464200000000	30 1122 1122 1127	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	221 333 333	00000000	1120000000	1000000001	0 0 0 0 1 0 1 1 83 1 158	10938 10938 10938	0 0 0 1 1 1 1 2 2 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
371	253	118	874	536	338	13	5	∞	1,258	194	595
92 139 176 15	665 915 222 999 00	220 20 15 10	354 3334 113 17 17	225 205 68 68 12	128 128 128 21 21 21	00400010	00501110	01021310	12 448 476 191 191 83 34	291 297 125 125 455 6	157 1757 1757 38 38 11

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

COUNTY: GALES				NOTICE	ECNANCY OUT	DITCOME						
		1	-	K 1	1 6		-	1			TOTAL	
	IND	INDUCED ABORTION		7	IVE BIRIN		- !	EIAL DEAIN				
		RACE			RACE	CE		RACE	CE		R.F	RACE
	TOTAL	WHITE	NONWHITE	TOTAL	шİ	NONWHITE	TOTAL	WHITE	- :	TOTAL	WHITE	NONMHITE
TOTAL	15	12	- <sub>M</sub>	83	39	55	0	0	0	98	51	47
3636	, 4 H M O	04481	0-0-	171	095[	0111	0000		0000	220	1,500	1252
5 - 3 5 - 3 5 AND	001	7-100	-000			0001			000	100		
10	0000	0000	0000	0000	0000	0000	0000		0000	0000		
131-1	00-0	0000	0007	2100	0001	0077	0000		0000	0004		2   1   2   2
17	101			mm∞	210	6.21	000		000	400	.,,,,,,	
NOT MARRIED TOTAL	īU	4		31	9	25	0	0	0	36	1	0 26
10 - 14 15 - 19 20 - 24	130	120	0.0	13	040	10	000	000	000	0 16 11		0 0 6 1 10
25 - 29 30 - 34 35 - 39	010	010	000	0 0 0			000		000	N 4 0		
40 - 44	00			00	00		00		00			

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

	1		ONWHI	12	0000000	000000000	9	-N-1000
TOTAL		RACE	WHITE	16	100 111 111 0	0000000000	18	01117240
			TOTAL	80	22 23 13 13 0	0000000000	24	000000
1		RACE	HI	0	000000		0	000000
	L DEAT		HITE	0	000000	000000000	0	000000
	FE		TOTAL	0	0000000		0	000000
OME			NONWHITE	11	04148000	000000000	50	00051150
EGNANCY DUTCOME	BIRT	RAC	HITE	73	10211	0000000000	16	0 1 0 7 4 4 0
PREGN			TOTAL	84	126 126 126 126	0000000000	21	0 0 0 0 0 0 0
	ION		NONWHITE	1		0000010000	1	100000
	ABORT	RAC	WHITE	M	00-00	00000000	2	00-00-00
			TOTAL	7			m	
				TOTAL	10 14		NOT MARRIED	AGE 10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 50 - 64

11

# TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		щ	ONWHI	331	2 108 108 73 48 22 4	100000000000000000000000000000000000000	215	863 37 19
TOTAL		RACI	WHITE	431	2 112 114 114 39 39	221 221 221 231	115	3462 346 66
			TOTAL	772	147 222 190 127 127 62	11 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	333	1110 1116 152 255 151
		ш	1	9		00000	4	
	ETAL DEATH	RACE	WHITE	2	00000	000000000	0	0000000
	FE		TOTAL			00000110000	4	
OME			NONWHITE	207	63 63 32 13 13	11 13 13 13 13 13 13 13 13 13 13 13 13 1	129	221 10 10 10
EGNANCY OUTCOME	RT	RA	1	328	845 845 93 32 0	00 00 11 11 12	62	22 73 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PREGN	_		TOTAL	535	146 146 103 103 45	0 0 0 0 1 1 1 1 1 1 2 2 2 2	191	28 28 14 14
	NOI		NONWHITE	118	23 444 13 13 13 0	00000404000	82	181 328 160 160
1	D ABOR			101	30 20 20 7	87564110000	53	12 12 12 8 8
-	INDUCE		TOTAL	229	254 746 746 17	100000000000000000000000000000000000000	138	10 10 10 10
				TOTAL	20 - 14 15 - 19 25 - 29 30 - 34 35 - 39 40 - 44	1100 1111 1132 1144 1111 1111 1111 1111 1111	NOT MARRIED	10 14

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

TOTAL		RACE	WHITE NONWHIT	88 147 140	58 18 40 00 02 47 55 69 46 22 31 20 11 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 30 98	3 0 3 46 10 36 53 13 40 16 3 12
				4 5	00100150	000000000		00100
	DEATH	RACE	HMNON		0000000			00000
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FETAL DE	_	¥	4	00100100	0000000000		001100
			E TOTAL	- <del></del>	01477202	0000mm0000		20402
UUICUME	H	111	TIMMON	10.	W4H		80	
ANCI	IVE BIR		WHITE	132	177 443 443 19 19 10	0000000000	28	, 100
FREGN	7		TOTAL	235	857 857 857 13	00000	108	46 46 13 3
		Ш	NONWHITE	33	1282	**************************************	14	14201
	ABOR	RA		15	01010	0000000000	2	00,00
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ND		TOTAL	65	1692	0000110000	17	14081
				OTAL	110 - 14 120 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP	111111111111111111111111111111111111111	NOT MARRIED	20 - 24

				8	ANCY	OUTCOME					10101	
	INDU	D A	BORTION		IVE BIRTH		FE	1 -			IDIAL	
		RA						RA	CE		RACE	
1 1 1 1 1 1 1 1 1 1	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	2,204	911	1,266	5,229	3,168	2,061	36	11	25	7,469	4,090	3,352
AGE 10 - 14 15 - 19 20 - 24 25 - 29	14 435 783 461	2 192 304 186	12 242 470 271	15 644 1,155 1,469	266 554 932	378 601 537	12	0 1 8 8	0964	29 1,086 1,950 1,937	459 861 1,121	25 626 1,080 812
5 I I	400	7000	15	55.00	50	350 154 26	9800	0017	4000	70 70 12	0,48	227
					0000		0000	0000	0000	0100		
13-	100	112 233 233 233	31183	122	110	371	0010	0000	~~~~	222	2133	200 200 200 200 200 200 200 200 200 200
1 8 - 6	113		,		107	125	010	0 - 0	000	305		17
NOT MARRIED TOTAL	1,567	621	937	1,728	491	1,237	23	2	21	3,318	1,114	2,195
10 - 14 15 - 19 20 - 24	384 596	169	215 359	15 533 630	171 171 178	13 362 452	0 2 6	010	0 9 6	924	341	583 820
5 - 29 0 - 34 5 - 39	131	- SOM		650	83 36 19	カーカ	132	000	132	648 293 133	000	200
0 - 4 5 AND				52	0 0	53	00	00	00	26		

				œ	ANCY	OUTCOME						
0TAL	INDUCED	ED ABORTI	NO	7	BIRT		FE	TAL DEA			TOTAL	
0TAL		!			RA	CE		2				
OTAL- GE		WHITE	NONWHITE	TOTAL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
70	216	59	150	735	264	471	6	М	9	096	326	627
10 - 14	50 50 17 15 15	138	32 49 10 13 13	160 1236 123 129 56	29 729 821 31 31	131 165 165 74 67 25	0100000	0000000	0101000	213 308 195 149 71	325 325 00 00 00 00 00 00 00 00 00 00 00 00 00	164 214 214 111 38 38
10 11 12 14 15 18 19	111111111111111111111111111111111111111	000000000000000000000000000000000000000	38786	11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	111 111 111	3452 3453 3456			0000000000	483233333333333333333333333333333333333	1138266110000	3532211 35327233 35327
NOT MARRIED TOTAL	09	12	95	408	55	353	9	м	м	474		402
10 14	22 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		16 16 16 0	145 149 149 30 30 18	118888888888888888888888888888888888888	126 131 131 50 22 16	0808100	0000000	0101100	167 171 171 69 331 222 33	12221	1446 1446 233 233 233

			E	NONWHITE	475	95 162 127 52 52 21 21 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	283	259885 03959835
	4 + 0 +	INIAL	RACE	WHITE	1,243	190 432 357 189 63 63	8 4 3 3 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	291	103 1103 37 23 141 161
				TOTAL	1,723	285 285 486 242 84	0 0 1 1 15 37 37 85 61	576	186 208 96 49 49 23
				NONMHITE	9	000000	00000000000	9	00077000
		ETAL DEATH	RACI	WHITE	80	000000	00000000	5	000000
		F		TOTAL	14	04044000	0000000000	11	0400000
	OME		щ	NONWHITE	330	123 123 85 34 13	211885400000	204	174 177 177 100
	EGNANCY OUTCOME	IVE BIRT	RAC	WHITE	1,045	139 366 318 167 50	000000	206	228 225 18 00 00
	PREGN		VI	TOTAL	1,375	206 489 403 201 63	00000 m m m m m m m m m m m m m m m m m	410	137 157 157 64 64 35 10
		ION	111	HMNO	139	25 39 16 16 0	1004200	73	16 16 19 19 6 6
		ED ABOR		1	190	20 13 13 0	1179	80	10222
TT		Z		TOTAL	334	103 103 79 37 21 21	2 11 11 12 14	155	259 120 131 0
COUNTY: HARNETT					TOTAL	10 - 14	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 40 - 44 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

1			•	2	ANCY						10101	
	INDUCED	ABOR	TION	7	IVE BIRT		4	TAL DEAT	I			
i		RA			RA	CE	1	RA	CE		1	CE
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	1 1	NONWHITE	TOTAL	WHITE	
TOTAL	104	76	9	511	501	101	20	N	0	620	603	16
10 - 14	0 80	15		77		00	0	0 5			94	
20 - 24	35	34	0 0	137	133	40	20	2 0	00	172	167	200
MM	19	17		04	04	10	-10	-10		20	22	
550	.00	. 70		40			00				96	
					0		0					
10	00	00		50	00	00	00					
111	00	00		00	00	00	00	-				
Mr.	00	00		0	0	0	0	0				0
151	00	00		2	2	00	10	0				00
19	2	21				0	0	0				0
18	m ox	 	20	30	30	50		, , , , , , , , , , , , , , , , , , ,		34	34	20
6	2	5				0	0	0				0
NOT MARRIED	7.0	76	<i>u</i>	116	112		C	C		101	00	
				4	-	7	7	7		-	0	_
10 - 14	0 8	0 4	0 2	11	1	0	0-	0-	00	1	1 2	0 *
	30	29		29	28	1	10	0 0		59	57	23
		15		22			-				37	
35 - 39		I I		11			00	00			21	
-	00	10		1		0	0	00		1		-
45 AND UP	0	0		0	0	0	0	0		0	0	0

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

		CE	NONWHITE	14	166 102 103 103 103	000000000000000000000000000000000000000	44	11240
TOTAL	1014	RACE	WHITE	980	138 290 245 245 191 191 15	0000 1133 1466 179	310	1 98 105 58 28 28 12 12
			TOTAL	1,054	1154 308 308 267 201 99	20 20 20 20 20 20	354	112 120 120 69 31 121
		ls I	HI	-0	0000000	000000000		000000
	ETAL DEATH		WHITE	-2	0.00.000	0000000000		000000
	7		TOTAL	-2	0-00-000	000000000	0	000000
OME		ш	NONHI	42	18880	V-10-0000000	25	0.000
ANCY OUTCOME	IVE BIRT		WHITE	834	102 249 249 216 168 168	3860	197	63 73 73 17 17 10 0
PREGNANCY		-	TOTAL	876	110 257 230 173 173 14	3 3 3 7 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	222	71 79 79 19 19
	NOI	E	NONWHITE	32	1000	00000000	19	00057000
	CED ABORTI	RAC		144	25 22 22 8	130462000000	113	355 322 255 111 111
	INDUCED		TOTAL	176	643 51 27 27 9	1,43,45	132	411 128 128 128 128
			1	TOTAL	115 - 14 120 - 24 25 - 29 30 - 34 35 - 39 40 - 44	111111111111111111111111111111111111111	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 35 - 39 40 - 44 45 AND UP

- 95 -

TOTAL MUCE  INDUCE  INDUCE  11	CED ABORT  RAC  WHITE	CE	7 TOTAL 281   281	MHIT   B	RACE	TOT	ETAL DEATH  RACI  WHITE  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ATH	TOTAL 344 344 110 72 39 29 29 4 4 0 0 0 0 11 11 11 11 11 11 11 11 11 11 1	TOTAL RAHITE RAH	RACE
			23	, i	~	2 ,					~
40	10		167	17	15	m c	0 0		210	27	18
	0 60		62	) N		00,		200	76		89
1			65	9					79		7
000			177	2 10	_	> 0			77		2
1 1	76		7	0 0		<b>&gt;</b> C			11		
1			- 0	> 0		> 0			7.		
	_		0	0		0	0		7		
			-	•					1		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

	GNANCY OUTCOME	LIVE B	RACE	NONWHITE TOTAL WHITE NONWHITE TOTAL WHITE	47         281         266         3         0         3         651         321         327	4   2   2   4   101   100   1   1   1   1   1   1   1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	17 46 171 1 0 1 270 63 205	2   14   6   2   1   6   6   6   6   6   6   6   6   6
		ETAL	1	WHITE					
				TOTAL	M	00100		-	50,0000
	OME			- 1	266	15206	0 0 0 0 1 2 1 1 2 1 2 1 2		N N N N N N N N N N N N N N N N N N N
		VE B	RAC	1	00	MOOMI			221
	PREGN	_		TOTAL	247	201 154 154 28	0 0 0 0 0 1 1 1 1 2 1 3 0 3	217	388 32 32 16
		NOI	Ш	NWHIT	58	1138110	000000000	33	1000
	13 5	CED ABORTION		WHITE	40	138	1,4%	17	000000000
		INDUCED		TOTAL	101	17 17 225 23 51 0	000000000000000000000000000000000000000	52	171 13 12 8
COUNTY: HOKE					TOTAL	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44	100	NOT MARRIED TOTAL	10

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		Ä	ONWHI	19	0 2 10 1	9000	00000		16	18870	w000
TOTAL	0.0	RACE	HITE	45	15	137	00000	00000	13	7810	00
			TOTAL	61	25 15		00000	12010	29	16	0010
			ONWHI	-0	0000	0000	00000	00000		0000	0000
	FETAL DEATH	RA	MHI	-0	0000	0000	00000		0	0000	0000
	FE		TOTAL	0	0000	0000	00000	00000	0	0000	0000
OME			0	17	1870	9000	00000	000000	14	16620	0000
EGNANCY OUTCOME	RT	RA	WHITE	40	14		00000	00000	13	788	00
PREGN	7		TOTAL	57	22	13	00000	1001001	27	14	0010
	ION		NONWHITE	2	0000	0000	00000	00000	2	0000	0000
	ABOR			2	00.00	010	00000	00000		0000	0000
	INDUCED		TOTAL	4	0000	00.00	00000	00000	2	0000	0000
				TOTAL	110 - 14 115 - 19 20 - 24 25 - 29	5 - 3 0 - 4 5 AND	32-10-	12	NOT MARRIED	10 - 14 15 - 19 20 - 24 25 - 29	30 - 34  35 - 39  40 - 44  65 AND UP

			NONMHITE	370	147 147 60 35 222 6	00000000000000000000000000000000000000	274	1226 1322 1332 163 0
TOTAL	OIAL	RACI	WHITE	1,403	195 192 387 395 275 126	00000000000000000000000000000000000000	454	150 151 70 70 22 22
			TOTAL	1,776	282 282 535 311 149 0	00000 00000 00000 00000	700	236 274 103 41 30
	<b>T</b>	E	NONWHITE	4	001000100	0000000	ড	00100010
		RA	WHITE	7	0011000	000000000	1	000000
	Ŧ		TOTAL	11	000110210	0000000000	5	0100000
OME		щ	=	262	107 107 41 24 13	2221 2221 2221	190	70 88 21 88 3
EGNANCY OUTCOME	IVE B	RAC	WHITE	1,178	1153 312 347 246 102	00000 00000000000000000000000000000000	281	1001
PREGN			TOTAL	1,440	2227 419 388 270 115	8746 8746 8746 8746	471	181 187 187 19 19
		E		104	712 33 110 110 110	0000000000	80	123454 000488
	JCED ABORTION	RA	WHITE	218	22 22 23 23 0	00000 1111 821	142	250 123 123 0
	1		TOTAL	325	1111 65 65 32 32	00 00 00 00 00 00 00 00 00 00 00 00 00	224	854 837 16 10
				TOTAL	10 - 14	101 1101 1141 1151 1161 1181 1181	NOT MARRIED TOTAL	10 - 14 15 15 15 15

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

1				RE	ANCY OUT	OME					TOTAL	
	1	OR!		1	BIRT		FE	TAL DEAT			INIAL	
		RA			2	ш		RA				CE
	TOTAL	1 1	NONWHITE	TOTAL	1	NONWHITE	TOTAL	1	NONWHITE	TOTAL	ITE	NONWHITE
TOTAL	77	89	6	318	261	57	M	0	8	398	329	69
19	311	128	00%	109		10	010	0000	0100			111 233
5 - 24 5 - 34 6 - 34 0 - 44	22	2 2 2 2	7000	20 20 20	171	0 7 0	7000	000	7000	222	1986	100
5 AND UP-	0 0	0 0	0 0	0 1	- 0	0 0	0 0	0 0	0 0	0 0	0 1	
10	000	000	000	000	000	000	000	000	000	000		000
131	000	000	000	000	000	000	000	000	000	000		
15	070	000	000		0 9 0	000	000	000	000			٠
9 6	747	741	000	13	17	121	010	000	0 10	118	122	
NOT MARRIED TOTAL	09	99	4	85	65	36	m	0	м	148	105	43
AGE 10 - 14	15	15			20	0	0-	00	0	0 0	0 95	
20 - 24	24	22	222	30	17	13	2 0 2	000	200	32	39	135
30 - 34	0 7	7				10	00	0 0	00	14		
40 - 44	100	10		00	00	00	00	00	00			
									_	_		

RESIDENCE, 1996
6
9
4
=
-
E
10
Lil
~
-
OF.
0
>
-
Z
-
0
COUNTY

			NONWHITE	492	112 160 121 121 64 21 5		772	93 100 48 20 20 9
	TOTAL	RACE	WHITE	1,485	188 188 367 483 100 19	6442 8452 8452	312	113 194 54 33 13
			TOTAL	1,989	10 304 529 628 686 123 123	0 0 0 1 1 1 1 1 1 1 1	591	206 195 103 222 22
		CE	NONMHITE	9	001000	T0000000000	4	000000
	ETAL DEATH	RAC	WHITE	4	00013010		2	0.00.000
	FE		TOTAL	10	00114000	00000000	9	0000000
OME		E	NONWHITE	327	1111 779 799 421 13	1123 115 115 31	211	2 74 80 81 31 17 10
CY OUT	IVE BIRTH	RA	WHITE	1,251	139 301 429 284 80	0000 173 284 438	235	883 722 42 10 10
	7		TOTAL	1,578	216 412 508 326 93 19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	955	157 152 73 73 42 16
1	NOI	Ш	NONWHITE	159	22 22 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	62	18 18 17 17 17 0
	CED ABORTION	RAC	WHITE	230	48 66 52 31 20 31	00000 111 209	7.5	29 22 12 12 7 7
	INDUCED		TOTAL	401	866 115 946 296 29	0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	139	477 41 10 10 10 0
				TOTAL	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP	100	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

- 52 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				$\sim$	NCY	OUTCOME					10101	
		1	ABORTION	7	BIR		4	FETAL DEATH	H		IOIAL	
		8	CE			CE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RA	CE		RAC	CE
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONHITE	TOTAL	WHITE	NONWHITE	TOTAL		NONWHITE
DTAL	30	10	18	102	99	36	м	2	-	135	78	55
0 - 14 5 - 19 0 - 24	978	026		224	15		000			331	122	
5 - 29   0 - 34   5 - 39   0 - 44	80 N N		7077	17	110	1366	N-100		-000	20 20 7 20 3	132	
ND UP	0	10 (		0	0		0			0 0		
0-1			000	5000	000	000	000					
13	0 7 0			200	100		000			200		
67	0			144	120		000					
17 18 19	010	000		12	N 00 ∞		000			. 12		
NOT MARRIED TOTAL	16	5	11	37	12	25	-	0	1	54	71	37
AGE 10 - 14	24	00			0 3		00					
20 - 24	mo	100	2000		- W L		0.		0	140		111
1	100			2	100		000					
	1	1		10	00		00					
45 AND UP	0	_		0	0		-			_		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				HITE	280	60 999 17 17	0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	166	553 666 119 100 0
			SE .	NONHIT				- 4	<del>-</del> 5
	TOTAL	O I AL	RACI	WHITE	909	106 175 187 187 94 32	222 330 31	188	67 61 36 15 15
				TOTAL	897	168 277 243 135 121 2	4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	356	121 128 128 34 34
-				NONWHITE	2	00-00000	000000000		0000000
		AL DEAT	RACE	WHITE	<u> </u>	000000	000000000	2	000000
		Ш		TOTAL	2	00001000	000000000	M	000000
	OME		ш	NONWHITE	186	28 28 1 3 3	000000000000000000000000000000000000000	124	40 50 17 13 0
	EGNANCY OUTCOME		RACI	WHITE	513	149 158 158 290 29	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	145	25 25 15 15 00 00
	PREGN			TOTAL	669	122 210 210 118 118 38	3 2 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	569	24 99 W
	1	0	ш	NONWHITE	92	19 37 13 11 11	00000001408	41	113
		CED ABORTI	RACI	WHITE	06	284 284 123	0 0 0 0 1 1 7 7	41	10110000
				TOTAL	193	46 64 17 12 12	000000 1111 1211 1211 1211 1211 1211 12	84	29 28 14 16 1
COUNTY: LEE					TOTAL	10 - 14	9 10 11 12 13 14 16 11 19	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

- 54 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		DDECN		DMC						
i		PREGN	NCY O	UME	1				TOTAL	
ABORTION		9	BIRT	_	L	ETAL DEAT	H			
			RA			RA	ш		RA	CE
NONHIT	H I	TOTAL	1	NONMHITE	TOTAL		MNON	TOTAL	TE I	
1	41	902	474	428	m	2	H	1,151	575	570
1000	3M7M2M24	174 279 279 211 157 157 18	136 136 139 114 35	1345 143 723 223 223	000000		000000	234 234 366 366 261 180 72 72	165 167 167 173 173 173	168 197 197 196 229 12
00000000000		000000000000000000000000000000000000000	, 40 HOOOO C	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				155847		
75		410	φ <sub>60</sub>		, r					0 9
1289113		166 150 150 12 12	122 129 144 8	133 121 121 40 17 17	000000			1888 191 755 202 200	250 200 100 100 100	152 150 150 150 150 150 150 150 150 150 150

S	
ш	9
-	6
C	6
Z	-
d	
Z	
9	ш
ш	U
2	ENCE, 1996
0	ш
	a
-	RESIDENCE
Z	S
ш	ш
	2
-	
S	OF
ш	0
$\sim$	
	>
_	i
4	7
	5
0	COUNTY
Ξ	0
	_

		ш	MU	112	322 388 388 119 16 6	1113240000	81	320 322 322 332 332 332 332 332 332 332
TOTAL	0 8	RACI	HITE	827	121 121 233 246 144 73	331 331 337	251	88 234 1034 000
			TOTAL	941	2572 272 266 160 79	**************************************	333	119 1259 1259 131 131
			NONWHITE	7	000000	000000000		000000
	ETAL DEATH		WHITE	5	010010	00000000	4	0000115
	F		TOTAL	9	010017	0000000000	5	0000
OME		Е	NONWHITE	92	221 229 111 10	00000mnnvs	55	223
	IVE BIRTH	RAC		726	206 219 132 64	32221	184	1 72 72 19 17 0
PREGN	7		TOTAL	802	119 235 230 142 69 69	0 0 0 1 1 7 1 2 8 3 8	239	889 95 26 19 0
	NOI	Ш	NONMHITE	35	110	000000000	25	0017878880
	CED ABORTION	RACI	WHITE	96	22 22 26 12 12 9	72613100000	63	20 118 14 16 0
	Z		TOTAL	133	333 34 18 10 10	0 0 0 1 1 1 1 1	89	229 27 18 18 9
				TOTAL	20 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44	100	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

COUNTY: MCDOWELL	4ELL	1							1			
				PREGN	EGNANCY DUT	OUTCOME					TOTAL	100
	INDO	100	TION	7	IVE BIRT		F .				IOIAL	
		RA			RA			RA	1		RA	
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	1	NONWHITE	TOTAL		NONWHITE
TOTAL	192	99	10	474	441	33	9	5		556	512	55
20 - 24	15 27 19	12 12 16 16	08-88	89 159 124	2 79 145 119	1100	00440	00150	00010	104 187 147 83	91 172 138 138	133
5 1 2 A N	000	000				000	-00	000	000	29	288	100
10	0000	0000	alla all'iph dadan allendo co	0000	0000	0000	0000	0000	0000	0000	0000	0000
	0000	0000	007	0000	0000	0000	0000	0000	0000	0000	2005	0000
16	2400	9		255 29	10 16 24 26	3112	0000	0000	0000	222	10 19 25 32	
NOT MARRIED TOTAL	52	95	9	138	121	17	2	1		192	168	52
10 - 14 15 - 19 20 - 24	14	120	1150	396	47 34	064,	001	0016	000,	701	559	111
30 - 34	202	1		15	22.00	1200	1000	0000	-000	201		0400
45 AND UP	0			0	0	0	0	0	0	0	00	

- 57 -

IES	10
Ξ	1996
U	6
ž	-
V	ICE, 199
Z	
9	щ
Щ	$\underline{\circ}$
PR	2
-	DENCI
_	
2	S
亩	ш
	RESI
IDENT	
ES	OF
ш	0
œ	
	~
=	5
1	5
0	5
三	COUNT
	-

			H.	NONWHITE	80	0010	000 m	0000		000	м	001	1010	00
	TOTAL	1018	RACE	WHITE	308	9 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2000	0000	0110	13	88	30	S 8 9 7	0
				TOTAL	316	421	2280	0000	0110	. 16	91	30	0 KJ,	10
				NONWHITE	-0	0000			0000			000	500	0
		ETAL DEATH			2	0000	10000	0000		000	0	000	5000	0
		3		TOTAL	2	0000	10000		0000	000	0	000	000	0
1	OME		П	2	7	1100	000		0000	000	2	007	5076	0
	EGNANCY OUTCOME	IVE BI		ш	274	38 87	19	0000	0777	12	19	27	2000	0
	PREGN	_		TOTAL	281	388	211	0000	0777	12	69	22		0
		ION	Щ	ONWHI	1	000-		0000	0000	500	1	000	-00	0
			RAC	HITE	32	111	0117	0000	0000	7777	21	0000	U W	0
		INDUC		TOTAL	33	1140	01117	0000	0000	7777	22	0880	0 K F F	0
COUNTY: MACON					TOTAL	1111	30 - 34 35 - 39 40 - 44 45 AND UP	100		18	NOT MARRIED TOTAL	10 - 14		- P

- 58 -

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		PREGN	EGNANCY OUT	OUTCOME					TOTAL	*
			BIR	Ŧ		FETAL DEATH	H	1		
RACE			~	0		04 1	CE		R	RACE
TE   NONWHITE	I LLI I	TOTAL	!	NONWHITE	TOTAL	WHITE	NONWHIT	TOTAL	HITE	TIHMUDA
38		217	215	2		1 1	0	259	25	5
		27 67 67	272					388	7.73	0 0 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
11000		39 17 0	17	0000		0000		173	<b></b>	
		0000								
		000-								0001
		15	15					10		
28 1		38	37	1		0	0	19	9	5
0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		100	100	00-1		000	000	17	HM.	0 2 0 7
25000		±'W⊢0	* M A G							
	_	00								

TOTAL   WHITE   NONWHITE   TOTAL   WHITE   NON					NODEG	1	TWO C						
TOTAL   MHITE   MONMHITE   TOTAL   MHITE   MONMHITE   TOTAL   MHITE   MONMHITE   TOTAL   MHITE   MHITE   TOTAL   MHITE   MHITE   MHITE   MHITE   MHITE   MHITE   MHITE   MHI				- 1	PREGN	- 1	CUME					TOTAL	
TOTAL   WHITE   NOWHITE   TOTAL   WHITE   NOWHITE   TOTAL   WHITE   WHITE		INDI		LION		ш		L	ETAL	-		0 -	
TOTAL   WHITE   NONWHITE   TOTAL   WHITE   TOTAL   T				)E					RAC				) E
		TOTAL		NONWHITE		MHIT	NONWHITE	TOTAL			TOTAL	WHITE	NONWHITE
1	TOTAL	59	22	34	6	134	9	4		2	362	158	201
Color   Colo	19	311	861	2111		17	42	000		007	N01	233	47
1	34	9971	-4	00100		407	30			0.000	187	74800	100
1	du d 01	0 00	0 00	0 00	0 00	0 00	5 00	000		5 00	0 00		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2-2-		000			000					000	000	
24         21         19         51         14         0         0         0         12         7         1           9	5-1-6		101	010		0011	0.004			000		2110	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1 6	W 4 0	122			មាមម		000		000	121 231 18		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	O i	24	9	17	5	22	12			2	-	28	
	1 1 1		1		51		41	00-		00-	254		42
	1 1		0 -		25	***	23	101		101	27	340	23
	1 1 1	00	00	00	113	00	<u>Б</u>	00		00	13	00	
	_	0	0	0	0	0		0		0	0	0	

				PREGN		COME						
	DONI			1	IVE BIRT		FE	1 -			TOTAL	
		RA	CE		RA			RA	CE		RA	
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	1	NONHHI	TOTAL	WHITE	HMNO
TOTAL	3,607	1,578	1,979	9,446	6,095	3,351	7.0	29	41	13,123	7,702	5,371
AGE 10 14 15 19 20 24 25 29 30 34 35 39 40 44	1,212 1,212 1,212 463 257 82	288 54683 2032 1333 41	298 728 728 516 516 117 117	992 1,696 2,590 2,798 1,144	329 788 1,782 2,175 130	8008 2664 2644 2644	12 12 12 12 12	10 10 7 7	3 3 12 11 11 5	1,582 2,920 2,920 3,571 1,413 262	13 613 1,260 2,224 2,387 1,020 171	1,645 1,645 1,336 1,336 386 90
100	00 00 00 113 112 112 1159	0 0 0 17 28 62 62 71 105	887 887	0 0 0 8 8 8 1 63 155 220 237	111 111 128	30 1115 1611 1861	000000	0000000000	000000	111 2229 3333 511	288 688 121 163	355 160 160 211 234 234
NOT MARRIED TOTAL	2,768	1,180	1,563	2,827	783	2,044	30	4	92	5,625	1,967	3,633
AGE 10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP	12 548 1,036 707 279 128 33	267 288 388 314 124 61 15	277 636 388 153 153 18	867 867 974 525 129 13	222 2653 157 83 44 44	34 644 709 368 194 10	111	000031110	012349840	1,419 2,019 1,243 1,243 259 259	12 654 673 673 105 105	40 924 1,353 765 350 153 153

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			NONWHITE	2	000		0000		00	0	000	000	00
TOTAL	ם אר	1	ш	168	272	25 15 3		00103	128	48	21 21	746	0 0 1 1
			TOTAL	170	27 27 42	26 15 3	0000	00104	12	48	21 21 14	44-	0
			NONWHITE	-0	0000	0000		00000	00	0	000	500	00
	FETAL DEATH	RACE	3 1	2	0.00	0000	0000	0000	00	1	010	000	00
	F		TOTAL	2	0100	0-00	0000	00001	00	1	010	000	00
OME		Ш	NONWHITE	1	0000		0000		00	-0	000	000	00
EGNANCY OUTCOME	IVE BIRTH		HITE	142	2 14 37 51	121	0000	02112	204	28	786	0 M H	00
PREGN	-		TOTAL	143	2 14 37 51	121	0000	02112	<b>2</b>	28	0.80	0 M H	00
1	ION		IHMNON		0001	0000	0000	00000	50	0		000	00
	ABO		WHITE	24	12	0 1 2 1	0000	00011	94	19	121	010	0
	INDUCED		TOTAL	25	120	0 1 2 1	0000	00077	04	19	121	010	70
			1	TOTAL	10 - 14 115 - 19 20 - 24 25 - 29	AIII	1 1 1 1	1151		NOT MARRIED TOTAL		35 - 39 35 - 39	40 - 44

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	CY	OUTCOME					TOTAL	
	INDUCED	CED ABORT	TION		BIRT	H	14	FETAL DEATH			IDIAL	
		RA	CE			11.1		V	C E		RA	RACE
	TOTAL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	162	45	37	358	245	113	1	0	1	438	287	151
0 - 14 5 - 19 0 - 24	118	1001	100			32	0100	0000	0100		885	49-
25 - 29 30 - 34 35 - 39 40 - 44	22 7	2000	N I P	138	288	070	0000	0000	0000	21 2 45	1880	
5 AND UP-	0 00	0 00		0 00	0 00		0 00	0 00	0 00	0 00		
21-2	000	000		00-	000		000	000	000	00-		
115	202	0100	0000	H-M-80	000	777	000		000	10		
17	734	1531		31	15		001	000	001	34	178	2 1
NOT MARRIED	51	23	28	145	55	06	-	0		197	78	119
10 - 14	15	1999	06[	588	23	35	0 - 0	000	010	74	29	452
25 - 29	14	610	•				000	000	000			
55 - 59 40 - 44	000	000		700			000			700		
TO GIVE CH	5											

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		П	NONWHITE	268	101 101 63 253 18		194	54 75 339 12 12 0
	IOIAL	RACE	WHITE	734	105 205 205 141 141	3222 3886 3886	186	57 66 86 34 20 1
			TOTAL	1,004	165 307 307 166 184	0000046449 00000460000	380	1111 1411 1411 1411 1411 1411 1411 141
				60	0011000	-000000000	<b>∞</b>	0000000
	1 -		1 1	M	0700000	0000000000	2	0000000
	F		TOTAL	11	002155	000000000	10	0001000
СОМЕ		Ш	NONWHITE	180	700 700 371 141 13	122	134	22 22 22 3
DO	IVE BIRTH		WHITE	617	168 185 128 128 56	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	132	251 155 0 0 0 0
PREGNANCY			TOTAL	797	118 223 222 142 69	00000 100000 20000000000000000000000000	566	83 103 47 22 11 11
		ш	ONMHI	80	11   22   10   10   10   10   10   10	00000000	52	21 151 151 0
	JCED ABORTION	RA	WHITE	114	322 372 13 13 8	1118220000	52	18 15 3 3 1
	INDUCED		TOTAL	196	674 674 123 128	18493000000000000000000000000000000000000	104	25 36 11 11 10
			1 1 1	TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	11001 11001 11001 11101 11111 11111 11111 11111 11111 11111 1111	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		RACE	ONWHI	9 729	23 17 17 15 15 15 15 15 15 15 15 15 15 15 15 15	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	408	22 135 69 135 64 136 21 71 22 32 31 18
TOTAL		~	= :	80	112 21 26 18 18 18	11828	18	12
			TOTAL	1,634	15 300 450 427 126 126	15 28 28 28 73 101	596	204 204 211 93 45 45
		Ш	ONWHIT	7	00010400	0000000	5	000000
	AL DEAT		ITE	12	004000	000000000		0007000
	FE		TOTAL	19	0400000	0000000	9	00011100
OME			NONWHITE	629	124 146 146 94 68 29	11 12 12 12 14	336	1119 1113 1113 280 281 141
EGNANCY OUTCOME	RT	RAC	WHITE	735	80 165 237 165 165 16	0 0 0 1 1 1 1 1 1 1 2 2 4	130	54 47 17 9
PREGN	7		TOTAL	1,214	204 204 311 331 233 100 25	6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	995	10 173 160 67 37 15
	ION		NONWHITE	243	8853 661 121 13	136 30000	29	14 20 21 21 21
	ED ABORT	2	WHITE	142	3.9 4.44 1.9 1.9	1000000	53	115 27 33 31 31
	Z		TOTAL	401	134 134 91 91 22 22	100 112 113 113 113	124	2,4 6,8 9,8 9,8 9,8 9,8 9,8 9,8 9,8 9,8 9,8 9
Comment of				0TAL	110 - 14 120 - 24 220 - 24 330 - 34 35 - 39 40 - 44 45 AND UP	110111111111111111111111111111111111111	TOTAL	AGE 10 - 14 15 - 24 25 - 29 35 - 39 40 - 44

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		RACE	NONWHITE	30 717	4   14 39   275 27   136 41   94 10   27 45   11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	579 510	4 144 08 222 05 77 48 36 25 11 7 3
IATOT	IDIAL		WHITE	1,9	N4N4N			
			TOTAL	2,694	18 421 732 674 674 537 241 57	0 0 0 4 4 14 44 162	1,113	18 328 437 188 188 85 11
		E	DIMHIT	€0	000035340	0000000	7	000000
	ETAL DEATH		WHITE	6	0-4/1/1000	0000000000	2	0110000
	FE		TOTAL	17	040000	000000	6	04W0000
OME			NONWHITE	492	116 1188 1888 90 70 138	11 1 1 4 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	347	114 154 453 25 25 25 0
EGNANCY OUTCOME	IVE BIRTH	RACI	WHITE	1,344	124 124 232 405 385 167 31	7 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	241	888 880 339 112 0
PREGN	7		TOTAL	_	240 420 420 455 180 180	252 26 26 8628 8628	588	194 239 82 82 47 13
	ION	E -	NONWHITE	21.	8837 8857 1248 114		156	27 66 32 32 11 11
	CED ABORTI	RAC			129 129 120 120 120 431 14	00 00 00 11 11 11 11 11	336	95 122 66 26 14
	INDUCE		TOTAL	841	111 177 306 174 174 801 611	12 17 17 17 17 17 17 17 17 17 17 17 17 17	516	11 130 104 104 238 24 24
COONT				TOTAL	AGE 10 - 14 15 - 19 20 - 24 25 - 29 35 - 34 35 - 34 40 - 44	10 11 11 11 11 11 11 11 11 11 11 11 11 1	NOT MARRIED	AGE 10 - 14 15 - 19 20 - 24 35 - 39 35 - 39 40 - 49 45 AND UP

TINDICED ADORTION					04	EGNANCY OUT						-	
TOTAL   WHITE   NONWHITE   TOTAL   WHITE   T		IND	1	TION	]	IVE B	 		ETAL D	H		IDIAL	
TOTAL   WHITE   NONWHITE   TOTAL   WHITE   T						RA	DI		2	CE			ш
46         9         35         248         81         167         4         1         3         298         91         22           10         2         17         43         6         37         9         6         9         28         81         16         1         3         9         6         9         28         81         16         1         3         9         6         9         1         1         3         9         6         9         1         2         2         8         8         1         1         3         9         6         9         9         6         9         9         6         9         9         6         9         9         6         9         9         6         9         9         6         9         9         6         9         9         6         9         9         9         8         8         8         8         8         8         8         8         8         8         8         8         8         8         9         9         9         9         9         9         9         9         9         9 <th></th> <th></th> <th>WHIT</th> <th>DIMMIT</th> <th>TOTAL</th> <th>1 - 1</th> <th>NONWHITE</th> <th>OTA</th> <th>WHITE</th> <th>NONMHIT</th> <th>TOTAL</th> <th>WHITE</th> <th>NONHI</th>			WHIT	DIMMIT	TOTAL	1 - 1	NONWHITE	OTA	WHITE	NONMHIT	TOTAL	WHITE	NONHI
1	OTAL	95	6	35	4	81	9	9		8	6	9	
16	0 - 14 5 - 19		020		5.53	0 9		00,					<b>4</b> 1
26	0 - 24 5 - 29 - 36		100		59	250		,,,,,				282	
1	5 - 39	0 22	00	mo	20	7 0		.00					
1	5 AND UP-	0	0		0	0					0		
Note	1 1	000		000	000	000					000		
26         6         19         15         9         6         0         6         0         6         0         0         6         0         0         6         0         0         0         6         0	1 1	000		000	000	000					000		
5	1 1 1	010		5	200						044		
B         C         D	1 1	N W C	000	-20	m 4	000					990		
D	9 0	222	100	221		210							12
1	NOT MARRIED TOTAL	56	9		133		2	9			9		-
	11	0 00	00	0		010	M						7
1	11	68	0 0 2	2		2	42		, in				
P1 0 0 0 0 0 3 0 3 0 0 3 0 0 3 0 0 0 0 0	1 1	<b>С</b> Б	7	1 2		0 0 2							
	14				0 0	00					0 0		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		щ	NONMHITE	948	7 182 357 205 205 134 17 17	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	385	127 138 138 52 339 13 6
TOTAL	2	RACE	WHITE	2,963	1,327 723 723 348 112 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	472	134 197 78 78 39 15 0
			TOTAL	3,929	10 610 1,691 929 487 154 37	22 22 142 142 142	861	10 263 336 130 79 28
			DNMHIT	-9	0000	00000000000	4	00001150
	ETAL DEATH	RAC	WHITE	15	0000000	000000000m	0	0000000
	FE		TOTAL	21	00000000	0000000000	4	00001150
COME			NONWHITE	969	121 269 269 104 104 11	6 2 2 3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	239	325 19 19 0
r our	VE BI	į	1	2,604	345 1,197 1,197 310 310 91 15	20 0 0 0 0 0 0 1 1 1 1 8 1 1 8 1	298	88 134 44 64 24 0
1 0	7		TOTAL	3,300	1,466 1,466 1,466 117 117	12 12 30 101 101	537	17 0 23 0 7 6 43 10
	ION	E	NONWHITE	246	59 87 38 30 14 16	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	142	20 20 8 8
	AB	RA		344	78 126 75 75 35 19	32.9 32.9 32.9	174	462 636 115 10
	: =		TOTAL	809	139 220 114 70 35 11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	320	105 105 533 361 18
			1 1 1 1 1 1 1 1 1 1 1	TOTAL	AGE 110 - 14 115 - 19 20 - 24 30 - 34 40 - 44 45 AND UP	1101 1121 1131 1141 1151 1161 1161 1161 1161 1161	NOT MARRIED TOTAL	AGE 10 - 14 15 - 19 20 - 29 35 - 39 40 - 49 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				RE	ANCY 0	UTCOME					101	
		ED ABOR	LION	7	IVE BIRT		1		<b>T</b>		IOIAL	
		RAC			RAC	E .			CE		RA	CE
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHI	TOTAL	WHITE	i
TOTAL	638	348	275	1,128	849	279	4	м		1,770	1,200	555
20 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44	136 136 136 136 15 16	102 102 70 70 39 33	101 101 631 351 14	76 176 315 330 197 2	1172 1172 243 2533 168	340 722 777 299	00012100	00017000	000000	11 212 384 453 406 245 46	127 127 219 315 293 201 31	833 161 135 112 112 15
100111122111111111111111111111111111111	10 10 10 10 10 48	0 0 0 1 1 7 7 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8	00000	200000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000			0 0 0 3 3 14 16 339 677	0 0 0 7 7 7 7 7 8 7 8 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NOT MARRIED	373	197	170	259	126	133	1	0		633	323	304
10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP	132 132 83 30 19	663 683 113 113 113	34 34 34 16 10 10	2 8 8 5 8 5 8 5 8 5 8 5 8 5 8 5 8 5 8 5	288	30 46 30 19 19	0010000			154 218 218 140 140 33	888 102 702 330 183	1155 1155 1157 1157 1151 1151

- 69 -

PREGNANCIES	9
H	6
2	61
A	
Z	
E	3
~	ž
٩	M
-	
Z	S
E	H
RESIDENT	Œ
S	L.
H	0
	_
_	_
TOTAL	₹
0	ಠ
-	C

			J.	NONWHITE	52	1640	0000001114111	37	111 111 66 0
		IDIAL	RACE	WHITE	85	223 223 224	0000001040	20	0000000
				TOTAL	138	29 335 340 340 340	00000074878	58	1881188
	 		Щ	NONWHITE	0	0000000			
		AL D		HITE	0	0000000			0000000
		F		TOTAL	0	000000		0	0000000
	OME		ш		949	11,000	00000010404	33	110000
	EGNANCY OUTCOME	VE BIRT	RA	WHITE	74	201 201 201 101 101		15	00404000
	PREGN			TOTAL	120	323 323 31 31 11	0000000ML47	48	16 13 13 13 13 13 13 13 13 13 13 13 13 13
		ION	E .	DNWHIT	9	0000000	- 00000000	. 4	000117
		ABOR	K I	ITE	11	00000000	0000000		00000100
CO		ZI		TOTAL	18	0.0444460	000000	10	0011313
COUNTY: PAMLICO					TOTAL	10 - 14	1109 11211111111111111111111111111111111	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	EGNANCY DUTC	OUTCOME						
	INDO	INDUCED ABOR			IVE BIRTH	-		ETAL DEAT	Ŧ		TOTAL	
		RA			RACI			RA			RACI	
	TOTAL	WHITE	NONWHITE	TOTAL	ITE	NONWHITE	TOTAL	WHITE	NON	TOTAL	WHITE	NONWHITE
TOTAL	84	41	41	422	224	198	1	0	H	507	265	524
10 - 14	16	9 2	191		310	62	00-	000	00-	109	37	
25 - 29	25.	140	10	105	697	32	100		100	NO		
39-	80	40	0 0			13	00		00	38		
45 AND UP	0	0	0	0	0	0	0		0	0	0	
10	00	00	00	00	00	00	00		00	00		
111	00	00	00	00	00	00	00		00	00		
12		000		000	000				000			
5-1		0-			200							
	780	721	70 8	161	150				000	18	0 1	
9 -	40	1	5		13		-		00		16	
NOT MARRIED	C L	C	12							L		
	60	07		7	CC	135	-			067	20	91
10 - 14	12	0 9	9	79	190	609	00	00	00	91	25	
1	19	-	1	56	19	37	) <del>-</del> (			76	26	
		2 2		161	עאיע	111	00		00	23.8	~ ~	
-	90	n		6	2.	7	0		0	15		
45 AND UP	00	00		70	0	10			00	N C	76	
					,	,	,	_				

		ACE	NONMHITE	56 144	00 88 88 843 843 174 174			00 00 73 77 77 77 77 77 77	1111	) M M	0417
TOTAL			WHITE	35	113				••	200	
			TOTAL	501	162 162 120 100 322	0	00000	11 14 23 29	198	59	120
		ш	NONWHITE	3	0	00	00000	00-00	2	0110	5000
	L D	RA		50	010171	00	00000	00007	П	0000	5700
	Ξ		TOTAL	6	02122	00	00000	00000	ю	0	000
OME		RACE	- 1	104	31 31 24 10 10	00	00000,	200 300 150 150	81	31	0 3 3
EGNANCY OUTCOME	LIVE BIRTH	RAC	WHITE	292	27 98 73 71	0	00000	187	56	17	
PREGN	I		TOTAL	396	129 129 97 81 81	0	00000	255	137	48	1110
			H 1	36	1111	00	00000	040	28	11	010
	NDUCED ABORTION	K I	MHI	59	208 100 100 100 100	50	00000	00040	30	13	0880
	DONI		TOTAL	96	14 32 32 17 17	00	00000	NOON	58	100	W40
			1	TOTAL		5 AN	11111	15-	NOT MARRIED   TOTAL	10 14 15 19 20 24	1111

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		CE		48	126 126 68 88 11		38	1 000000000000000000000000000000000000	
TOTAL		RACE	WHITE	79	114 119 122 122 100 100	**************************************	19	01213270	
			TOTAL	128	281 281 150 3	000000000000000000000000000000000000000	57	22 14 14 17	
1	1		HIT	-1-	0000000		F	00000	
	ETAL DEATH		RAC WHITE		0000000	000000000	0	000000	
	H		TOTAL WHITE			0000000	000000000	1	00000
OME			NONWHIT	43	115	000000000000000000000000000000000000000	34	150	
EGNANCY OUTCOME	BIRT		ш	72	12 17 17 11 11 11 0	0000000	14	000000000	
PREGN	LIVE		TOTAL	115	27   28   28   18   18   12   3   3	000000000000000000000000000000000000000	8,4	111 11 11 11 11 11 11 11 11 11 11 11 11	
	ION		NONWHITE	4	000000	00000000	M	00	
	CED ABORTION	RA	WHITE	7	00111550	000000	5	0000000	
	INDUCED		TOTAL	12	00000000	00000011000	«O	0001000	
				TOTAL	AUCE 110 - 14 120 - 24 25 - 29 35 - 39 40 - 44 45 AND UP	1100 1100 1100 1100 1100 1100 1100 110	NOT MARRIED	AGE 10 - 14 15 - 14 20 - 24 35 - 39 45 AND UP	

				1 0	1	- Inch						
	1			PKEGN	EGNANCY UUI	UUI COME					TOTAL	
	INDC	INDUCED ABORTION	TION	_	IVE BIRT	_	H	ETAL DEATH	<b>=</b>			
		V	ш		RA	Ш		1 22	ACE		RA	i
	TOTAL	WHITE	ONMHI	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE
TOTAL	146	74	65	416	265	151	2	1	1	564	340	217
10 - 14 15 - 19 20 - 24	29	20	2,80		38	30	000	000	000	9 7		388
5 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	134		151	125	500	39	000	00-10	010	159	104	327
0 - 44 5 AND	0 0	240	000	200	140		000	000	500	100	750	120
9		00	00	00	00	00	00	00		00	00	00
121		000	000	000	00	00	00	00	00	000	.00	
14-1	00M	00-	50-	003	000	000	000	000	000	000	00	90
16	200	403		16	9	3 3 10 10 10 10 10 10 10 10 10 10 10 10 10	000	000	000			1140
	~ 80	N W	32	20	12	7 8	00	00	00	27 30	17 20 20	1001
NOT MARRIED TOTAL	8	41	41	138	95	92	1	0		223	87	134
10 - 14 15 - 19			015			000	00	00	00	0	0	0.
20 - 24	29	14	12	43	16	27		000	-	72	000	245
30 - 34		70			.00	17	010	000	7	26	14	25
1 9	722	0.10	717	22	1	0	00	00	50	204	22	2 2
		0	<u> </u>	0	0	5	0	0	0	0	0	0
				1 1 1 1 1 1 1 1								

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

MITTE   NONWHITE   TOTAL   MHITE   NONWHITE   TOTAL   MHITE				RE	NCY OUT	COME					TOTAL		
TOTAL		INDI	1			IVE BI			AL DE	Ŧ		1	
TOTAL   MHITE   NONWHITE   TOTAL   MHITE   T						RA				Ш		RA	
636         373         249         1,808         985         823         20         5         15         2,46            128         90         1,808         985         823         20         5         15         2,46            128         18         46         288         195         10         <		TOTAL	WHITE	NONWHITE	-	WHITE	NONWHIT	TOTA	WHITE	NONWHIT	OTA	WHITE	NONWHITE
128         80         46         288         93         195         10         11         41         46         11         200         201         10         11         41         41         46         11         201         201         12         12	OTAL	M			,80	00	2	20	5		94,	1,363	1,087
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0 - 14 0 - 14 0 - 24 5 - 29	NOONE	20100	97	2000	6019	971	01851	00770		HHUNN	173 173 379 377 288	11 242 365 241 146
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5 - 39 0 - 44 5 AND UP	25.0	120	10	50	10	ויטרו	410	0 1 1		m m	72	91
2         0	10-1	0000			000,	0000		0000	0000		000,	0000	000,
6         10         3         7         43         14         29         0         0         0         0         7           7         15         8         6         57         20         37         0	1 2 4 K	0226				010			0000			<b>t</b>	
D         227         133         91         726         165         561         14         1         13         96            50         29         21         245         55         190         1         0         0         0         1         29         1         1         29         1         29         1         29         1         29         1         29         1         1         1         1         1         1         1         1 </td <td>981</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>00-0</td> <td>0000</td> <td></td> <td>ちてこる</td> <td>17 28 47 77</td> <td>743</td>	981							00-0	0000		ちてこる	17 28 47 77	743
	NOT MARRIED	227	M	91	2	9	9		1		9	299	699
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1 1	51	27	3.2	20		66	018	100		101	84 132	212 212 241
	111	15		~	NBN			2000	000		919		H CO M
	1 4				0	00	0	00	00		× 0	+0	*0

S	
IE	1996
H	6
U	6
Z	-
ANC	
=	
GN	ш
E	$\overline{a}$
8	$\simeq$
P	-
4	IDENC
	_
Z	
Z	S
DE	ш
	2
H	
S	щ
ш	OF
2	
_	>
_	T
-	-
-	=
TOTAL	COUN
2	H
_	9

					1							1
		-		PREGN	REGNANCY OUT	OUTCOME	1				TOTAL	
		ABOR		_	IVE BIRTH	I	H	ETAL DEATH	-		0.4	
		RA			RA	RACE		RAG	Щ		RA	RACE
	TOTAL		NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	25	23	2	172	155	17	2	2	0	199	180	19
10 - 14	099	0 9 1	00-	27	24		000	000	000	33	30	
329	0 6 M	000	1011	292	283				000	322	322	
35 - 39 40 - 44 45 AND UP	-00		000	15	0 13	000	000		000	10	10	
	00	00		00	00		00	00		00	00	00
11	000	000	00	000				00	00	00	000	
4 4	000	000	000	00-	00,		000	000	000	00,	00,	
100	0 0		500	180	-MC		000		500	-3-6	-46	
18	170	770	00	14	128		000	000	000	13	12	
NOT MARRIED TOTAL	16	14	2	48	34	14	0	0	0	59	87	16
10 - 14	0 9	0 9	THE STATE OF THE S		10		00		00			
20 - 24	. W. W	215		19	111	2000		000	000	22	13	200
30 - 34	00	0		23	13		00		00			
40 - 44	00			00	00		00		00	00	-	
												_

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				RE	ANCY	OUTCOME						
	INDUCED	A	ION		IVE BIRT		FE	TAL DEAT			IOIAL	
		RA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		RA			RA				
	TOTAL		NONWHITE	TOTAL			TOTAL	1		TOTAL	WHITE	NONWHITE
TOTAL	299	251	95	1,649	1,522	127	13	12	1	1,961	1,785	174
19 29 29	79 92 95 95 95 95 95 95 95 95 95 95 95 95 95	66 78 57 57	12 13	259 502 479	238	221 338 34	H 1041	1128	0007	339 596 596 547	305	1451
5 - 3 5 - 3 5 AND	180	14		100	269 88 16	0 0 0	0000	0000	000	ソコン	200	
2010	0000	0000		0000	0000	0000	0000	0000	0000	0000		
13	6.431	1848	0000	112	30	000m	1000	-000	0000	339	3152	
17	30	15 27 17		78	898	101	007	007	000	108	9866	
NOT MARRIED TOTAL	198	164	34	414	344	7.0	2	2	0	614	510	104
10 - 14 15 - 19 20 - 24	71	. 60	111	158	138	200	100	101	000	229	198	
25 - 29 30 - 34 35 - 39	161	35		29	71	17	000	000	000	04-	100 N-	12
45 AND UP	0 0	0 2 0		40	40	00	00	00	000	90		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996 - 11 -

				2	ANCY						TOTAL	
2	INDUC	ED ABOR	TION	7	BIRT		94	ETAL DEATH			IDIAL	
		RA	CE		RA	CE						l lu
	TOTAL	WHITE	NONHITE	TOTAL		NONMHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	121	58	61	699	382	283	10	2	. 5	962	445	349
10 - 14 15 - 19	21	166					0	000		188		
111	34	13		127	179	7	150	0			933	3.0
5 - 39	200						100	000		M		
5 AND UP-	2 2	0 (		0 0	0 (		0 0	0 (		2 0	0 (	
10	000	000		000	000		000	000				
12-		000		000	00,		000			000	,	
141	5 M C	0 4 7	52,			,	500	000		V 80	101	
16	7.4		- 10				00	00		26	16	
18	M 4 80	225	52	4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	15 25 27	18 18	007	000	007	500	27 30	27 27 27 24
NOT MARRIED	~	73	79	222	122		7	M		209	16.2	26
AGE	3	5 '		)	J	;		,		1	0	7
10 - 14	18	-1 00			53		0 -	00	10	100	5	
ALA	29	14		137			50 -	200		171	99	10
24	9	4		20	10	<b>.</b>	10	00		26	14	
V 14	7-				S C		00	00		10	9 -	
. UP-	0	0		0	0		,0	,0		10	-10	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

3 200		щ	HMNON	1,703	17 443 655 331 165 78 12	0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,134	16 405 4495 158 355 1
INTOT	I O I A L	RACI		629	100 191 194 112 112 51 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	214	381 381 128 10
			TOTAL	2,368	20 847 847 129 129	17 17 17 18 186	1,350	19 476 1930 177 44 44
		Е	NONWHITE	19	00117000	000000000000000000000000000000000000000	111	04M40000
	ETAL DEATH	V	WHITE	9	00171110	000000000	0	0000000
	34		TOTAL	25	0 1 2 2 2 1 0	000000000000000000000000000000000000000	11	04840000
			DNWHIT	1,408	369 549 143 143 54	20 00 00 00 00 00 00 00 00 00 00 00 00 0	910	342 370 370 116 51
15	BIRT		WHITE	557	164 169 103 37 37	00000000000000000000000000000000000000	157	49 63 63 11 11 1
PR	NO		TOTAL	1,965	447 713 713 743 246 91 13	38 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,067	11 3911 4331 1433 22 22 44
1		E .	NONWHITE	276	001 1000 521 23 23	0 0 0 1 7 1 1 6 6 1 1 7	213	259 38 114 117 12
1	ABOR	RACI	WHITE	96	22 26 23 13 13	000000000000000000000000000000000000000	57	20 118 111 111 00
1			TOTAL	378	93 127 751 229 36 4		272	88 81 82 81 82 83 83 84 84 84 84 84 84 84 84 84 84 84 84 84
				TOTAL	AGE 110 - 14 120 - 24 25 - 29 30 - 34 35 - 39 40 - 44	11000	NOT MARRIED	AUE 10 - 14 15 - 19 20 - 24 30 - 39 35 - 39 40 - 44 45 AND UP

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

PESTIDENT PREGN

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			SE		413	81 161 161 92 47 47 7	223 223 223 223 223	291	128 128 45 32 6 0
	TOTAL		RACE	WHITE	1,063	162 327 327 303 303 187 10	2468211400000	315	1100 1117 288 288 00
				TOTAL	1,478	243 488 396 234 17	119 742 80 80 80	909	174 245 101 101 60 14
			Į.	Fi	-3	0000	0000000000	4	00001310
			RAC	WHITE	13	000000	000000	4	00011100
		H		TOTAL	17	040000	0000000110	80	000112320
	OME		Ш	NONWHITE	285	103 103 65 15 15	220000	186	227 227 233 233 00
	EGNANCY DUTCOME	VE BIRT	RA	ITE	871	129 129 260 256 161 59	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	193	71 72 72 72 72 72 72 72 72 72 72 72 72 72
	PREGN			TOTAL	1,156	191 191 363 321 195 10	16 16 16 18 18 18 18	379	127 147 147 55 39 0
		ION	L L	NONWHITE	124	18 18 26 13 13	000000000000000000000000000000000000000	101	171 171 171 171 171 171 171 171
		CED ABORTI	RA	Ī	179	2468 222 222 223	000000000000000000000000000000000000000	118	24 11 11 0
ROCK INGHAM		N		TOTAL	305	122 122 69 35 13	11118450000	219	2640 00000
COUNTY: ROCKI					TOTAL	10 - 14	111111111111111111111111111111111111111	NOT MARRIED TOTAL	AGE 10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

NOWHITE   NOWHITE   TOTAL   WHITE   TOTAL   WHITE   NOWHITE   TOTAL   WHITE   WH		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			PREGN	EGNANCY DUTC	OUTCOME				1		
TOTAL   WHITE   NONWHITE   TOTAL   WHITE   T		INDU	ED ABOR	$\vdash$	7	IVE BI			AL D			TOTAL	
TOTAL   WHITE   NONWHITE   TOTAL   WHITE   TOTAL   T			RA			2			2			RACE	CE
14		_ i	WHITE	NONMHIT	TOTAL	I - I	1 - 1	TO	WHITE	NONHIT	TO		NONWHITE
14   8	DTAL	372	. 0	5	,50	,15				5	,89	1,368	515
29	0 - 14 5 - 19 0 - 24	00 m	42	42	919	90	00	0004	004	0 0 0	356	00	146
Name	5 - 39-		33	111	070	NMO		mm0	000		474 322 134	366 272 107	106   50   27
10	0 - 44 5 AND UP	1	11			60	90	00	00	00	20		0 0
12	-0	000	000	000	000	000	000	000	000	000	000	000	000
14	3-	000	000	000	000	000	000	000	000		000		000
17   18	651			- N.W.		211		007	001			12	
MARRIED         276         135         137         506         252         254         6         2         4         78           F         14         2         137         506         252         252         6         6         2         4         78           F         14         1         1         0 <t< td=""><td>1 8 - 6</td><td></td><td></td><td>21</td><td></td><td>37</td><td></td><td>121</td><td>100</td><td>0.21</td><td>227</td><td>946</td><td>26 26 45</td></t<>	1 8 - 6			21		37		121	100	0.21	227	946	26 26 45
- 14	MARRIE TAL	276	M		0	5	5	9	2	4	00	389	395
- 29	- 14 - 19		38	42	6			04	0	3.0	~	135	
- 39	- 29		26	29	100 00				101	0.1	- M	2	9
AND UP 1 1 1 0 0 0 0 0 0 0 0	39		16	15.				000	000	500		32	12
	AND UP-		177	10	0	0	10	0	00	0	0		0 0

NOTE: NUMBERS FOR RACE GROUPS AND AGE GROUPS MAY NOT ADD TO TOTALS DUE TO MISSING VALUES.

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

		E		155	31 63 34 22 23 0	000000000000000000000000000000000000000	122	31 52 52 52 11 11 0
	TOTAL	RACE	WHITE	748	132 132 238 196 125 10	10 0 0 12 12 11 12 49	213	23 23 23 00 00
			TOTAL	903	163 301 230 148 148	64831100000000000000000000000000000000000	335	110 1226 344 346
		ETAL DEATH	IHMNO		0000000		0	0000000
	TAL DEATH		WHITE	2	000000	0000000000		0.00000
	FE	—-	TOTAL		000000	0000000000	7	0-00000
OME			NONWHITE	122	23 47 28 21 21	76820000000	92	23 383 10 10 10 10
REGNANCY OUTCOME	H			663	112 204 182 113 10	00 00 00 00 00 00 00 00 00 00 00 00 00	157	57 57 52 16 16 0
PREGN	7		TOTAL	785	135 135 251 210 134 42	00 00 00 10 10 33 33 54	249	26 26 1 1
	ION		NONWHITE	33	1168	<b>V</b> 10000000000	30	14
	D ABOR	RA	WHITE	80	119 331 114 111	000000000000000000000000000000000000000	55	117119191919191919191919191919191919191
	INDUCE		TOTAL	113	227 477 138 138	00000040480	85	255 335 153 00 00
COUNTY				TOTAL	AGE 110 - 14 20 - 24 25 - 29 30 - 34 40 - 44 45 AND UP	1109 1101 1101 1101 1101 1101 1101 1101	NOT MARRIED	AGE 10 - 14 15 - 14 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

				R	ANCY DUT							
		1	TION		IVE BIRT			EA	H			
					RA				CE		RA	i i
	TOTAL	WHITE	NONWHITE	TOTAL	1 1	2	TOTAL			TOTAL	WHITE	
TOTAL	147	81	09	797	555	242	13	60	- 20	957	559	307
20 - 24	2443	23 24 17 13	19	157 266 205 113	80 185 151 151	77781	.20000	0	02111	195 311 241 142	104 210 210 169 116	88 88 101 72 255
0 - 4 5 AND	000	0 5 1		0.0	0 0		000					
10	000	000		000	000	000	000			000	000	000
4-4-	007	000		2210	000	0 7 0 7	0000					0
15 16 17 18	7 2 9 9	<u>አ</u> መመፈ ራ	0004	322	19 29	16 1 2 3 1 2	0007-		0044	11 17 63 63	345	16 28 28 32 32 32 32 32 32 32 32 32 32 32 32 32
RIE	9	56	м	304	130		9	4			160	210
10 - 14 15 - 19 20 - 24	11 26	135	1 6	118	45	73	050	010	010	3 131 140	51	80 77
222	13	00					000			288		37 10 3
40	0	00		0 0	0	0 1	00			40	80	0

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

UNTY: SCO	LAND											
ŀ				PREGN	ANCY	10						
	INDI	INDUCED ABOR	ABORTION	7	BIRT		FE	ETAL DEATH			TOTAL	
		RACI	CE		RA			RA	ACE		RAC	
	TOTAL	WHITE	NONMHIT	TOTAL	ITE		TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	126	09	99	574	267	307	9	2	4	206	329	377
10 - 14 15 - 19 20 - 24 25 - 29	33	118		145	282	115	-000	0000	000-	180	73	107
30 - 34 35 - 39 40 - 44 45 AND UP	15	16 M O O			182	17	1000	0000		401	211	20 20 40 00 00 00 00 00 00 00 00 00 00 00 00
	0000	0000		-000-	0000	000-		0000		-000		000-
13 14 15 16	01850	01074	00000	356	111111111	151	00077	00000		32 43	131	. 19
18 19	66	7 10					00	00		45	24	37
TOTAL	56	41	53	300	73	227	4	1	м	398	115	283
1 1 1	32	17	15	125	38	83	120	000	050	159	55 37	104
30 - 34 35 - 39	344	122		101	611	34	-00	000		141		7
40 - 44 45 AND UP	0 0	00		0 0 0	00	0	00	000			100	340

1	ABORTION	PREGN	ANCY DUT	COME		ETAL DEATH	=		TOTAL	
RACE								1		
NON	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
	40	718	599	119	80	**	0	860	669	159
	12017	128 128 206 110 48	2 94 181 177 97 43 43	12334 13395 0025	00412100	00412100	0000000	161 1276 228 124 124 10	113 224 224 1195 1107 51	746 173 173 173 173 173 173 173 173 173 173
	**************************************	4 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 3 3 119 311 311	000001722611	000000000	000000000	0000000000	22221300000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	32	214	143	71	4	4	0	310	506	103
	002222	3888 3842 3842 3842 3843 3843 3843 3843	252 207 200 000 000	27 27 11 11 0	0007000		000000000000000000000000000000000000000	1111 130 440 150	27.5 28.8 27.8 27.0 0	122 133 10 10 10

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			L L	NONMHITE	40	10 111 12 22 22 00		26	10 8 7 7 7 1
	4101	IOIAL	RACE	WHITE	538	842 1653 163 89 31 5		148	66 66 11 11 0
				TOTAL	578	94 173 178 178 91 33	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	174	76 76 50 11 11 64
				NONWHITE	0	0000000	000000000	0	0000000
	1 1 1 1 1 1	ETAL DEATH	RACE	WHITE	2	0000000	000000000		000000
		F		TOTAL	-2	000000	000000000	p=q	000000
	OME		Е		29	0.0000	000000000000000000000000000000000000000	16	001050
	EGNANCY OUTCOME	IVE BIRT	RA	WHITE	457	0 139 149 149 82 21 21	0 0 0 0 1 1 1 1 2 2 7	8	24 0 23 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	100			TOTAL	486	148 158 158 22 23	252 10 10 10 10 10	100	253 111 111 0
		NOI	щ	DNWHIT	111	DM N V O O O O	- NOOOOOOO	10	
		ABOR	RA	WHITE	79	202 21 14 10 3	17642200000	63	118
2				TOTAL	06	233 203 20 10 3	00000004960	73	160
COUNTY: STOKE					TOTAL	10 - 14	101 111 131 141 161 111 111 111 111 111 111 111 11	NOT MARRIED TOTAL	10 14 15 19 20 24 25 29 30 34 35 44 45 AND UP

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				RE	ANCY							
	INDC	INDUCED ABORTION	TION		IVE BIRT	- H		ETAL DEAT			IOIAL	
		RA						RA	CE		2	
	TOTAL	: :	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	126	100	25	881	826	55	7	7	0	1,014	933	8.0
2011	331	26 32	0420	135	122		COMP			168	150	17
354 39 44 ND	118	0 1 6	14410	511	147			10100		175	161 161 7	24840
100	0000	0000	0000	000	0000					0000	000	000
137 1	0000	000	1500									00 N N
2000	104	W 4 4 W	7007	18  21  30  61	18 18 27 18 56		0000	0000		25 25 36 71	6 3 2 2 3 4 9 4 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 8 8 8 9
NOT MARRIED TOTAL	80	29	20	222	190	32	4					52
10 - 14 15 - 19 20 - 24	31 28	26	049	74	62	12	010	210	000	106		
25 - 29  30 - 34  35 - 39		2/2		23	38					48-	263	
40 - 44	0	000	0	00	000					200		

ES	
	96
U	6
Ž	1996
ANC	
Z	
DENT PREGNA	뽔
2	¥
0	Ē
_	▭
-	H
Z	S
Щ	ш
	×
SI	L
E	품
2	_
_	>
_	-
A	z
TOTAL	=
.0	2
-	J

COUNTY: SWAIN	2-											
				PR	ANCY	OUTCOME					14707	(20)
	INDI		TION	7	IVE BIRT		FE	TAL DEAT			IDIAL	
		RA			RA	CE		RA			RACE	
	TOTAL	1 1		TOTAL	1 1		TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	20	17	3	167	104	63		1	0	188	122	99
1 1 1	116	8			25 27	14	010	010	555	41 63	27 35	14 28
25 - 29 30 - 34 35 - 39 40 - 44	0010	20012		40  12  12	26 11 11	141	0000	0000		20 12 3	115	15
Z	0	0		0	0	0	0	0	0	0	0	0
1 1 1				000	000		000	000		000	000	000
12	001	000		700	000	700	000	000		00%	000	0 O M
16	000	000		2 0 0	040	0 m m	000	000		2	040	000
18	0 1	0 1		17	12	N.W.	-10	0	00	18	13	n w
NOT MARRIED TOTAL	16	14	2	78	35	43	0	0	0	96	65	45
10 - 14		0 1	707	25	13	12	000	000	000	26	14	12
11	1	17				5	00		00	17		190
55 - 59 40 - 44 45 AND UP	010	010		100	100	000	000	000	000			
: !				5		-				5		

				Ш	GNANCY DUT	OUTCOME					10707	
	INDI	INDUCED ABOR	BORTION		LIVE BIRTH	 		ETAL DEATH			IOIAL	
		RA	CE			ш			CE			
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE		TOTAL	WHITE	NONWHITE	TOTAL	HITE	NONWHITE
DTAL	57	52	5	309	286	23	4		0	370	342	28
5 - 14	141 128 128 33	113 113 110 110 110		20 8 8 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	250 250 250 550 550	11 4 0	0110110	0110110		2 117 98 61 30 5	1052 1052 91 59 28 28	12200
D UP	0 00	0 000		0 000	0 000					0 000	000	
4-32-	0007	0001		0007			0000			0000	0000,	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7000	~~~~	0000	14	128 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0000			11 11 24	100119	
OT MARRIED TOTAL	45	41	4	85	7.0	15	1		0	131	112	19
	14	113	077	26	222	0460	0100	0100	000	525	386	100
	900				12.1		000			7686	7 8 K	0.00
45 AND UP	00			0 0	70		00			0 0	20	

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

1				NONWHITE	14	0000	+M000	000	0000	7111	6	010	MHC	000
			CE	NON				-						
	TOTAL	AL	RACE	WHITE	23	0770	~~~00	000	0000	0-0-	7	001		000
	-	-		\										
				TOTAL	37	0 2 6 5	2000	000	0000	0010	16	000	400	
-			RACE	NONWHITE		0000	0000		0000	0000		000	555	
		DEATH	RACE	Z		0000	0000		5555	5555		000	000	
		FETAL DE		포										
		FE		1		0000	0000	000	5000	5555		000	000	000
į				TOTAL										
				31	14	0500	m000	000	0000	NHH	6	010	MHC	000
i	OUTCOME	=	RACE	NON										
	1	E BIRTH		121	22	0000	000	000	0000	0-0-	9	004		000
	REGNANCY	LIVE		3			0000		0000	70-0		054	× 0.5	
	PRE			TOTAL	36						1			
	1			2		0000	0000	0000	0000	0000		000	000	000
		NOI	ш	HMNO										
			RAC	HITE	1	0070	0000		0000			100	000	00
		DUC		3	-=-	0000	0000		5000	5000		007		
-		H		TOTAL										
COUNTY: TYRRELL					TOTAL	10 - 14 15 - 19 20 - 24		10	11241	17 18 19 19 19	VOT MARRIED TOTALI	10 - 14 15 - 19 20 - 24	25 - 29  30 - 34  35 - 39	1 d
0 1				1	-		りりをとる				_			

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

TOTAL MHITE   RAC   RAC	1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 0 1 1 0		VE BIRTH RACE 1,378 1,378 128 291 469	NONWHI	1	TAL DEA			IDIAL	
TOTAL MHITE   RAC   S   S   S   S   S   S   S   S   S		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	RAC 7.378 7.378 128 291 469 370	28 28 7 9 9 9		1 0	1		1	
TOTAL WHITE   183		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7E ,378 ,378 128 291 469 370	28 7		KA	CE			ш
290 188 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	241 0	131189	, 37 12 29 46 37 10	8 10	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
1063 633 633 633 644 1065 107 107 107 107 107 107 107 107		0801181	07697		13	**	- N	1,964	1,569	393
10	00000	2 —	0	40	0 0 0 0 0 0	08080	001100	267	173 352 352 500 397	92 140 79 45
9	000	0	-		000	,00		7 —	J	
13		00	000	000	000			000	000	000
15	007	220	000	220	000			320	000	200
18 16 1 19 22 1 ED	mmm	181	298	101	0 - 0		0 1 0	20 24 26 60	100	13
ED	N N		39	15	20	21			65	20
1	58	393	203	190	7	W)	3	610	331	278
	17	143	75	4	040	011	0   2   2	202	114	
37 1	211	146	28	24	77			20	FV	110
13 1	22	30	17		00				12	15
UP  2		0 0	0 0	00	00			m 0	80	

NHITE   NONWHITE   TOTAL   WHITE   TOTAL   WHITE   NONWHITE   TOTAL   WHITE   TOTAL   TOTAL					1 0	EGNANCY OUTC	OUTCOME					4 + 0 +	
TOTAL   MITTE		INDI	1	TION		IVE B		FE	1 _		10	IDIAL	
TOTAL   WHITE   NOWHITE   TOTAL   WHITE   TO		1		CE		RAC							ш
		TOTAL	WHITE		TOTAL	121	TIHMNO	TOTAL	WHIT	NONWHITE	TOTAL	WHITE	MMNO
	OTAL	214	77						2	∞	9	5	
222         24         16         164         53         51         17         11         12         128         60	6E 0 - 14 5 - 19 7 - 24	72	140		M 0 4	37 68 68	120	3150	0000		700	201	13
9 0	5 - 39 5 - 39 7 - 44 5 - 44	122	, m		MO	153	2.1	0115	0000		750	2200	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9-01-01-01-01-01-01-01-01-01-01-01-01-01-	000				000		000	000		000		
4         6         4         2         7         1         6         22         0         0         0         0         13         5         8         8         8         7         1         6         22         0         0         0         0         34         8         1         6         22         0         0         0         0         34         1         1         6         34         10         22         0         0         0         0         0         37         11         8         1         1         6         45         1         1         1         8         1	3-1-	000,			00-1	000		0000			00,4		
8         14         5         9         38         10         28         0         0         0         52         15           9         10         2         8         34         10         24         2         0         2         46         12           9         113         33         65         268         7         1         6         453         99         3           1         113         23         78         333         65         268         7         1         6         453         99         3           1         40         16         23         121         26         96         1         0         0         6         453         3           1         20         16         23         18         27         96         1         0         0         0         0         0           11         2         8         27         9         444         2         1         1         1         1           11         2         8         1         4         2         1         0         1         1         1	7-10-1	992				1001	20	000			13 34 37	100	
D—         113         33         78         333         65         268         7         1         6         453         99         3            113         33         65         26         7         1         6         453         99         3            27         8         19         121         26         95         2         0         0         0         0         34         1            40         16         23         118         22         96         1         0         1         159         34         1            40         16         23         118         22         96         1         0         1         159         38         1            26         7         19         44         2         1         0         1         17            11         2         8         1         7         0         0         0         1         1         1         1            1         0         0         0         0         0         0         0	8-1		2 2			10	22	00			55 46		<u></u>
		-	33	^	2		56	7			5		
26 7 1 19 53 9 44 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 - 14	27		70	2-		6.0	0 2 -	000		N L	**************************************	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		26		7.7	120		.40	121	010		MOOL		36
	11				∞ O	-0		10	00		14		
	9				0	0		0	0		0		

				RE	T	COME					10101	
	INDUC	ED ABOR	NOI		IVE BIRT	- H	F F	ETAL DEATH	- H		IDIAL	
		RA			RA			RA	1			CE
	TOTAL	WHITE	NONHITE	TOTAL		NONWHITE	TOTAL	WHITE	NONMHITE	TOTAL	WHITE	NONMHITE
	3,444	1,598	1,714	8,120	5,916	2,204	99	33	33	11,630	7,547	3,951
AUE 15 - 14 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	1,134 1,134 1,134 477 276 73	284 494 371 371 147 147 45	16 252 601 630 430 110 110 25	1,218 2,298 2,701 1,107	280 1,678 2,176 923 154	317 317 519 620 184 184	10 110 201 12 12 4	11133	0 0 0 0	2,363 2,363 3,142 3,186 1,395 1,395	2,396 2,396 1,079 1,079	25 576 1,128 1,059 772 297 297 57
10	10 0 0 14 14 13 88 13 18 18 18	00000000000000000000000000000000000000	00 00 112 112 115 88 88 88 88 88 88	41 7 7 1 1 2 2 1 1 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26 26 45 109	1 2 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000000	00000011001	0 0 0 2 2 77 77 149 2207 327 399	3 3 4 5 1 1 1 1 1 9 5 1 9 1 9	100 00 00 00 00 00 00 00 00 00 00 00 00
NOT MARRIED TOTAL	1,398	635	733	1,765	629	1,106	30	9	58	3,193	1,300	1,863
AGE 10 - 14 15 - 19 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP	14 280 499 317 149 85 20	146 1222 1339 139 40 13	12 130 268 171 861 41	501 617 617 361 189 74	199 223 129 71 27 27	302 394 232 118 47	0011388890	0000%1720	0022200	23 790 1,124 686 861 341 160	347 347 446 271 130 67 20	18 6639 6699 609 708 809 14

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

	NO NA	1 1 1Ш1		IVE B	OME NONMHIT	TOTAL	AL DEA	E E C C C C C C C C C C C C C C C C C C	TOTAL	TOTAL RA	RACE   NONWHITE
19		45	178	53	125	2	1	1	246	73	171
OWN4WW00		146	447 477 100 00	100 117 144 13	333 37 28 17 17 1	0000000	000000	0100000	16 6 6 3 6 6 6 8 6 8 6 8 6 8 6 8 6 8 6 8	1212	100 100 100 100
0000000		00000000701	100000000000000000000000000000000000000	MNNOHODOOO	000000000000		оооооооо	00000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000	00 00 00 00 00 00 00 00 00 00 00 00 00
60		19	92	6	83	2	1	1	121	18	103
000000		0000000	37 31 12 12 1	04844000	11 11 11 11 0	0,000000	0-100000	0-00000	344 344 144 140 0	000000000000000000000000000000000000000	337 30 30 11 11 11 10

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	EGNANCY OUT	OUTCOME					TOTAL	
	INDUCE	D ABOR	TION	7	R	-		ETAL DEATH	H		IOIAL	
		RA	RACE		RACI	CE			RACE			RACE
	TOTAL	WHITE	NONWHITE	TOTAL	HITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
TOTAL	31	80	23	208	75	133	2		1	241	8	157
10 - 14	0	040	0 1	250	070	38	010	010	000	649	120	M
5 - 29		0 0	-	258	27	131	010			282	1282	37
5 - 39-	0	00			7	3	00	00				
2	0	0		0	0	0	0	0		0		
60	00	00		00	00	00	00	00		00		
N	00	00		00	00		00			00		
4-1	00	00		75	00	2	00	00		2		
6 5	0 10 10	0 70		77	7		00			10		
18	000	N00		168	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	14	007		000	10 8 17		7 7 14
NOT MARRIED	13		- oc	117	20	97				121	76	
AGE 10 - 14		0		M		M		1 0		101	3	2
15 - 19	44	- M C		41	91	35				95	1	36
25 - 29	מר	10		211	- 10		00			24		
35 - 39	0 0	00		00 M	00	9 8		00		6		
66 - 05	0	0	_	0	0	0	0	0		0		
45 AND UP	0	0	_	0	0	-	0	0		0		

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				PREGN	ANCY	OUTCOME					10101	
	INDUCED	ABOR	TION		IVE BIR	Ŧ	F	ETAL DEATH		M	IOIAL	
		RA				CE		RACI	JE .		R/	RACE
1	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONMHITE
AL	170	161	6	380	372	**	9	5	1	556	538	18
10 - 14 15 - 19 20 - 24	71	1 44		32   99	32 98		010	0 10 -	000-		N9 M	
34 39 44	11,0	110	10000	38		1400	12100	00 - 12 -	-0000	104	201	22 - 2
		0000			0000			0000		0000		
15	0102	0102	0000	77000	00000		0000	0000	0000	20104	00104	
	20 23	18 21		3 17	3 8 17	-91	010	010	000	40 40	38	
MARRIED TAL	146	139	7	59	59	0	1	1	0	206	199	
1 1 1	47	44	088,	17	17 28 28	000	000	000	000	64	86	
34	22	37 27		1000	100r		0.00	0-10	000	178	147	
P-	0	0		10	0		1	00	00	70		

	1			PREGN	ANCY	OUTCOME					14101	
	INDO	INDUCED ABORT	TION		IVE BIRT			TAL DEAT				
		RA	1		RA			RA			1 02	
	TOTAL	HITE	NONWHITE	TOTAL	WHITE	NONWHITE	TOTAL	1	NON	TOTAL	WHITE	NONWHITE
TOTAL	430	176	247	1,646	1,029	617	14	7	7	2,090	1,212	871
10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44	1 74 1 1 3 4 1 1 0 0 1 8 8 8 8 0 0 0 0 0 0 0 0 0 0 0	31 80 39 27 11	747 733 738 738 738 74	264 550 439 286 15	124 327 311 207 52 7	140 223 128 79 33	0000	0.000,000		340 687 687 543 352 120 120	2353 2353 2353 111	183 2993 190 116 116 12
100-1112-1113	0 0 0 1 1 1 1 1 1 2 1 2	00000000000	0 0 0 0 1 1 1 1 1 1 1	10 17 17 833 985	0 0 0 0 1 1 1 1 1 4 7 7	4 3 2 2 1 4 5 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000	0000000000	000000000	0 0 0 1 1 2 7 7 7 7 7 7 7 7 1 1 1 1 1 3 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 1 1 1 1 8 2 8 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
NOT MARRIED TOTAL	146	45	101	576	186	390	7	1	9	729	232	497
10 14 10 25 25 29 30 34 40 44 45 AND UP	24 454 18 12 12	144 144 17 11 13	20 31 32 13 13 10	187 226 87 44 22 3	20 20 20 64 0	129 156 156 24 18	000112221	0-00000		223 273 273 117 63 34	255 1 255 1 1	150 189 77 77 38 27 64

S
<b>M 0</b>
10
NCIE 1996
=
Z .
S H
111()
2Z
PH
_ =
50
шш
RESIDENT PRI OF RESIDEN
-
ES
m o
E .
ZZ.
TOTAL
00
10

	1			NONWHITE	50	111 116 118 88 84 00	000000000000000000000000000000000000000	29	110 111 66 00 00
	14101	TOTAL		WHITE	851	147 147 228 133 39 6	200 200 200 200 200 200	204	69 72 72 34 18
				TOTAL	901	158 158 312 239 141 43	24 37 3 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	233	7.9 7.9 1.8 1.8 1.8 1.8 1.8
	1		щ	NONWHITE	0	0000000	000000000	0	
		FETAL DEATH	RACE	WHITE	12	0000	000000000000000000000000000000000000000	5	1400000
		F		TOTAL	12		00000101000	'n	1400000
	OME	E BIRT	Ш	MNI	38	111111111111111111111111111111111111111	00000011000	21	0000000
	EGNANCY OUTCOME		RACI	WHITE	772	126 1268 268 215 127 31	17 17 17 18 18 18	155	52 56 15 15 10
	PREGN			TOTAL	810	132 132 280 226 134 33	10 11 18 18 18 18 18 18 18	176	57 64 32 15 15 0
		NOI	Ш	NONWHITE	12	0070100	00000000	80	000000
		CED ABORTION	RACI	I I	19	15 12 12 8 6	000000000000000000000000000000000000000	44	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
S		I		TOTAL	79	20 28 12 12 10 10	0000018475	52	1181191
COUNTY: WILKES					TOTAL	10 - 14	10 11 11 12 13 15 11 16 11 18 11	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 40 - 44 45 AND UP

TOTAL		RACE		1,352 653 69	248 75 17 435 196 23 327 171 15 214 142 7 96 54 4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	648 183 46	202 202 248 248 111 25 111 25 3
			NONWHITE TO	10	01210120	000000110%	6	00100
	TAL DEAT	22	WHITE	- N	00100100	000000000	2	000000
1	ш		TOTAL	15	0122120	000000	11	000120
COME	E BIRT	Ш		482	127 161 102 102 58 27 27	332 332 347	352	122
ANCY DUT			T	553	158 158 156 131 44	300000000000000000000000000000000000000	145	64 17 14 14 14
PREGN			TOTAL	1,035	184 319 258 189 71	0000 10000 10000 10000	497	166 186 186 394
	NOI	Ш	NONWHITE	200	33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	11.568930000	101	22 43 77
	ED ABORT	RACI	WHITE	95	118 127 111 111	00000110908	36	18
	INDUC		TOTAL	302	114 114 66 66 24 22 3	100000	140	251 251 88
				FOTAL	10 - 14 110 - 14 20 - 24 30 - 34 35 - 39 40 - 44 45 AND UP	100-100-100-100-100-100-100-100-100-100	NOT MARRIED TOTAL	AGE 10 - 14 15 - 19 20 - 24 25 - 29 30 - 34

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

				NONWHITE	23	0144760		15	00440400
	TOTAL	10.18	RACE	WHITE	515	78 164 146 146 33		131	44.3 55.3 19.9 8 8
				TOTAL	539	168 168 150 93 36	33 33 33	147	4.6 4.6 5.2 1.0 1.0 1.0
			ш	11	1	000000			000000
		ETAL DEATH	RACE	보	2	0000000	000000000	0	0000000
		FE		TOTAL	- <del></del>	00007000	000000000		000000
	OME	31		HMNO	13	01008	-00000000	52	00012110
	EGNANCY OUTCOME			WHITE	455	165 144 137 76 27 27	000000000000000000000000000000000000000	96	31 14 14 14 10 10
	PREGN			TOTAL	895	145 145 145 182 27 27	0 0 0 0 1 1 1 8 2 9	101	32 45 16 16 10 0
		ION		2	6	00%1172	00000000000	6	000
 		CED ABORTION	RAC		58	13 20 20 7 10 10 6	0000000074	35	111111111111111111111111111111111111111
z		INDUCED		TOTAL	89	22 22 8 11 11 9	V&N10000000	45	1170
COUNTY: YADKIN					TOTAL	20 - 14	1109 1131 1141 1151 1161 1161 1161 1161 1161 116	NOT MARRIED TOTAL	10 - 14 15 - 19 25 - 24 30 - 34 35 - 39 40 - 44

TOTAL RESIDENT PREGNANCIES COUNTY OF RESIDENCE, 1996

			NONWHITE	83 6	255 556 34 0	00 00 00 00 00 00 00 00 00 00 00 00 00	33 2	14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
TOTAL	2		WHITE	9	0000000	000000000000000000000000000000000000000		24/2000
			TOTAL	18			×	
		111	NON	0	0000000	0000000000	0	0000000
	ETAL DEATH	RA		0	0000000	000000000	0	0000000
	FE		TOTAL	0	0000000	000000000	0	0000000
OME	IVE BIRT	Ш	NONWHITE	m	00011010	000000000	0	0000000
EGNANCY OUTCOME		RAC		173	2212 355 32 82 0	8571020000	27	111
PREGN			TOTAL	176	35522 35532 3552 352 3	8671020000	27	000400
	ION		NONWHITE	- K	-00-0-00	000000000	2	0000000
	CED ABORTION	RA	WHITE	10	00121230	0000000000	9	001100
	INDUCED		TOTAL	13		000000000000000000000000000000000000000	00	00000
			8 9 8 1 1 1 1 2 1	TOTAL	20 - 14 20 - 24 25 - 29 30 - 34 35 - 39 45 AND UP	100	NOT MARRIED TOTAL	10 - 14 15 - 19 20 - 24 25 - 29 30 - 34 35 - 39 45 AND UP

**APPENDIXES** 



### APPENDIX A

N.C. Department of Health and Human Services State Center for Health Statistics

### INDUCED ABORTION CASE REPORT

			For State Use Only
. Name of Facility:			Facility Code:
			Residence Code:
. Residence of Patient: State	County	City	Zip Code
. Age of Patient: In Years	Completed Years of Education:     (circle one) 1 2 3 4 5		12 13 14 15 16 17+
a. Race of Patient:  ☐ 1 = White ☐ 2 =  ☐ 3 = Am. Ind./Alaskar  ☐ 4 = Asian/Pacific Isla	n Native □ 1 = Yes (Sp	rican, Puerto Rican, etc.)	6. Marital Status:  □ 1 = Married □ 4 = Divorced  □ 2 = Separated □ 5 = Widowed  □ 3 = Never Married
a. History of Previous P (Complete each sector) Live Births Number   Numbe Now Living   Now Dea	Other Terminations Number Fetal/   Number	Current Pregnar     a. Date of Last     Menstrual Properties      b. Date of     Abortion:	Mo. Day Yr.
□ None □ None b. Termination Date of Last <i>Previous</i> Pregr	Mo. Day Yr.	c. Length of Ge	estation: Estimate in Weeks)
Procedure that Term (Check only one)  □ 1 = Suction Curett □ 2 = Medical (Nons Specify Medi □ 3 = Dilation and E □ 4 = Intra-Uterine I □ 5 = Sharp Curetta □ 6 = Hysterotomy/I □ 7 = Other (Specify	age surgical) cation(s) vacuation nstillation (Saline or Prostaglandin) age (D&C) Hysterectomy	10. Complication (Check all that the Check all that the Cervica 5 = Retaine 6 = Other (	rhage (Infection) e Perforation al Laceration ed Products

Name and Title of Person Completing Report

Distribution: White – State copy; Canary – Facility copy

1891 (Revised 9/97)

enter for Health Statistics (Review 9/99)



### APPENDIX B

NORTH CAROLINA DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES DIVISION OF EPIDEMIOLOGY — VITAL RECORDS SECTION

Distric		cal No						E	BIRTH NO.	<b>— 13</b>	32		
CHILD'S	NAME (First, Middle, Lasi)	1						DATE OF	BIRTH (Month,	Day, Ya	ear)	TIME	OF BIRT
1. SEX	CITY, TOWN, OR LO	OCATION OF B	IDTU					2		lan		1	
4	CITY, TOWN, OR LE	OCATION OF B	in th							1000	IO YTM	FBIRTH	
_	F BIRTH:   Hospital   C	Freestanding 6	Birth Can	ter C Clinic/Doctor's	Office	FACILI	TY NAME (#	not institu	ilion, give street	16.	mhw)		
☐ Reside								700 8 40011	mort, give about		,		
	S NAME (First, Middle, Las	at)				1	DATE OF BI	RTH (Mor	ith, Day, Year)	lei	RTHPL	ACE (State	or foreig
L						75	10.			111			
MOTHER	S NAME (First, Middle, La	sal)			1	1	MAIDEN NA	ME		D/	ATE OF	BIRTH (M	onth, Day
12a				-	1		125.00			13			
BIRTHPL	ACE (State or foreign cour	ntry) USUAL	RESIDE	NCE (STATE)	CO	NAM			CITY, TOW	NORL	LOCATI	ON	
14.	AND NUMBER	, 15a.		4 11 1	15b.				15c.				
	OND HOMBEN		C	Yes o	E CITY LIN	34	rme")	ULING AD	DRESS (II same	A4 /944	dence, a	anter .	Zip Coo
MOTHER	S SIGNATURE I contity I	hat I have inspec	cled this c	15e.	BELAT	TION TO		OTHER (	CANNOT SIGN	Isosi		URITY NU	160.
174					170.		,	-0111011	201101 31011	176	YES		NO [
I centify th	at this child was born alive	al the place and	d time an	d on the DATE SIGN	NED	ATTEN	DANT'S NAM	E AND T	ITLE (II other the	1			NO [
Gate States	1. Signature			(Month, Da	y. Year)						7(-7)		
184				186.			O 0.0. O	C.N.M.					
CEATIFIE	RS NAME & TITLE (Type	(Print)				19. 🗆 0	Midwile Other (Specif						
0 MD. 0	D.O. C Hospital Adminis	airstor				ATTENO	ANTS MAIL	NG ADDRE	ESS (Street & Num	ber or F	Rumai Ros	ute & Numb	w. City, T
20. 0 Oth	Other Midwile er (Specify)				_	21.							
DATE REC	D BY LOCAL REG.	SIGNATURE OF	REGIST	RAR					DATE NAME	ADDE	D	DATE	AMENC
22A		226.							22			24.	
COL 09.0	R RACE OF FATHER (Sp	andu Wais- Dr	ab 4-										
	OF PATHER (Sp	winy write, Blac	ut, Ameri	can inglan, etc.)	1.		OR RACE C	F MOTHE	R (Specify White	Bleck	Americ	can Indian,	e(C)
25a.				•		256.							
									2				
FATHER		IN	FORM	MATION FOR I	MEDICA	AL AN	ID HEAL	TH US	EONLY				
	ATION (Highest Grade Co	ompleted).			-   N	7h FOU	R 274 SS	N	de Completed)				
Eleme	ntary/Secondary (0-12) _		College	(1-4 or 5+)		Elementary/Secondary (0-12) College (1-4 or 5+)  27c. HISPANIC (Cuban, Mescan, Puerto Rican, etc.) ORIGIN7							
	NIC (Cuban, Mexican, Pui	- IU NICEN, BIC.)	UNIGIN	,	7	IC HISP	ANIC (CUM	n. Mesica	n, Puerro Rican,	etc.) OF	RIGIN7	•7-	
MOTHER MARRIED (At burth, conception or between PLURALITY - Single, Twin, Trip						O N					-		
	The same of the same of	olion or between			in, Toplet.		O DYm (	Specify) _	First, Second. Th		BIRTH	WEIGHT /S	pecifir!
outh and co	nception)	olion or between		RALITY - Single, Tw (Specify)	nn, Triplet,	IF etc	NOT SINGLE	Specify) _	First, Second, Th	ind.   8		WEIGHT (S	
M. PREGNA	ANCY HISTORY (Complete	le each section)	91C. (		in, Triplet,	1F	NOT SINGLE	Specify) _	First, Second, Th	ind.   8			. oz
D. PREGNA	nception)  ANCY HISTORY (Complete to the child that child the chil	le each section) d)	etc. ( 29a.	(Specify)		1F etc 296	O TYES (. NOT SINGL! (Specify)	Specify) _ E — Born	inth	ind.   8	29c. L		OZ _
D. PREGNAL LIVE BARRA	inception)  ANCY HISTORY (Complete to the child the chil	te each section) d) _ □ None	etc. ( 29a.	(Specify)		IF etc 29	O DYes (. NOT SINGL! (Specify) b. Date of (Month,	Specify) _ E — Born last Live B Cay, Year	inth	ind.   8	29c. L	31. APG	OZ _
NO. PREGNAL LIVE BLEEN NOW LIVE OTHER T	ancy HISTORY (Complete a (Do not include this chik ig. Number	is each section) d) None seous and n) Number	etc. ( 29a.	(Specify)  ad. Number	DATE OF L	ione AST OT	Date of (Month,	Specify) _ E — Born  ast Live B Cay, Year	irth	ind.   8	29c. L	31. APG	OZ _
NO. PREGNAL LIVE BLEEN NOW LIVE OTHER T	INCY HISTORY (Complete In (Complete) (Complete) In (Complete) (Complete) In (Complete) (Complete) In (Complete) (Complete) In (Complete) (Complete) In (Complete) (Complete) In (Complete) (Complete) (Complete) In (Complete) (Complete) (Complete) (Complete) In (Complete) (Comple	le each section) d) _	Now Dea	ed. Number	DATE OF L	ione AST OT y, Year)	Date of (Month, HER TERMIN	Specify) _ E — Born  ast Live B Cay, Year	CLINICAL ES	ind.   8	Sec. LE	31. APG	AR SCO
NOW LIMINGS OF THE STATE OF THE	INCEPTION (Complete ID not include this child g. Number	le each section) d) None leous and n) Number AN MONTH CARE BE	Now Del	ad. Number	PREN (II nor 34.	lone AST OT: AST	Date of (Month, HER TERMINISTS — Tourie)	E — Bom  List Live B  Cay, Year  NATION	CLINICAL ESTATION	TIMATE	E OF IS	31. APG MIN Did mother typhilis? (S.	AR SCO
NOW LIMINGS OF THE STATE OF THE	INCEPTION (Complete In Control of the Chik In Control I	le each section) d) None leous and n) Number AN MONTH CARE BE	Now Del	ad. Number	PREN (II nor 34.	lone AST OT: AST	Date of (Month, HER TERMINISTS — Tourie)	E — Bom  List Live B  Cay, Year  NATION	CLINICAL ES'	TIMATE	E OF IS	31. APG MIN Did mother typhilis? (S.	AR SCOR
NOW LIMIT  OTHER T  MONIN, Day  L  MOTHER T	INCEPTION (Complete In Control of the Chik In Control I	le each section) d) None leous and n) Number AN MONTH CARE BE	Now Del	ad. Number	PREN (II nor 34.	Hone AST OTI Y, Year) HATAL V. HATAL V. HEANT T.	Date of (Month, HER TERMINISTS — Tourie)	E — Bom  List Live B  Cay, Year  NATION	CLINICAL ESTATION	TIMATE	E OF IS	31. APG MIN Did mother typhilis? (S.	AR SCO
NOW LIVE SHOW  NOW LI	INCEPTION (Complete In Control of the Chik In Control I	le each section) d) None leous and n) Number AN MONTH CARE BE	Now Del	ad. Number	PREN (II noo 34.	Hone AST OTI Y, Year) HATAL V. HATAL V. HEANT T.	Date of (Month, HER TERMINISTS — Tourie)	E — Bom  List Live B  Cay, Year  NATION	CLINICAL ESTATION	TIMATE	E OF IS	31. APG MIN Did mother typhilis? (S.	AR SCOR
20. PREGNA LUNE BLEEN NOW LIMIN D. OTHER T INDUCED T IND	INCEPTION   Complete   I Do not include this child   Q. Number   Q	Is each section)    None	Now Del	ad. Number	DATE OF LIMONIN, Department of the Month, Department of the Month of t	ione AST OTI V. Year) IATAL V. III. 30 Elli	O Tee (: NOT SINGLI (Specify) b.  Date of (Monin. HER TERMII (SITS — Tou	E — Bom  List Live B  Cay, Year  NATION	CLINICAL ES' GESTATION   34. O D YES II y	TIMATE Weeks)	E OF ICE	31. APG MIN Old mother typhilis? (S. 8. of facility to	AR SCO4
28. PREGNA.  Live Blen.  Now Liven  Now Liven  onduced a  DATE LAST  Month, Day  L.  MOTHER Ti  activity trans  17a.  38a. MEC  PRE	INCEPTION (Complete I Do not include that child go, Number	Is each section)    None	NOW DO	ad. Number  O None  SpannCY PRENATAL  Fig. Second, etc.  YES II yes, enter nan  40. EVENTS OF L.  (Check all that	DATE OF L MONIN, De; PREN (II not) 34. he of IN ABOR AN apply)	IF eld 299 Hone AST OTHER TO SHATE TO S	Date of (Month, MER TERMIN) SITS — Toulie)  DELIVERY	Specify] = E Born  Last Live B Cay, Year  NATION  II Number	CLINICAL ES' GESTATION (  30.  O PES II y  41. CONGEN (Check all	TIMATE Weeks	E OF CONTROL OF NAME OF POPPY)	31. APG MIN Did mother typhile? (S. 6.	AR SCOT
NO. PREGNAL LOVE BLOWN NOW LINER TO MOUNTER TO MOUNT NOW LINER TO MOUNT NOW LINER TO A SELECT NOW LAND	INCEPTION (Complete I Do not include this child go Number	le each section) d)  □ None seous end en) Number LAN MONTH CARE BE 31 DELIVERY? □	Now Del	ad. Number	DATE OF L Monin, Dep PREN (II not 34. he of IIN 37 ABOR AN apply) or 38° C.	Hone AST OT: Y Year) HATAL V: HATAL V: HEANT TI	O TYME ( NOT SINGLE: (Specify)  Date of (Month, MER TERMIN SITS — Tourists)  RANSFERRE	E - Bom  last Live B Cay, Year NATION II Number	CLINICAL EST GESTATION (  3A.  O YES II y  41. CONGEN (Check ell.	ind.   E	E OF CONTRACTOR OF THE PROPERTY OF THE PROPERT	31. APG. MIN  Did mother (S)  B. Of facility to	AR SCOT
28. PREGNA.  LOW BIRD.  NOW LIMIN  NOW LIMIN  NOW LIMIN  OTHER T  MOUNTHER TI  SELITY TRANS  174.  384. MEC  PREI  (Che  Anemia (I)  Cardiace  Cardiace  Cardiace  Cardiace  Cardiace  Cardiace  Cardiace  Cardiace  Cardiace	INCEDION)  INCY HISTORY (Complete I Do not include this chile go, Number	Is each section;  d)  Onne seous and n) Number CARE BE 33  DELIVERY?	Now Del	ad. Number  None ShanCy PRENATA  Si, Second, etc.  YES II yes, enter nan  (Check all that Febrile (> 100° F. Meconium, moder	DATE OF L Monin, De; PREM PREM III no 34.  ABOR AN apply) or 38° C. ata/heavy of memb	Hone AST OTT Y, Year) IATAL V. IATAL V. IATAL V. IFANT TI ID. IFANT TI ID.	O TYME ( NOT SINGLE)  Date of ( Month,  MER TERMIN  SITS — Tou  NOT SINGLE  PRANSFERRE  DELIVERY	Live B Cay, Year NATION II Number	CLINICAL EST GESTATION ( 38. O YES II y 43. CONGEN (Check all Anencephalu Spina bilidat)	TIMATE Weeks   1   1   1   1   1   1   1   1   1	E OF CONTRACTOR	31. APG  31. APG  MIN  Old mother typhilis 7 (S. d. of facility to	AR SCOT
DA. D. PREGNA.  L. Dro Blam.  Now Lmn.  Now Lmn.  O. OTHER T.  MOTHER T.  MOTHER T.  MOTHER T.  MOTHER T.  MOTHER T.  Cornalis C.  PREI  (Che  Anemia (i)  Cardiac of  Acute or  Diabetes	INCEPTION (Complete to the control of the control o	te each section) d)  □ None seous and en) Number LAN MONTH CARE BE JI DELIVERY? □	Now Del	ad. Number  O None ( SMANCY PRENATAL rst, Second, etc.)  YES II yes, enter nan  40. EVENTS OF L. (Check all that Febrile (> 100° F. Meconium, moder Premature rupture Abruptio placenta Placenta previa	DATE OF L Monin, De; PREN (II not 34.  ABOR AN apply) or 38° C. ata/heavy	IF etc 236  Hone AST OT: y, Year)  HATAL V.  HATAL V.  HEANT T.  Tb.	O TYME ( NOT SINGLE (I Specify)  Date of (Month, MER TERMIN SITS — Tourise)  RANSFERRE DELIVERY	Specify   _ E - Bom	CLINICAL ES' GESTATION (  34. CONGEN (Check all Anencephalus Spina bifida/)	TIMATE Weeks   1   1   1   1   1   1   1   1   1	E OF CS	31. APG MIN Did mother typhile? (S. 6. of facility to	AR SCO
28. MECO PREGNA Now Lmm Now Lmm Now Lmm OTHER T Induced a OTHER T	INCEPTION (Complete In the Complete In the not unclude that child go, Number	Is each section)    O None	OF PRECEDAN (FILE)	ad. Number  O None (  STANCY PRENATAL  11, Second, etc.)  YES II yes, enter nan  40. EVENTS OF L  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previe  Other excessive bi	DATE OF L MONIN, Dej PREN (II not 31.  ABOR AN apply) or 38° C. ate/heavy of memb	is and is a second of the seco	O TYME ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN ISITS — Tou RANSFERRE DELIVERY > 12 hours)	Specify   _ E - Bom	CLINICAL EST GESTATION (  34. CONGEN (Check eli Anencephalu Spina bifida/) Hydrocephalu Microcephalu	TIMATE S	E OF CE S S S S S S S S S S S S S S S S S S	31. APG MIN Did mother typhilis? (S. 8. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	OZAR SCCI
DA. PREGNA.  Live Blanch  Now Liven  Now Liv	INCEPTION (Complete In the Complete In the not include that child go, Number	Is each section)    O None	OF PRECEDAN (File NO D D D D D D D D D D D D D D D D D D	ad. Number  I None  GRANCY PRENATAL  rsi, Second, etc.)  YES II yes, enter nan  40. EVENTS OF L  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previa  Other excessive bi  Seizures during lal  Precipitous labor (Precipitous labor)	DATE OF L Month, Dat PREN (II not 34.  ABOR AN apply) or 38° C; atta/heavy of memb	IF elocatione AST OTT INTERPRETATION TO THE STATE ( ) The	O DYes ( NOT SINGLE  L Date of ( Month,  MER TERMIN  SITS — Tou  RANSFERRE  DELIVERY  > 12 hours	Specify] _ E _ Born  Last Live B _ Cay, Year  NATION  II Number 01	CLINICAL EST GESTATION (  38.  O YES IT y  AD. CONGEN (Check all Anencephalu Spina bilida/) Hydrocephalu Other central (Specify) Heart gullom	ITTAL : I that a s	ANOMAPPPIY)	31. APG MIN Did mother typnis 7 / S. of facility to ALIES Of	OZ AAR SCO
DA. PREGNA.  Now Limin Now Limin Now Limin O OTHER T I I I I I I I I I I I I I I I I I I I	INCEPTION (Complete In the Complete In the not include that child go, Number	Is each section)    O   O	OF PRECEGAN (File NO D D D D D D D D D D D D D D D D D D	ad. Number  O None  (Check all that Febrile (> 100° F. Meconium, moder Premature rupture Abruptio placenta Placenta previa Other excessive bi Seizures during labor (Prolonged labor () Prolonged labor ()	DATE OF L Month, Del PREN (II no 34.  ABOR An apply) or 38° C. ata/heavy of memb	IF etc. 290  AAST OTT  V, Year)  IATAL V, Year)	O DYM ( NOT SINGLE (ISpecify)  Date of (Month, MER TERMIN ISITS — Toulie)  RANSFERRE  DELIVERY  > 12 hours	E - Bom  E - Bom  I Number	CLINICAL EST GESTATION (  3a.  O YES II y  43. CONGEN (Check all Anencephalu Spina bifida/I Hydrocephalu Other central (Secily) Heart grallom Heart grallom	ITTAL / I that a s	ANOMA Systimus systems	31. APG MIN Did mother typhilis? (S. 6. ALIES OF	OZ _ AAR SCCI
DA. PREGNA.  DOWNERT TO MODER	INCEPTION (Complete In the Control of International Control of Internat	Is each section)    O None	OF PRECEDAN (File 10 )	ad. Number  O None  (Spancy PRENATAL 171, Second, etc.)  VES II yes, enter nan  40. EVENTS OF L (Check all that Febrile (> 100° F. Meconium, moder Placenta previa Other excessive bi Seizures during la Precipitous labor ( Dysfunctional labor Enerch (Allelance	DATE OF L Month, Day PREN (II no 34.  ABOR AN apply) or 38° C. ate/heavy of memb	IF etc 290  AAST OTT TO A STORY T	O DYM ( NOT SINGLE (Specify)  Date of (Month, MER TERMINI (SITS — Toulie)  PRANSFERRE  DELIVERY  > 12 hours	E - Bom  E - Bom  Last Live B Cay, Year  NATION  11 Number  10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CLINICAL EST GESTATION (  34.  O YES IT y  Anencephalu Spina bifida/I Hydrocephalu Microcephalu Microcephalu Microcephalu Microcephalu Microcephalu Microcephalu Microcephalu Microcephalu Microcephalu (Specify) — Heart grallom (Specify) —	ird. It weeks. It was a second of the second	EOF DE STATE ANOMA ANOMA ANOMA ANOMA STATE	31. APG MIN Did mother typhilis? (S. 6. ALIES OF	OZ _
DATE LAST MONIN, Day 12.  38a. MECO PREGISTA MONING PREGISTA MEMORIA (ICAMPANIA) PREGISTA MONING PREGISTA	INCEPTION (Complete to the Complete to the Com	THIS	OF PRECEDAN (File 10 )	ad. Number  O None  (Spancy PRENATAL 171, Second, etc.)  VES II yes, enter nan  40. EVENTS OF L (Check all that Febrile (> 100° F. Meconium, moder Placenta previa Other excessive bi Seizures during la Precipitous labor ( Dysfunctional labor Enerch (Allelance	DATE OF L Month, Day PREN (II no 34.  ABOR AN apply) or 38° C. ate/heavy of memb	IF etc 290  AAST OTT TO A STORY T	O DYM ( NOT SINGLE (Specify)  Date of (Month, MER TERMINI (SITS — Toulie)  PRANSFERRE  DELIVERY  > 12 hours	E - Bom  E - Bom  Last Live B Cay, Year  NATION  11 Number  10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CLINICAL EST GESTATION (  30.  O PES II y  Anencephalu Spina bifida/I Hydrocephalu Other central (Specify) Heart grallom Other greutal (Specify) Bectal atresia	ird.   E	EOF CO S S S S S S S S S S S S S S S S S S	31. APG. MIN Did mother 7 (5) 6. ALIES Of	OZ _
DA. PREGNA.  DO PREGNA.  Now Limin  Now Limin  O OTHER T  Induced a  OATE LAST  MONTHER TI  MOTHER	INCEPTION (Complete In the Complete In the not include that child go, Number	Care Be   Care	OF PRECEDAN (File 10 )	ad. Number  O None  (Spancy PRENATAL 171, Second, etc.)  VES II yes, enter nan  40. EVENTS OF L (Check all that Febrile (> 100° F. Meconium, moder Placenta previa Other excessive bi Seizures during la Precipitous labor ( Dysfunctional labor Enerch (Allelance	DATE OF L Month, Day PREN (II no 34.  ABOR AN apply) or 38° C. ate/heavy of memb	IF etc 290  AAST OTT TO A STORY T	O DYM ( NOT SINGLE (Specify)  Date of (Month, MER TERMINI (SITS — Toulie)  PRANSFERRE  DELIVERY  > 12 hours	E - Bom  E - Bom  Last Live B Cay, Year  NATION  11 Number  10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CLINICAL EST GESTATION (  3A.  O YES II y  43. CONGEN (Check all Anencephalu Spina bifida/ Hydrocephalu Other central (Specify) Heart grallom Other (circula) (Specify) Bectal stresia Tracheo-esop atresia	ind.   E	ANOMA APPly)  ANOMA Systematics	3 31. APG MIN  Did mother typnile? (5) 6.  ALIES Of tacility to the anomalogy anomalogy anomalogy anomalogy anomalogy anomalogy anomalogy.	OZ _ AR SCO
DA. PREGNA.  Now Limin   INCY HISTORY (Complete to the content of the conten	THIS	etc.   29a.     Now Delta   29a.     Now Delta   29a.     Now Delta   29a.     No	ad. Number  I None  ShannCy PRENATA  A. EVENTS OF L  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previe  Other excessive bi  Seizures during lai  Prologious labor (  Prolonged labor (   Prolonged labor (   Prolonged labor (   Prolonged labor (    Prolonged labor (	DATE OF L Monte, Det PREN (II not 34.  ABOR AN apply) or 38° C. ata/heavy of memb bor > 20 hour tation cations	IF elicinos (250 constant) in the constant of	O DYee ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN SISTS — Tourise)  RANSFERRE DELIVERY	E - Bom   E -	CLINICAL EST GESTATION ( 36.  O YES II y  43. CONGEN (Check ail Anencephalu Spina bilida/1 Hydrocephalu Other central (Specify) Heart grallom Other circulal Tracheo-esop atresia Tracheo-esop omphalocele	ind. I in	ANOMAPPIY)  ANOMAPPIY)  S 3  S 5  S 5  S 5  S 5  S 5  S 5  S 5	31. APG. MIN Did mother typhilis? (S. 6. of facility to ALIES Of	OZ _ AR SCO	
DATE LAST MONIN, De SIGNA L'ANDRE TE	INCEPTION (Complete In the Complete In the not include that child go, Number	THIS	etc.   20a.   Now Del   20a.   Now Del	ad. Number  O None ( GNANCY PRENATA  If (Check all that  Febrile ( > 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previa  Precipitous labor ( Dysfunctional labo  Breoch/Majpresen  Cephalopeivic dis;  Cord prolapse  Anesthetic complif  Fetal distress  None  None	DATE OF L Month. De PREN (II no 34.  ABOR AN apply) or 38° C. ate/heavy of memb	IF elicine AST OTT AST	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN ISITS — Tou	E - Bom   E -	CLINICAL EST GESTATION (  30.  O YES If y  Anencephalu Spina bilida/ Hydrocephalu Other central (Specify) Heart grallom Other circulat (Specify) Brocal atresia Tracheo-esop atresia Omphalocele Other gastroil	ird.   1   2   2   2   2   2   2   2   2   2	ANOM ANOM ANOM System S	31. APG MIN  Did mother byphile 7 (5) 6.  ALIES Of facility to the service of the	OZ _ AR SCO
Da. PREGNA.  Do. PREGNA.  Now Liven  Now Liv	INCOUNTY (Complete In the content of	Is each section)  If you have a section is a	etc.   20a   20a	ad. Number  Onone  Congruence of the congruence	DATE OF L Month. Dei PREN (II not 34.  ABOR AN apply) or 38° C. ata/heavy of memb oc	IF elicities (299) IF elicities	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN ISITS — Toursie)  PRANSFERRE  DELIVERY	E - Bom   E -	CLINICAL EST GESTATION () 38.  O YES II y  Al. CONGEN (Check ali Anencephalu Spina bitidal) Hydrocephalu Other central (Specify) Heart grallom Other, circular (Specify) Brectal stressia Tracheo-esop atresia Omphalocele (Specify) (Specify)	ITTAL . I I I I I I I I I I I I I I I I I I	ANOM APPIY)  ANOM Sprinter  ANOM Spr	31. APG MIN  31. APG MIN  Did mother typphile? (S. 6. of facility to facility	OZ _ AAR SCOOL   A
DA. D. PREGNA.  Now Liven	INCEPTION (Complete In the Complete In the not include that child go, Number	THIS	etc.   20a   20a	ad. Number  Onne  Connection  Connection  Connection  Connection  Connection  Ado. EVENTS OF L.  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature nupture  Abruptio placenta  Placenta previa  Other excessive bi  Seizures during la  Precipitous labor  (Prolonged tabor ( Dysfunctional labo  Breecht/Malpresen  Cephalopelvic dis  Cord prolapse  Anesthetic complie  Fetal distress  None  Other (Specify)  41. METHODO-FE	DATE OF L Month, Det PREN (II not 34.  ABOR AN apply) or 38° C. ata/heavy of memb bor > 20 hours or cations	IF elicities and in the state of the state o	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN SITS — Toulie)  PRANSFERRE DELIVERY > 12 hours	E - Bom   E -	CLINICAL EST GESTATION (  30. O EVES IF y  41. CONGEN (Check all Anencephalus Spina bilida/1 Hydrocephalu Microcephalu (Specify) — Heart grallom Othes creutal (Specify) = Bectal atresia Tracheo-esop atresia Tracheo-esop atresia (Specify) — Mallormed ge	ird.   E	ANOMA System Came  ANOMA System	31. APG MIN  31. APG MIN  Did mother byphile 7 (5. 6. of facility to facility	OZ _ AAR SCO
Da. PREGNA.  Do. PREGNA.  Now Limin  Now Lim	inception)  INCY HISTORY (Complete In De not include that chile go, Number 1  ERMINATIONS (Spontant any time after conception 1 and 1	Is each section; id)  None seous and n) Number AN MONTH- CARE BE 33.  DELIVERY? □  THIS	etc.   29a.     Now Delta   29a.     Now Delta   29a.     Now Delta   29a.     No	ad. Number  O None  (GRANCY PRENATAL ANALYSE II yes, enter nan  40. EVENTS OF L (Check all that Febrile (> 100° F. Meconium, moder Premature nipture Abruptio placenta Placenta previa Precipitous labor ( Dysfunctional lebor Prolonged labor ( Dysfunctional lebor Serech'Malpresen Cephalopeivic dis Cord prolapse Anesthetic complifetal Gistress Anesthetic complifetal None Other (Specify)  41. METHOD-OF [ Vaginal	DATE OF L Month. De PREN (II no 34.  ABOR AN apply) or 38° C. ate/heavy of memb con > 20 hours	IF elicinos and selection and	O DYes ( NOT SINGLE (ISpecify)  Date of (Month, MER TERMIN ISITS — Toulie)  RANSFERRE  DELIVERY  > 12 hours)	Specify   -	CLINICAL EST GESTATION () 36.  O YES If y  43. CONGEN (Check all Anencephalu Spina bilidat) Hydrocephalu Other central (Specify) Heart grallom Othes circulat (Specify) Bectal stressa Tracheo-esop atresia Omphalocele Other gastroid (Specify) Mallormed ge Renal agenes Other urogen	ird.   E	ANOMA SPRING STATE OF	31. APG MIN  31. APG MIN  Did mother ityphilis? (S. 6.  ALIES Of facility to  ALIES Of garding and gar	OZ _ AAR SCO
DA. PREGNA.  DOWNERT TO MOUNT OF THE TO THE T	INCOUNTY (Complete In the control of	Is each section; id)  None seous and n) Number AN MONTH- CARE BE 33.  DELIVERY? □  THIS	etc.   20a.     Now Delta	ad. Number  I None  I None  I STANDER PRENATAL  AUGUST PRENATAL  AUGUST PRENATAL  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Precipitous labor (  Prolonged labor (   Prolonged labor (   Prolonged labor (   Prolonged labor (   Prolonged labor (   Prolonged labor (    Prolonged labor (    Prolonged labor (     Prolonged labor (     Prolonged labor (      Prolonged labor (       Prolonged labor (	DATE OF L Month, Dat PREN (II not 31.  ABOR AN apply) or 38° C. atta/heavy of memb cor > 20 hour or > 20 hour	IF elicinose AST OTO A	O TYME ( NOT SINGLE ( Specify)  Date of ( Month,  MER TERMIN  SISTS — Toulie)  PRANSFERRE  DELIVERY  > 12 hours    12 hours    13 hours    14 hours    15 hours    16 hours    17 hours    18 hours	Specify   -   E -   Bom	CLINICAL EST GESTATION (  34.  O YES IT y  An encephalu Spina bitida/al Hydrocephalu Cither central (Specify) Heart guallom Other circulal (Specify) Fectal stressa Tracheo-esop atresia Omphalocele (Specify) Malformed ge Renal agenes (Specify)  Malformed ge Renal agenes (Specify)	ITIMATE Weeks   1   1   1   1   1   1   1   1   1	ANOM APPLY STATE OF THE STATE O	31. APG MIN  Did mother typphile? (S. 6. of facility to tacility t	OZ _ AAR SCO
Da. PREGNA.  Do. PREGNA.  Now Limin  Now Lim	inception)  INCY HISTORY (Complete In Do not include that chile go, Number 1  ERMINATIONS (Spontant any time after conception 1 and	THIS  THIS  THIS  THIS  THIS  THIS  THIS  THIS	etc.   20a.   Now Del   120a.   Now Del   120a	ad. Number  O None  (Specify)  AO. EVENTS OF L  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture.  Abruptio placenta  Placenta previe  Other excessive bi  Seizures during labor (  Dysfunctional labor  Breach/Malpresson  Cord prolapse  Anesthetic complie  Fetal distress  None  Other (Specify)  Vaginal birth after  Vaginal birth after	ABOR AN apply) or 38° C. ate/heavy of memb	IF elicione AST OTT AS	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN ISITS — Toulis)  PRANSFERRE  DELIVERY  > 12 hours    12 hours   12 hours   13 hours   14 hours   15 hours   15 hours   16 hours   17 hours   18 hours	Specify	CLINICAL EST GESTATION () 36.  O YES If y  43. CONGEN (Check all Anencephalu Spina bilidat) Hydrocephalu Other central (Specify) Heart grallom Othes circulat (Specify) Bectal stressa Tracheo-esop atresia Omphalocele Other gastroid (Specify) Mallormed ge Renal agenes Other urogen	ird.   E   E   E   E   E   E   E   E   E	ANOM APPIY)  Specific Structure  ANOM APPIY)  Specific Structure  Anom Appiy)  Specific Structure  Anom Anom Anom Anom Anom Anom Anom Ano	3 31. APG MIN  January Strain	OZ _ AAR SCC
DATE LAST  MOTHER TO MICHAEL STATE  JAST  MOTHER TO MICHAEL STATE  MOTH	INCOVINION (Complete In the content of the content	THIS	etc.   20a.	ad. Number  O None  (Cinancy PRENATAL  (Check all that  Febrile (> 100° F.  Meconium, moder  Premature rupture  Abrupta labor ( Dysfunctional labor  Cord prolapse  Anesthetic complie  Fetal distress  None  Other (Specify)  41. METHOD-OFE  Vaginal birth after  Prumary C-section  Repeat C-section	ABOR AN apply) or 38° C. ata/heavy of memb	IF elicities and a second and a	O TYME ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN SISTS — Tourille)  PRANSFERRE  DELIVERY  > 12 hours    Note that the property of the	Specify   E - Bom	CLINICAL EST GESTATION (  34.  O YES IT y  Anencephalu Spina bitida/al Hydrocephalu Cither central (Specify) Heart guillom Other circulal (Specify) Breatal atressa Tracheo-esop atresia Omphalocele (Specify) Mallormed ge Renal agenese (Specify) Cleft lip/palati Polydacryty) Cleft lip/palati Club foot:	ird.   E   E   E   E   E   E   E   E   E	ANOMA APPIY)  ANOMA PPPIY)  Substitution of the substitution of th	3 31. APG MIN  Did mother typhile? (S. 6.  ALIES Of facility to  ALIES Of manier  are anomalies  are anomalies  alexandres  dactyly	OZ _ AR SCO
Dabetes  Anemia discompeter previous   INCOVENIES OF THE PROPERTY OF	THIS	etc.   20a.   Now Del   120a.   Now Del   No	ad. Number  O None ( ShanCy PRENATAL  (Check all that  Febrile ( > 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previe  Abruptio placenta  Precipitous labor ( Prolonos labor ( Prolon	DATE OF L Month. De Month. De PREN (II no 34.  ABOR AN apply) or 38° C. atta/heavy of memb conditions conditions conditions conditions conditions conditions	IF elicine AST OTT Y Y Y (Check C-section  IF elicine  AST OTT Y Y (Check C-section  IF elicine  IF el	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN (MONT)  RANSFERRE  DELIVERY  > 12 hours  k all that a	Specify   E - Bom	Al CONGEN (Check all Anencephalu Spina bilida/ Hydrocephalu (Specify) Heart grallom Other central (Specify) Heart grallom Other create Tracheo-esop atresia Tracheo-esop atresia Tracheo-esop atresia Comphalocela Other gastroi (Specify) Mallormed ge Renal agenes Other urogen (Specify) Cleft lip/palatic	ird.   8   2   2   2   2   2   2   2   2   2	ANOMA APPIY)  S S S S S S S S S S S S S S S S S S S	3 31. APG MIN  Did mother typnile? (5) 6.  ALIES Of tacility to the anomalogy anomalog	OZ _ AR SCC	
Dabetes  Anemia di Cardiac de Acute or Diabetes  Genital in Hydramn Hy	INCOLOR INSTORY (Complete a 10 on oil include that child go, Number	THIS	etc.   20a.   Now Del   120a.   Now Del   No	ad. Number	ABOR AN apply) or 38° C. ate/heavy of memb	IF elicine AST OTT Y Y Y (Check C-section  IF elicine  AST OTT Y Y (Check C-section  IF elicine  IF el	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN (MONT)  RANSFERRE  DELIVERY  > 12 hours  k all that a	Specify   E - Bom	CLINICAL EST GESTATION (  3A.  O YES II y  Anencephalu Spina bilida/I Hydrocephalu (Specify) — Heart guallom Other central (Specify) — Bectal stress Omphalocele Other gastrois (Specify) Malformed ge Renal agenes Other urogen (Specify) Cleft lip/patate Polydactyty/S Club foot Diaphragmati	ird.   E	ANOMA POPPIN S S S S S S S S S S S S S S S S S S S	31. APG MIN  Did mother typhilis 7 (5) 6.  Of facility to the term anomalies are the term a	OZ _ AAR SCO
DEL CONTROLL	INCY HISTORY (Complete In Do not include that chile go, Number	THIS	etc.   20a.	ad. Number  O None  (Inancer)  Shancer PRENATA  (Check all that  Febrile ( > 100° F.  Meconium, moder  Premature rupture  Abruptio placenta  Placenta previa  Abruptio placenta  Precipitous labor (  Dysfunctional labor  Prolonged labor (  Dysfunctional labor  Carphalopelvic dist  Cord prolapse  Anesthetic complifetal distress  None  Other (Specify)  41. METHOD-OF(  Vaginal  Vaginal  Tyrimary C-section  Repeat C-section  Forceps  42. CONDITIONS  (Check all that  Anemia (Hct < 39/	ABOR AN apply) or 38° C. att/heavy of memb	IF elicinos AST OTT AND	O DYM ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN (MONT)  RANSFERRE  DELIVERY  > 12 hours  ORN	Specify   = Bom   = Bo	CLINICAL EST GESTATION (  34.  O YES IT y  An encephalu Spina bitida/al Hydrocephalu Other central (Specify) — Heart guallom Other circulal (Specify) — Heart guallom Other circulal (Specify) — Heart guallom Other circulal (Specify) — Cleft lip/palate Polydactyly/S Club foot Diaphragmati Other muscula (Specify) — Down's syndry Down's syndry	ind.   E   E   E   E   E   E   E   E   E	ANOM spply)  ANOM spply)  ANOM spply)  S sppratc  S spp	3 31. APG MIN  Did mother typhile? (S. 6. of facility to tacility	OZ _ AAR SCO
Da. PREGNA.  Do. PREGNA.  Do. PREGNA.  Now Liven  Now Liven  Now Liven  Do. OTHER TI  Induced a  JATE LAST  MOINT, Day  La  MOTHER TI  Accility trans  TA.  Jaza  MOTHER TI  Accility trans  TA.  Jaza  MOTHER TI  Accility trans  TA.  Jaza  Jaza  MOTHER TI  Accility trans  TA.  Jaza  MOTHER TI  Accility trans  TA.  Jaza   INCLY HISTORY (Complete In De not include that chile go, Number	THIS	etc.   20a.	ad. Number	ABOR AN apply) or 38° C. attacheavy of memb of memb of memb or attacheavy or attacheav	IF elicities and the second se	O DYNN (NOT SINGLE (Specify)  Date of (Month, MER TERMIN  SITS — Tourille)  PRANSFERRE  DELIVERY  > 12 hours)	Specify   -	CLINICAL EST GESTATION () 38.  O YES IT y  Anencephalu Spina bifida/I Hydrocephalu Cher central (Specify) Heart guallom Tracheo-esop atresia Tracheo-esop atresia Omphalocele Other gastroil (Specify) Mallormed ge Renal agenes Other urogen (Specify) Cleft lip/paiate Polydactyty/S Club foot (Specify) Usephragmatio Other muscul (Specify) Own's syndm Other chromo	ird.   8   2   2   2   2   2   2   2   2   2	ANOM APPIY)  STATEMENT OF THE STATEMENT	3 31. APG MIN  January Strains of	OZ _ AR SCOIL	
DEL CONTROLL OF SEASON OF	INCY HISTORY (Complete In Do not include that chile of Do not include that the Do not include that the Do not include the Do not incl	THIS	etc.   20a   Now Del   120a   Now Del   Now	ad. Number  O None  (Specify)  John C C C C C C C C C C C C C C C C C C C	DATE OF LIMONIN. Day PREN (II no of IN II no of IN II no of IN II no of IN II no of	iF elicinos  AST OTO	O DYNN (NOT SINGLE (Specify) 1. Date of (Month, MER TERMIN) SITS — Toulie) PRANSFERRE OELIVERY	Specify	CLINICAL EST GESTATION () 38.  O YES II y  43. CONGEN (Check all Anencephalu Spina bifida/I Hydrocephalu (Specify) Heart guallom (Specify) Bectal atresia Tracheo-esop atresia (Specify) Mallormed ge Renal agenes Other urogen (Specify) Cleft lig/patat Polydactyty/S Club foot (Specify) Diaphragmati Other muscul (Specify) Ousphragmati Other rhomo (Specify) Other chromo (Specify)	ird.   8   2   2   2   2   2   2   2   2   2	ANOM APPIY)  STATEMENT OF THE STATEMENT	3 31. APG MIN  January Strains of	OZ _ AR SCOIL
Da. PREGNA.  Do. PREGNA.  Do. PREGNA.  Now Limin  Now L	INCLY HISTORY (Complete In De not include that chile go, Number	THIS	etc.   20a   Now Del   120a   Now Del	ad. Number  D None  C	DATE OF L Monto, Dei PREN (II not 31.  ABOR AN apply) or 38° C. atta/heavy of memb corrections cations DELIVER ) DELIVER ) Hbg < 13 rome disassa/ on syndre	IF elicinose AST OTO IATALV (IATALV (I	O Tyee ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN  PRANSFERRE  DELIVERY  > 12 hours    Note that is the single of the si	Specify	CLINICAL EST GESTATION () 38.  O YES II y  Al. CONGEN (Check ali Anencephalu Spina bilidal') Hydrocephalu Other central (Specify) Heart grallom Other gircula (Specify) Bectal stresia Orphalocela Orp	ITIMATE Weeks   1   1   1   1   1   1   1   1   1	ANOM spply)  ANOM spply)  ANOM spply)  Suspirate  Suspirate  Suspirate  Anomalie:  Suspirate  Anomalie:  Anoma	31. APG MIN  31. APG MIN  Did mother ityphilis? (S. 6. of facility to facility	OZ _ AAR SCOIL
Date Design of the second of t	inception)  INCY HISTORY (Complete In Do not include this chile go, Number 1 or on include this chile go, Number 1 or on include this chile go, Number 1 or on the Inception I or on Inception I or on	THIS	etc.   20   10   10   10   10   10   10   10	ad. Number	ABOR AN apply) or 38° C. ate/heavy of membor of membor of membor of membor ateriors.  OF THE ! apply) Hbg < 13 rome of assass/ on syndrome as 30 min in \$30 min in \$3	IF elicities and a second seco	O Tyee ( NOT SINGLE (Specify)  Date of (Month, MER TERMIT SISTS — Tourise)  PRANSFERRE  DELIVERY  > 12 hours    Note that is a continued to the continued to th	Specify   -	CLINICAL EST GESTATION () 38.  O YES II y  43. CONGEN (Check all Anencephalu Spina bifida/I Hydrocephalu (Specify) Heart guallom (Specify) Bectal atresia Tracheo-esop atresia (Specify) Mallormed ge Renal agenes Other urogen (Specify) Cleft lig/patat Polydactyty/S Club foot (Specify) Diaphragmati Other muscul (Specify) Ousphragmati Other rhomo (Specify) Other chromo (Specify)	ITIMATE Weeks   1   1   1   1   1   1   1   1   1	ANOM spply)  ANOM spply)  ANOM spply)  Suspirate  Suspirate  Suspirate  Anomalie:  Suspirate  Anomalie:  Anoma	31. APG MIN  31. APG MIN  Did mother ityphilis? (S. 6. of facility to facility	OZ _ AA SCOIL
D. PREGNA.  Doe Bleen.  Now Liven.  Now Liven.  OTHER T.  MOUCHER T.  MOUTHER	INCOVINION (Complete In the content of the content	THIS	etc.   20	ad. Number  O None  (GRANCY PRENATAL rsi, Second, etc.)  YES II yes, enter nan  40. EVENTS OF L (Check all that Febrile (> 100° F. Meconium, moder Premature nupture Abruptio placenta Placenta previa. Other excessive bi Seizures during la Precipitous labor ( Dysfunctional labor ( Dysfun	ABOR AN apply)  or 38° C. atta/heavy of memb bor 20 hours or proportion cations  OF THE 1 apply)  Hbg < 13 hours of apply)  OF THE 1 apply)  Hbg < 13 nome of 30 min a 30 min	IF elicities and in the state of the state o	O DYes ( NOT SINGLE (Specify)  Date of (Month, MER TERMIN  SISTS — Toulist  PRANSFERRE  DELIVERY  > 12 hours  > 12 hours  ORN	Specify	CLINICAL EST GESTATION () 38.  O YES II y  Al. CONGEN (Check ali Anencephalu Spina bilidal') Hydrocephalu Other central (Specify) Heart grallom Other gircula (Specify) Bectal stresia Orphalocela Orp	ITIMATE Weeks   1   1   1   1   1   1   1   1   1	ANOM spply)  ANOM spply)  ANOM spply)  Suspirate  Suspirate  Suspirate  Anomalie:  Suspirate  Anomalie:  Anoma	31. APG MIN  31. APG MIN  Did mother ityphilis? (S. 6. of facility to facility	OZ _ AA SCOF
D. PREGNA.  D. PREGNA.  D. PREGNA.  D. PREGNA.  Now Limin  Now Limin  OTHER Tinduced a  ANTELAST  MONIN, Day  IOTHER Tinduced a  AREA  AREA  AREA  AREA  Anemia (i  Cardiac of  Acute or  Diabetes  Genital h  Hydramn  Hyd	inception)  INCY HISTORY (Complete In Do not include this chile go, Number 1 or on include this chile go, Number 1 or on include this chile go, Number 1 or on the Inception I or on Inception I or on	THIS	etc.   20	ad. Number	DATE OF L Month. Dai PREN (II no 34.  ABOR AN apply) or 38° C. ata/heavy of memb bor > 20 hour > 20 hour > 21 hour > 21 hour > 20 hour > 22 hour > 23 hour > 24 hour > 25 hour > 26 hour > 27 hour > 28 hour > 29 hour > 20 hour > 38 hour > 39 hour > 30 hour >	is either in the second of the	O DYNN (NOT SINGLE (Specify) 1. Date of (Month, MER TERMIN) SITS — Toulie) PRANSFERRE OELIVERY  > 12 hours)	Specify   = Bom   = Bo	CLINICAL EST GESTATION () 38.  O YES II y  Al. CONGEN (Check ali Anencephalu Spina bilidal') Hydrocephalu Other central (Specify) Heart grallom Other gircula (Specify) Bectal stresia Orphalocela Orp	ITIMATE Weeks   1   1   1   1   1   1   1   1   1	ANOM spply)  ANOM spply)  ANOM spply)  Suspirate  Suspirate  Suspirate  Anomalie:  Suspirate  Anomalie:  Anoma	31. APG MIN  31. APG MIN  Did mother ityphilis? (S. 6. of facility to facility	OZ _ AAR SCO



### APPENDIX C

NORTH CAROLINA DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES DIVISION OF EPIDEMIOLOGY — VITAL RECORDS SECTION

	District No		No				HTA					
rus	NAME OF FETUS	FIRST	MID	DLE	LAST		SEX OF F	ETUS	DATE OF D	ELIVERY	TIME OF	DELIVER
	1						2		1		4.	м
	NAME OF FACILITY	(If not institution, g	eve street and num	iber)		Sb.	OR LOCATIO	N	Sc.	UNTY OF	DELIVERY	
(	MOTHER'S NAME (	irst, Middle, Last)				MAIDEN SURN	AME			DAT	E OF BIRTH (Mor	nin, Day, Y
	RESIDENCE STATE		COUNTY		CITY, TOWN, OR I	LOCATION		1 st	REET AND N	7.		
NTS	84		<b>I</b> D.		ac.			84				
l	INSIDE CITY LIMITS (Yea or Ho)	ZIP CODE		FATHERS	NAME (First, Middle, Last	"					E OF BIRTH (Mon	er, Day, Y
7	PART L PETAL DEATH				ENTER ONLY	ONE CAUSE PER	INE FOR (a)	(b), (c)	-	10.	SPECIFY FETAL	OH MATE
	Fetal or maternal of directly causing to	stal death (8) If	MEDIATE CAL	JSE					-		-	
JSE	Fetal and/or meternal tions, If any, giving ris immediate cause (a),	ak to the (b) D	UE TO, OR AS	A CONSEC	DUENCE OF							
	the underlying cause	last.	UE TO, OR AS	A CONSEC	DUENCE OF							
п	PART IL OTHER SIGNE Septiment not resulting it	FICANT CONDITION	4S of letus or moths			PHYSICIAN'S I		Fetus died	before labor, du unknown (Spe	ring labor	AUTOPSY (Spec	ty Yes or A
` >	12a. I certify that this delive			hat the fetus	was born dead	12h		12c.		-	11	
	SIGNATURE:					(Specify)		magania, s	aldwire, biner	15b.	SIGNED	
IER	MAILING ADDRESS					SIGNATURE	OF MEDICA	EXAMIN	ER (II delivery	not attend	led by physician)	
1	DATE RECEIVED BY	LOCAL REGISTRA	A   SIGNATURE	OF REGIST	RAR	16.		-				
-	17a		176.									
1	OF HISPANIC ORIGIN	N? (Specify Yes	RACE - Amen		MATION FOR ST		USE ON		CUPATION	AD BUSI	NESS/INDUSTRY	
J	or No, If yes, specify C 18. Puerto Rican, etc.,		White, Black, et 19. (Specify bei	E. (w)	(Specify only highest of	crede completed) College (1-4 or 5+)		Occupan	(Worked	durino les	Business/Indus	
ER	DYes DNo Specify.		184		20a.							
R	☐ Yes ☐ No Specify:		1		702		214			21b.		
	185.	PRE	196.	γ	206.	MOTHER MAR	21c		reston   DA	21d.	NORMAL MENSE	5 81 5 44
HATHS			SNANCY HISTOR		RMINATIONS	or any time bet	ween) (Yes	w No)	1M	onth. Day.	Year)	2 BECAN
(S)		BIRTHS		any time att	er conception)	MONTH OF PE	EGNANCY - First, Sec	PRENATA ond, Third,	TAL PRENATAL VISITS — Total Number (II none, so siele)			
	22a. Now Living Number	Number			nclude this letus)	25. (Specify) WEIGHT OF FI	ETUS	CL	INICAL ESTI	MATE OF	Did mother have	
TH(S)	DATE OF LAST LIVE E	D None			R TERMINATION	27. LB	_ oz	21.	STATION (W		Syphilis? (Speci 29.	
RDS	(Month, Year) 22c.		(Month, Y	ear)	A TEAMINATION	PLURALITY — (Specify)	Single, Twin	, Triplet, et		rd. etc. /5p	LE BIRTH—Born Mcify)	First, Seco
MD3	31& MEDICAL HIS	TORY FOR THIS	PREGNANCY	33.0	BSTETRIC PROCEDU	JRES		1 35. CC			LIES OF FETU	s
	(Check all that Anemia (Hct. < 30/		011	10	heck all that apply) ocentesis		01.0	1CI	heck all that	apply)		
- 1	Cardiac disease				nois latel manitaria				epnalus			
- 1	Acute or chronic lu	no disease	02		tion of labor		02 🖸	Spina	bifida/Menir	gocele	**************	02
	Acute or chronic lui Diabetes	ng disease	02	Induci	tion of labor	*************	02 🖸	Spina Hydro Micros	bifida/Menir cephalus cephalus	gocale		03
	Acute or chronic lui Diabetes Genital herpes Hydramnios/Oligon	ng disease	02	Induct Stimu Tocoh Ultras	tion of labor	***************	02 []	Spina Hydro Micros Other	bilida/Menir cephalus cephalus central nervi	ngocele	m anomalies	03
	Acute or chronic lui Diabetes Genital herpes Hydramnios/Oligoh Hemoglobinopathy Hypertension, chron	ng disease		Inducion Stimu Stimu Tocoh Ultras None Other	tion of labor lation of labor ysis		80	Spina Hydro Micros Other (Spe	bifida/Menir cephalus cephalus central nervi ccily) malformation	ous syste	m anomalies	03
	Acute or chronic lui Disbetes	ny disease  nydramnios  nic nancy-associated		Inducion Stimu Tocoh Ultras None Other	tion of labor			Spina Hydro Micros Other (Spe Heart I	bifida/Menir cephalus cephalus central nervi scily) malformation circulatory/r	ngocele	m anomalies	03 04 05
	Acute or chronic lu Diabetes Genital herpes Hydramnios/Oligoh Hemoglobinopathy Hypertension, chro Hypertension, pregi Eclampsia Incompetent cervix	ny disease nydramnios nic nancy-associate		Induction Stimu Tocch Ultras None Other	tion of laborlation of laborysis			Spina Hydro Microc Other (Spe Heart I Other	bifida/Menir cephalus cephalus central nervi rcily) malformation circulatory/r	ous syste	m anomalies y anomalies	03 04 05 06
	Acute or chronic lus Diabetes	nydramnios	02 03 03 04 04 05 05 06 06 07 10 08 11 11 12 12 10 10 11 11 11 11 11 11 11 11 11 11 11	Inducion Stimu Tocoh Ultras None Other	tion of labor lation of labor lation of labor yais ound (Specify) (Specify) (FINTS OF LABOR AN heck all that apply)	ID/OR DELIVER		Spina Hydro Microc Other (Spe Heart Other (Spe Rectal	bifida/Menir cephalus cephalus central nerv ccity) malformation circulatory/r ccity) atresia/ston	ous syste	m anomalies y anomalies	03 04 05 06
	Acute or chronic lu Diabetes Genital herpes Hydramniox/Oligoh Hemoglobinopathy Hypertension, chro- Hypertension, preg Eclampsia Incompetent cervix Previous intant 4000 Previous preterm age intant	nydramnios nic nancy-associated  grams r small-for-gestat	021 041 051 061 077 081 1.099 110 111 111 111 110	Inducion Stimu Tocoh Ultras None Other	tion of labor	D/OR DELIVER	02 D04 D05 D05 D07 D0	Spina Hydro Microc Other (Spe Heart I Other (Spo Rectal Trache atres	bilida/Menir cephalus cephalus central nervi ccity)	ous syste	y anomalies y anomalies	03 04 05 06 07
	Acute or chronic lu Diabetes	nydramnios  nic nancy-associate  grams r small-for-gestal		Inductors Stimu Tocoh Ultras None Other Other (City Febrill Mecon Prema Abrup	tion of labor	ID/OR DELIVER		Spina Hydro Microx Other (Spe Heart I Other (Spo Rectal Trache atres Omphi	bilida/Menir cephalus cephalus central nervi central nervi	ngocele  ngocele  ngocele  ngocele  espirator  osis  al listula	y anomalies y anomalies /Esophageal	03 04 05 06 07 08
	Acute or chronic lustose or chronic lustose su Diabetes Genital herpes Hydramnica/Dilgoh Hemoglobinopethy Hypertension, chror hypertension, pregi Eclampsia Incompetent carrio, pregi ciampetent carrio aperio infant 4000 Previous preterm or age infant Renal disease Rh sensitization. Uterine bleeding Uterine bleeding	ng disease		Inductors Stimu Tocoh Ultras None Other Other St. EV (C) Febrill Mecor Prema Abrup Piacer	tion of labor lation of labor yais ound (Specify)  (ENTS OF LABOR AN heck all that apply)  a (> 100° F. or 38° C.) nium, moderate/heavy ture rupture of membi- tio placenta. ta previa	ID/OR DELIVER	02 D04 D04 D05 D07 D07 D07 D07 D08 D07 D08 D	Spina Hydro Microc Other (Spi Heart I Other (Spo Rectal Trache atres Omphi Other (Other)	bilida/Menir cephalus cephalus cephalus cephalus cephalus cephalus ciriy) malformatioi circulatory/r ciriy) atresia/ston co-esophage sia calocele/Gast gastrointesti	ngocele ngocele ns syste ns syste espirator osis nal fistula	y anomalies y anomalies /Esophageal	03 04 05 06 07 08 09
	Acute or chronic lu Diabetes	ing disease  hydramnios  nic  nancy-associate  grams  r small-for-gestat		Inducion Stimu Tocoh Ultras None Other Other St. EV (C) Febrild Mecor Prema Abrup Placer Other Seizur	ition of labor lation of labor yais ound (Specify).  FENTS OF LABOR AN heck all that apply) it (> 100° F. or 38° C.) nium, moderate/heavy iture rupture of membit tio placenta ta previa excessive bleeding ex during labor	ID/OR DELIVER	02 D	Spina Hydro Microc Other (Spe Heart Other (Spe Rectal Trache atres Omph Other (Spe Malfori	bifida/Menir cephalus cephalus central nervi celly)	ngocele  ngocele  ns  espirator  espirator  est fistula.  troschisis  nat anom	y anomalies y anomalies /Esophageal	03 04 05 06 08 09 10
	Acute or chronic lusto biabetes  Genital herpes Hydramnica/Diapoth Hemoglobi/Oligoth Hemoglobi/Oligoth Hemoglobi/Oligoth Hypertension, chromypertension, chromypertension, pregional Incompetent cervix Previous intant 4000 Previous preterm or age intant Renal disease Renal disease Renal disease None Other (Specify)	ing disease  nydramnios  nic  nancy-associate  grams  amail-for-gestate		Induction Induct	tion of labor.  Jalia on of labor.  Jalia on of labor.  Jalia ound  (Specify)  FENTS OF LABOR AN heck all that apply)  Solution (Specify)  Solution of the original of the laborate of membilities placenta.  Jalia previa excessive bleeding.	ID/OR DELIVER	Y 01 D05 D06 D07 D07 D07 D06 D08 D08 D08 D	Spina Hydro Microx Other (Spe Heart i Other) (Spe Rectal Trache atres Omphi Other i (Spe Mallori Renal i Other i	bifida/Menir cephalus allo cerulatory/ricirulatory/ri	ngocele  ns  espirator  osis  al listula.  roschisis nal anom	y anomalies y anomalies /Esophageai	
	Acute or chronic lu Diabetes Genital herpes Hydramnica/Dilgoh Hemoglobinopathy Hypertension, chro Hypertension, chro Hypertension, chro Previous infant 4000 Previous preterm or age infant Renal disease Rh sensitization Uterine bleeding None Other (Specify)  31b. ADDITIONAL H (Complete all H	ing disease  Inydramnios  Inic  Inancy-associate  Inggrams  Instruction gestate  Instruction		Induction Induct	ition of labor.  Jation of lab	ID/OR DELIVER	02 D	Spina Hydro Microc Other (Spe Heart r Other (Spo Rectal Trache alres Omph Other (Spe Mallor Renal Other (Spe	bifida/Menir cephalus cephalus cephalus cephalus cephalus central nervi celly malformationic circulatory/rccly) atresse/ston ove-sophage sia atresse/ston ove-sophage sia atomic celly med genitali agenesis urogenital ar celly) med genitali ar celly)	ngocele  ous syste  ns espirator  osis ial fistula irroschisis nal anom  a nomalies	y anomalies y anomalies  Esophageal	
	Acute or chronic lu Diabetes Genital herpes Genital herpes Hydramnica/Diabetes Hydramnica/Diabetes Hydramnica/Diabetes Hypertension, chror Hypertension, progr Eclampsia Incompetent cervix Previous intant 400 Previous preterm or age intant Renal disease Rh sensitization Utterine bleeding None Other (Specify)  31b. ADDITIONAL H (Complete all it Focation of the properties of the program of the properties Average number	ing disease  nydramnios  nic  nancy-associated  grams  r small-for-gestat  distory FOR thems)  g pregnancy  cigarettes per de		Induction Stimular Stimular Tocoh Ultras None Other  34. EV (Cl Febrill Mecor Prema Placer Precip Proton Pr	ition of labor lation of labor lation of labor systs ound (Specify)  ENTS OF LABOR AN heck all that apply)  s (> 100° F. or 38° C.) nium, moderate/heavy ture rupture of membito placenta  tag previa excessive bleeding	ID/OR DELIVER	02 D	Spina Hydro Micros Other (Spe Heart I Other ) (Spe Rectal Trache alread Omphi Other ) (Spe Malfort Renal I Other ) (Spe Cleft lift	bifida/Menin cephalus cephalus cephalus cephalus central nervi celty) atresia/stono-esophage sialocele/Gast agenesis med genitali agenesis celty) med genitali agenesis p/palate p/palate	ngocele  ns espirator  osis al listula.  roschisis nal anom	m anomalies y anomalies /Esophageai	
	Acute or chronic lusto biabetes  Genital herpes Hydramnios/Oligoh Hemoglobinopathy Hypertension, chror hypertension, preg Eclampsia Incompetent carvix Previous infant 4000 Previous pretern or age infant Renal disease Rh sensitization. Uterine bleeding None Other (Specify) 31b. ADDITIONAL H (Complete all it Tobacco use during Average number Alcohol use during Average number	ing disease  hydramnios  nic  grams  grams  r small-for-gestat  distory FOR Therems  p pregnancy  cligarettes per da  pregnancy  cligarettes per da		Induction  Induction  Stimu  Uttras  None  Other  JA. EV  (CC  Febrill  Abrup  Placer  Other  Seizur  Prolon  Oystu  Breecl  Cepha  Cord;  Anestr	ition of labor lation of labor lation of labor systs own of labor systs own	ID/OR DELIVER	92 D	Spina Hydro Microo Other (Spe Heart Other (Spe Rectal Trache atres Omph Other (Spe Malfort Renal Other (Spe Cleft lip	bifida/Menir cephalus cephalus cephalus cephalus central nervi certify atresie/stony/r certify atresie/stony/r certify atresie/stony atresie/s	ngocele  Dus syste  ns espirator  osis cal fistula  roschisis nal anom  a ctyly/Ada	m anomalies y anomalies /Esophageai valies	03 04 05 06 07 08 09 10 11 12 13 15 16 16 17 17
	Acute or chronic lu Diabetes Genital herpes Genital herpes Hydramnica/Diabetes Hydramnica/Diabetes Hydramnica/Diabetes Hypertension, chror Hypertension, progr Eclampsia Incompetent cervix Previous intant 400 Previous preterm or age intant Renal disease Rh sensitization Utterine bleeding None Other (Specify)  31b. ADDITIONAL H (Complete all it Focation of the properties of the program of the properties Average number	ing disease  nydramnios  nic  nancy-associated  grams  r small-for-gestat  distory FOR Therms)  g pregnancy  cipagnancy		Induction  Induction  Stimum  Tocoh  Ultras  None  Other  34. EV  (CC  Febrile  Mecor  Perma  Piacer  Precip  Prolon  Precip  Prolon  Dysful  Breecl  Cord q  Anestr  Fetal c  None  None	ition of labor.  Jation of lab	ID/OR DELIVER	92 D	Spina Hydro Microco Other (Spe Heart Other) (Spe Rectal Trache atres Omphh Other) (Spe Malfort Renal Other) (Spe Cleft lift Polyda Club to Disphr Other)	bifida/Menir cephalus cephalus cephalus cephalus cephalus central nervi celly malformation circulatory/recity) atresse/ston ove-esophage tia atresse/ston ove-esophage tia celly) med genitali agenesis celly) p/palate celly) p/palate celly) p/palate celly) agmatic her musculoskie	ngocele  ous systems  espirator  osis  al fistula  roschisis nal anomalios  ctyly/Ada  otal/intege	y anomalies  y anomalies  /Esophageal  salies	03 04 05 06 07 08 09 10 11 12 13 16 16 17 18 laises
	Acute or chronic lu Diabetes	ing disease  incomplete incomplet		Induction Induct	ition of labor lation of labor yais ound (Specify).  FENTS OF LABOR AN heck all that apply) a (> 100° F. or 38° C.) nium, moderate/heavy ture rupture of membi- tio placenta. ta previa excessive bleeding excessive bleeding excessive bleeding into substitute of the	ID/OR DELIVER	92 D	Spina Hydro Microco Other (Spe Heart Other (Spe Rectal Trache atrees Omph Other (Spe Mallori Renal Other (Spe Cleft lift Polyda Club to Diaphr Other (Spe	bifida/Menir cephalus cephalus cephalus cephalus cephalus central nervi celly malformationic circulatory/r celly atresse/ston ho-esophage sia celly atresse/ston ho-esophage sia celly med genitali agenesis urogonital ar celly p/palate celly p/palate celly agmatic her musculoskel celly agmatic her musculoskel celly)	ous systems.  espirator  osis  al listula.  roschisis  nal anomalios  ctyly/Ada  ctyly/Ada  etal/integ	y anomalies  y anomalies  /Esophageal halies	03 04 05 06 07 08 09 10 12 13 13 15 15 15 17 18 18 18 18 18 18 18 18 18 18 18 18 18
	Acute or chronic lu Diabetes  Genital herpes Hydramnica/Oligoh Hemoglobinopathy Hypertension, chro Hypertension, pregi Eclampsla Incompetent carrio, pregi Eclampsla Incompetent carrio Previous infant 400 Previous infant 400 Previous pretern or age infant Renal disease Rh sensitization Uterine bleeding None Other (Specify)  31b. ADDITIONALH (Complete all it Tobacco use during Average number Alcohol use during Average number Weight gained durin  32. METHOD OF DI Vaginal	Ing disease  Indicate of the properties of the p		Induction  Stimulo  S	ition of labor.  Jation of lab	ID/OR DELIVER	92 D	Spina Hydroo Microo Other (Spe Rectal Trache aires Ompho Other (Spe Malfort Renal i Other (Spe Cleft lift Polyda Club to Diaphn Other (Spe Down's Other of Spe Other of Other of Spe Other of Spe Other of Spe Other of Spe	bifida/Menir cephalus cephalus cephalus cephalus cephalus cephalus central nervi ceity) atresia/sion ceity) atresia/sion co-esophage is atresia/sion co-es	ngocele  ngocele  ns  espirator  osis  al listula  rroschisis nal anomalios  ctyly/Ada  etal/integ	m anomalies  y anomalies  /Esophageal  laties  actyly	03 04 05 06 07 08 09 10 11 12 13 16 15 16 17 18 18 18 18 18 19 20 1
	Acute or chronic lu Carte or chronic lu Diabetes Genital herpes Hydramnios/Oligoh Hemoglobinopathy Hypertension, chro Hypertension, preg Eclampsia Incompetent cervix Previous infant 4000 Previous infant 4000 Previous infant 4000 Previous pretern or age infant Renal disease Rh sensitization Ulterine bleeding None Other (Specify)  31b. ADDITIONAL H (Complete all it Tobacco use during Average number Average number Weight gained during Average number Weight gained during 12 METHOD OF DI Vaginal Vaginal birth after Vaginal birth after Primary C-section	ing disease  hydramnios  nic  nancy-associated  grams  r small-for-gestal  district FOR The  tems)  p pregnancy cigarentes per da  pregnancy dinnks per ween  g pregnancy  ELIVERY (Check		Induction  Induction  Stimun  Ultras  None  Other  J4. EV  (CI  Febrill  Mecoro  Prema  Abrup  Placer  Precip  Precip  Proton  Dysflut  Copha  Cord;  Anestr  Fetal  Induction  Seizur  Precip  Other  Seizur  Precip  Other  Seizur  Other  Other	ition of labor.  Jation of lab	ID/OR DELIVER	92 D	Spina Hydro Microo Other (Spe Rectal Trache atres Ompho Other (Spe Malforn Renal I Other (Spe Cleft lift Polyda Club Ito Diaphro Other (Spe Down's Other (Spe Down's Other (Spe Isper Ispe	bifida/Menir cephalus cephalus cephalus cephalus cephalus cephalus central nervi celly central nervi celly central nervi celly central nervi celly cell celly cell celly celly celly celly cell celly celly cell	ngocele  ous syste  ns espirator  osis si listula. irroschisis nal anomalios  ctyly/Ada  nia etal/integ	m anomalies  y anomalies  /Esophageal  laties	03
	Acute or chronic lu Diabetes Genital herpes Hydramnica/Diabetes Hydramnica/Diabetes Hydramnica/Diabete Hypertension, chro Hypertension, prog Eclampsia Incompetent cervix Previous infant 4000 Previous preterm or age infant Renal disease Rh sensitization Uterine bleeding None Other (Specify)  31b. ADDITIONAL H (Complete all it Tobacco use during Average number Aicohol use during Average number Weight gained durin  32. METHOD OF DI Vaginal birth after p	Ing disease Ing di		Induction Stimum Tocoh Ultras None Other  34. EV (CI Febrill Mecoro Other Precip Precip Precip Precip Anest Anest Anest Other Seizur Precip Anest Anest Other	ition of labor.  Jation of lab	ID/OR DELIVER	92 D	Spina Hydroo Microx Other (Spe Heart I Other I (Spe Malform Rectal Trache I (Spe Malform Renal I Other I (Spe Cleft lip Polyda Club Ic Diaphn Other I (Spe Down's Othe	bifida/Menir cephalus cephalus cephalus cephalus cephalus cephalus central nerviculty) malformationic circulatory/r circly) atresia/ston to-esophage is a castral color circulatory/r circly) med genitali aspensis urogenital arccify) med genitali aspensis urogenital arccify) p/palate crify) p/palate crify) asyndrome circly) asyndrome circly) asyndrome chromosomic circly) asyndrome chromosomic circly)	ngocele ngocele ns ns respirator osis sal fistula. rroschisis nal anomalios a ctyly/Ada: nia nia etal/integ	m anomalies  y anomalies  /Esophageal  laties  actyly	031 041 051 051 051 051 051 051 051 051 051 05

STATE LIBRARY OF NORTH CAROLINA
3 3091 00747 1683



Department of Health and Human Services State Center for Health Statistics P.O. Box 29538 Raleigh, N.C. 27626-0538 919/733-4728

BULK RATE U.S. Postage PAID Raleigh, N.C. 27626-0538 Permit No. 1862